

SODIUM BICARBONATE- sodium bicarbonate tablet
Rising Pharma Holdings, Inc.

Sodium Bicarbonate 10 gr (650 mg) Tablets, USP
Antacid

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each tablet)

Sodium Bicarbonate 10 gr (650 mg)

Purpose

Antacid

Uses: relieves • acid indigestion • heartburn • sour stomach • upset stomach associated with these symptoms

Warnings

Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet.

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
- **adults under 60 years of age:** 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Other Information: Each tablet contains: sodium 178 mg (7.74 mEq) • store at room temperature 15°-30°C (59°-86°F) in a well closed container as defined in the USP.

Inactive Ingredients: Microcrystalline cellulose NF, Hydrogenated Vegetable oil NF

Questions or Comments? 1-866-562-4597

Issued: 08/2022

Distributed by:

Rising Pharmaceuticals, Inc.
East Brunswick, NJ 08816

——PRINCIPAL DISPLAY PANEL——

Rising Pharmaceuticals Inc.

NDC 64980-528-10

Sodium Bicarbonate 10 gr (650 mg) TABLETS, USP
Antacid

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

1000 Tablets



NDC 64980-528-10

Sodium Bicarbonate

10 gr (650 mg)

Tablets, USP

Antacid

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

1000 Tablets

DO NOT USE IF IMPRINTED SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active Ingredients (in each tablet)
Sodium Bicarbonate 10 gr (650mg) Antacid

Uses: relieves • acid indigestion • heartburn • sour stomach • upset stomach associated with these symptoms

Warnings
Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.
Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions
• do not use the maximum dosage for more than 2 weeks
• tablets may be swallowed whole or dissolved in water prior to use
• adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours
• adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours

Other Information: Each tablet contains: sodium 178 mg (7.74 mEq) • store at room temperature 15°-30°C (59°-86°F) in a well closed container as defined in the USP.

Inactive Ingredients: Microcrystalline Cellulose NF, Hydrogenated Vegetable oil NF

Questions or comments? 1-866-562-4597

Issued: 08/2022

Distributed by:
Rising Pharmaceuticals, Inc.
East Brunswick, NJ 08816

Lot No.:

Exp. Date:

Spot UV



3 64980 52810 8

SODIUM BICARBONATE

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64980-528
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII: HN1ZRA3Q20)	SODIUM BICARBONATE	650 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CORN OIL (UNII: 8470G57WFM)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	AS3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64980-528-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	07/20/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001.30	07/20/2020	

Labeler - Rising Pharma Holdings, Inc. (116880195)

Revised: 11/2024

Rising Pharma Holdings, Inc.