

SALICYLIC ACID- corn removers patch
Premier Brands of America Inc.

Premier Brands Corn Removers

Active ingredient

Salicylic acid 40%

Purpose

Corn remover

Use

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are a diabetic
- have poor blood circulation
- on irritated skin, or any area that is infected or reddened

If discomfort persists see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel**Premier****CORN REMOVERS**


Salicylic Acid

Effective corn removal treatment

Cushions against pressure & friction

MEDICATED

9 MEDICATED PATCHES/ 9 PADS



Use for corns on feet & hands

Premier®

CORN REMOVERS

Salicylic Acid

Effective corn removal treatment
Cushions against pressure & friction

0 34197 00128 1



FPO

Drug Facts

Active ingredient Purpose
Salicylic acid 40%.....Corn remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings
For external use only.

Do not use

- if you are diabetic
- if you have poor blood circulation
- on irritated skin, on any area that is infected or reddened

Stop use and ask a doctor if discomfort persists

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- if necessary, cut medicated patch to fit corn
- carefully adhere medicated patch directly over corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information
store between 15° and 30°C (59° and 86°F)

Inactive ingredients
acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions? Call 1-866-964-0939

Care ■ Avoid surrounding skin when applying medicated patch

52-003PB-01

MEDICATED



9 MEDICATED PATCHES / 9 PADS

Distributed by:
©2020 Premier Brands of America Inc.
White Plains, New York 10601
www.premier-brands.com
Questions? Call 1-866-964-0939
MADE IN USA WITH U.S.
AND IMPORTED PARTS



SALICYLIC ACID

corn removers patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 9

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56104-011-09	9 in 1 PACKAGE; Type 0: Not a Combination Product	01/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/01/2013	

Labeler - Premier Brands of America Inc. (063849780)

Revised: 1/2026

Premier Brands of America Inc.