

**DG HEALTH HEARTBURN PREVENTION ORIGINAL STRENGTH- famotidine tablet, film coated**

**Dolgencorp, LLC**

-----

**Dolgencorp, LLC Heartburn Prevention Drug Facts**

**Active ingredient (in each tablet)**

Famotidine 10 mg

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens

- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture and light

**Inactive ingredients**

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

**Questions or comments?**

**1-888-309-9030**

**Principal Display Panel**

SEE NEW WARNINGS

Compare to the active ingredient of Pepcid® AC

Original Strength

Heartburn Prevention

Famotidine Tablets, 10 mg

Acid Reducer

Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion

20 Tablets

Actual Tablet Size



\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid® AC.

**Drug Facts (continued)**  
Questions or comments? 1-888-309-9030

**Other Information**  
Read the directions and warnings before use. Keep the product in its original container. Do not use if the seal is broken. Do not use if the product is expired. Do not use if the product is damaged. Do not use if the product is contaminated. Do not use if the product is expired. Do not use if the product is damaged. Do not use if the product is contaminated.

**Directions**  
Adults and children 12 years and over: Take 1 tablet with a glass of water. Do not chew. To prevent symptoms, swallow 1 tablet with a glass of water at any time from 15 to 60 minutes before eating food or drinking beverages that cause heartburn. Do not use more than 2 tablets in 24 hours. Children under 12 years: Ask a doctor.

**Warnings**  
Do not use if you are allergic to famotidine or other acid reducers. Do not use if you are allergic to famotidine or other acid reducers. Do not use if you are allergic to famotidine or other acid reducers.

**Uses**  
Relieves heartburn associated with acid indigestion and sour stomach. Relieves heartburn associated with acid indigestion and sour stomach. Relieves heartburn associated with acid indigestion and sour stomach.

**Drug Facts**  
Famotidine 10 mg. Acid reducer. Active ingredient (in each tablet) Purpose. Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Do not use**  
If you have trouble or pain swallowing food, vomiting with blood, or black stools. These may be signs of a serious condition. See your doctor. With other acid reducers. Ask a doctor before use if you have had heartburn over 3 months. This may be a sign of a more serious condition.

**Warnings**  
Do not use if you are allergic to famotidine or other acid reducers. Do not use if you are allergic to famotidine or other acid reducers. Do not use if you are allergic to famotidine or other acid reducers.

**Uses**  
Relieves heartburn associated with acid indigestion and sour stomach. Relieves heartburn associated with acid indigestion and sour stomach. Relieves heartburn associated with acid indigestion and sour stomach.

**Drug Facts**  
Famotidine 10 mg. Acid reducer. Active ingredient (in each tablet) Purpose. Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

OPEN OTHER END

Good to Know

14160 VT C4

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

**Tips for Managing Heartburn** • Do not lie flat or bend over after eating • Do not wear tight-fitting clothing around the stomach • Do not eat before bedtime • Raise the head of your bed • Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables • Eat slowly and avoid big meals • If overweight, lose weight • Quit smoking

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

**DG™ health**

**SEE NEW WARNINGS**  
Compare to the active ingredient of Pepcid® AC\*


Original Strength  
**Heartburn Prevention**

Famotidine Tablets, 10 mg  
Acid Reducer

Just One Tablet  
Prevents & Relieves  
Heartburn Due to



20 Tablets



## DG HEALTH HEARTBURN PREVENTION ORIGINAL STRENGTH

famotidine tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:559 10-141
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	L141
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:559 10-141-60	20 in 1 CARTON	03/10/2010	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:559 10-141-72	1 in 1 CARTON	01/22/2020	

2		60 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:559 10-141-75	1 in 1 CARTON	01/22/2020	
3		90 in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA		ANDA075400	03/10/2010	

**Labeler** - Dolgencorp, LLC (068331990)

Revised: 1/2020

Dolgencorp, LLC