## INTEGRA- iron vitamin supplement capsules capsule U.S. Pharmaceutical Corporation

-----

## **INTEGRA**<sup>™</sup>

Supplement Facts Serving Size: 1 Capsule			
Amount Per Serving		%DV*	% Daily Value for Pregnant or Lactating women
Vitamin C (from ProAscorb C**)	40 mg	44%	33%
Vitamin B <sub>3</sub> (from ProAscorb C**)	3 mg	19%	17%
Iron (62.5mg from Ferrous Fumarate; 62.5mg from Polysaccharide Iron Complex)	125 mg	694%	463%
<ul> <li>** ProAscorb C is a proprietary blend of Calcium Ascorbate, Ascorbic Acid, Ascorbyl Palmitate, Niacinamide Ascorbate, Xylitol, Sodium Ascorbate, Magnesium Ascorbate, Lysine Acetate, Citrus Bioflavonoids, Potassium Ascorbate, Sodium Pyrophosphate, D-Ribofuranose, L-Cysteine, Glutathione and</li> </ul>	75 mg	†	†
Hesperidin * Percent Daily Value based on 2000 calorie intak children 12 years and older. † Daily Value not es			and

Other Ingredients: Hypromellose, Magnesium Stearate, Titanium Dioxide, FD & C Red#40, FD & C Blue#1.

**INDICATIONS:** Integra<sup>TM</sup> is indicated for the treatment of iron deficiency anemia, which may occur due to an increased need for iron, a deficient intake of iron, or an excessive loss of iron.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

**HOW SUPPLIED:** Integra<sup>™</sup> are swedish orange Vcaps<sup>®</sup> capsules printed in yellow with "Integra" on the cap and "US" logo on the body. Packed in child resistant caps and light resistant bottles of 90 capsules (52747-0710-60) and 30 capsules (52747-0710-30). The listed product numbers are not National Drug Codes. Instead, US Pharmaceutical

Corporation has assigned these product codes formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

You should contact your healthcare provider for medical advice about adverse events. To report a serious adverse event, contact US Pharmaceutical Corporation, P.O.Box 360465,Decatur,GA 30036.

**DOSAGE AND ADMINISTRATION:** Adults (persons over 12 years of age), one (1) capsule daily, between meals, or as prescribed by a physician. Do not exceed recommended dosage.

Store at room temperature 15° to 30°C (59° to 86°F ) and dry place.

Vcaps<sup>®</sup> and the Vcaps<sup>®</sup> Logo are trademarks used under license. Patent Numbers: USA: 5,626,883; Mexico MX/a/2008/004461; Singapore: 200802623-9 and other countries.

Rev.03/2022

## **IRON / VITAMIN SUPPLEMENT CAPSULES**

Packaging

52747-0710-60 90 Capsules / One a day	acts	% Daily Value for Pregnant or Lac- tating Women	33%	17%	463% e Iron Complex)	t 2, Niacinamide Lysine Acetate, Pyrophosphate,	of adults and established	Dioxide, leading cause of ch of children. In immedialely.	printed in yellow in child resistant and 30 capsules and Drug Codes. Product codes to the formating fistems. e about adverse tical Corporation,	
IRON / VITAMIN SUPPLEMENT CAPSULES         INDICATIONS: Integra™ is indicated for the treatment of iron deficiency anemia, which may occur due to an increased need for iron, a deficient intake of iron, or an excessive loss of iron.         DOSAGE AND ADMINISTRATION: Adults (persons over 12 years of age), one (1) capsule daily, between meals, or as prescribed by a physician. Do not exceed recommended dosage.         OSAGE AND ADMINISTRATION: Adults (persons over 12 years of age), one (1) capsule daily, between meals, or as prescribed by a physician. Do not exceed recommended dosage.         Vaps® and the Vcaps® Logo are trademarks used under license. Patent Numbers: USA: 5,626,883; Mexico MX/a/2008/004461; Singapore: 200802623-9 and other countries.         ®       Rev.03/2022	Supplement Fa	Serving Size: 1 Japsule % D Precent Amount Per Serving . %DV* to	44%	min B <sub>3</sub> (from ProAscorb C**) 3 mg	Iron 125 mg 694% (62.5mg from Ferrous Fumarate; 62.5mg from Polysaccharide Iron	** ProAscorb C is a proprietary blend of calcium Ascorbate, Ascorbite Acid, Ascorbyt Palmitate, Ascorbate, Xyfitol, Sodium Ascorbate, Magnesium Ascorbate, L Citrus Bioflavonoids, Potassium Ascorbate, Sodium P) D-Ruboluranose, L-Cysteine, Glutathione and Hesperidin	* Percent Daily Value based on 2000 calorie intake of children 12 years and older. † Daily Value not est	Other Ingredients:Hypromellose, Magnesium Stearate, Titanium Dioxide, FD & C Red #40, FD & C Blue #1. WARNING: Accidental overdose of iron-containing products is a leading cause fatal poisoning in children under 6. Keep this product out of reach of children. case of accidental overdose, call a doctor or poison control center immediately.	HOW SUPPLIED: Integra <sup>TM</sup> are swedish orange Vcaps <sup>6</sup> capsules printed in yellow with "Integra" on the cap and "US" logo on the body. Packed in child resistant caps and light resistant bottes to groud cut numbers are not National Durg Codes (25247-0710-30). The listed product numbers are not National Durg Codes Instead, US Pharmaceutical Corporation has assigned these product codes Instead, US Pharmaceutical Corporation has assigned these product codes formated accoulding to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems. Wo should contact your healthcare provider for medical advice about adverse events. To report a serious adverse event, contact US Pharmaceutical Corporation, PO. Box 360465, Decaux, GA 30036.	

Supplement Facts Serving Size: 1 Capsule
M Daily Value for Pregnant or Lac- Amount Per Serving MDV* tating Women
Vitamin C (from ProAscorb C**) 40 mg 44% 33%
Vitamin B <sub>3</sub> (from ProAscorb C**) 3 mg 19% 17%
Iron 125 mg 694% 463% (62.5mg from Ferrous Fumarate; 62.5mg from Polysaccharide Iron Complex)
** ProAscorb C is a proprietary blend of 75 mg † † Calcium Ascorbate, Ascorbic Acid, Ascorbyl Palmitate, Niacinamide Ascorbate, Xylitol, Sodium Ascorbate, Magnesium Ascorbate, Lysine Acetate, Citrus Bioflavonoids, Potassium Ascorbate, Sodium Pyrophosphate, D-Ribofuranose, L-Cysteine, Glutathione and Hesperidin
* Percent Daily Value based on 2000 calorie intake of adults and children 12 years and older. † Daily Value not established
Other Ingredients: Hypromellose, Magnesium Stearate, Titanium Dioxide, FD & C Red #40, FD & C Blue #1.
WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.
HOW SUPPLIED: Integra <sup>™</sup> are swedish orange Vcaps <sup>®</sup> capsules printed in yellow with "Integra" on the cap and "US" logo on the body. Packed in child resistant caps and light resistant bottles of 90 capsules (52747-0710-60) and 30 capsules (52747-0710-30). The listed product numbers are not National Drug Codes. Instead, US Pharmaceutical Corporation has assigned these product codes formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems. You should contact your healthcare provider for medical advice about adverse events. To report a serious adverse event, contact US Pharmaceutical Corporation, P.O. Box 360465, Decatur, GA 30036.

## INTEGRA

NIACIN (UNII: 2679MF687		- UNII:PQ6CK8PE		NHRIC:52		
Active Ingredient/ ASCORBIC ACID (UNII: PO NIACIN (UNII: 2679MF687)	Active Moiety Ingredient Name Q6CK8PDOR) (ASCORBIC ACID A) (NIACIN - UNII:2679MF687A			fStrength		
Active Ingredient/ ASCORBIC ACID (UNII: PO NIACIN (UNII: 2679MF687)	Active Moiety Ingredient Name Q6CK8PDOR) (ASCORBIC ACID A) (NIACIN - UNII:2679MF687A			f Strength		
ASCORBIC ACID (UNII: PONIACIN (UNII: 2679MF687)	Ingredient Name Q6CK8PD0R) (ASCORBIC ACID A) (NIACIN - UNII:2679MF687A			f Strength		
NIACIN (UNII: 2679MF687	Q6CK8PD0R) (ASCORBIC ACID A) (NIACIN - UNII:2679MF687A			f Strength		
NIACIN (UNII: 2679MF687	A) (NIACIN - UNII:2679MF687A				Strengtl	
		)	JUR) ASCORDIC	ACID	40 mg	
RON (UNII: E1UOL152H7)	(IRON - UNII:E1UOL152H7)		NIACIN	NIACIN		
			IRON		125 mg	
Inactive Ingredien	its					
	Ingredient Na	ame		St	rength	
CALCIUM ASCORBATE (	-					
ASCORBYL PALMITATE	(UNII: QN83US2B0N)					
	Q1E)					
SODIUM ASCORBATE (U	JNII: S033EH8359)					
MAGNESIUM ASCORBAT	<b>FE</b> (UNII: 0N1G678593)					
LYSINE ACETATE (UNII: 1	TTL6G7LIWZ)					
CITRUS BIOFLAVONOID	<b>S</b> (UNII: BD70459I50)					
POTASSIUM ASCORBAT	<b>E</b> (UNII: X5523762RI)					
SODIUM PYROPHOSPHA	<b>ATE</b> (UNII: O352864B8Z)					
BETAD-RIBOFURANOS	SE (UNII: IVV837V11N)					
CYSTEINE (UNII: K848JZ4	1886)					
GLUTATHIONE (UNII: GAI	N16C9B8O)					
HESPERADIN (UNII: PTR4	91OS14)					
HYPROMELLOSE, UNSP	ECIFIED (UNII: 3NXW29V3WO)	)				
MAGNESIUM STEARATE	(UNII: 70097M6I30)					
TITANIUM DIOXIDE (UNI	I: 15FIX9V2JP)					
FD&C RED NO. 40 (UNII:	WZB9127XOA)					
FD&C BLUE NO. 1 (UNII:	H3R47K3TBD)					
Packaging						
# Item Code	Package Description	Marketin	g Start Date I	Marketing	End Date	
<b>1</b> NHRIC:52747-710-60	90 in 1 BOTTLE					
Marketing Info						
Marketing Category dietary supplement	Application Number or I Citation	Monograph	Marketing Star Date 04/01/2009		eting End Date	

Supplement Facts						
Serving Size :		Serving per Container :				
	<b>Amount Per Serving</b>	% Daily Value				
color						
shape						
size (solid drugs)	19 mm					
scoring	1					
imprint						

Labeler - U.S. Pharmaceutical Corporation (079467662)

Revised: 6/2023

U.S. Pharmaceutical Corporation