

**ESSENCE LIGHT SUNSCREEN SPF 50 PA- avobenzene, homosalate, octisalate, octocrylene lotion
ENGLEWOOD LAB, INC.**

ESSENCE LIGHT SUNSCREEN SPF 50 PA +++

Drug Facts

Active Ingredients

AVOBENZONE 3.0%
HOMOSALATE 9.0%
OCTISALATE 4.5%
OCTOCRYLENE 5.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:

- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.- 2 p.m.

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

WATER (AQUA), DIPROPYLENE GLYCOL, METHYL METHACRYLA CROSSPOLYMER, GLYCERYL POLYMETHACRYLATE, PROPYLENE GLYCOL, BUTYLOCTYL SALICYLATE, CETEARETH-20, ETHYLHEXYL METHOXYCRYLENE, ACRYLATES COPOLYMER, GALACTOMYCES FERMENT FILTRATE, SACCHAROMYCES FERMENT FILTRATE, CERAMIDE NP, HYDROLYZED HYALURONIC ACID, SODIUM ACETYLATED HYALURONATE, HYALURONIC ACID, HYDROLYZED SODIUM HYALURONATE, SODIUM HYALURONATE CROSSPOLYMER, POTASSIUM HYALURONATE, PANAX GINSENG ROOT EXTRACT, SORBITAN OLEATE, POLYSORBATE 60, SORBITAN STEARATE, CAPRYLYL GLYCOL, CETEARYL OLIVATE, PANTHENOL, SODIUM HYALURONATE, GLYCERIN, SORBITAN OLIVATE, ACRYLATES/ C10-30 ALKYL ACRYLATE CROSSPOLYMER, TROMETHAMINE, SODIUM ACRYLATE/ SODIUM ACRYLOYLDIMETHYL TAURATECOPOLYMER, ISOHEXADECANE, AMMONIUM ACRYLOYLMETHYLTAURATE/ VP COPOLYMER, 1,2-HEXANEDIOL, BHT, ETHYLHEXYLGLYCERIN, POLYSORBATE 80, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, XANTHAN GUM, BUTYLENE GLYCOL, CAPRYLIC/CAPRIC TRIGLYCERIDE, HYDROXYPROPY-LTRIMONIUM HYALURONATE, POTASSIUM SORBATE, HYDROGENATED LECITHIN, SODIUMBENZOATE, OCTYLDODECANOL

Package Labeling:10ml

ESSENCE LIGHT SUNSCREEN

Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**Ceramides • Ferment Filtrate
Hyaluronic Acid • Vitamin B**

Lightweight, fragrance-free moisturizer infused with essence-based fermented ingredients and hydrators, and includes Broad Spectrum SPF 50 protection.

Drug Facts

| Active Ingredients | Purpose |
|--------------------|-----------|
| Avobenzone | 3.0% |
| Homosalate | 9.0% |
| Octisalate | 4.5% |
| Octocrylene | 5.0% |
| | Sunscreen |

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

thenimetyou.com
Dist. by: Then I Met You LLC
Brooklyn, NY 11202 Made in Korea

Drug Facts (continued)

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating:
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Water (Aqua), Dipropylene Glycol, Methyl Methacrylate Crosspolymer, Glyceryl Polymethacrylate, Propylene Glycol, Butyloctyl Salicylate, Cetareth-20, Ethylhexyl Methoxycrylene, Acrylates Copolymer, Galactomyces Ferment Filtrate, Saccharomyces Ferment Filtrate, Ceramide NP, Hydrolyzed Hyaluronic Acid, Sodium Acetylated Hyaluronate, Hyaluronic Acid, Hydrolyzed Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Potassium Hyaluronate, Panax Ginseng Root Extract, Sorbitan Oleate, Polysorbate 60, Sorbitan Stearate, Caprylyl Glycol, Cetearyl Oliviate, Panthenol, Sodium Hyaluronate, Glycerin, Sorbitan Oliviate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tromethamine, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Ammonium Acryloyldimethyltaurate/VP Copolymer, 1,2-Hexanediol, BHT, Ethylhexylglycerin, Polysorbate 80, Trisodium Ethylenediamine Disuccinate, Xanthan Gum, Butylene Glycol, Caprylic/Capric Triglyceride, Hydroxypropyltrimonium Hyaluronate, Potassium Sorbate, Hydrogenated Lecithin, Sodium Benzoate, Octyldodecanol

Then I
Met
You®



Broad Spectrum SPF 50
Sunscreen Lotion PA+++

ESSENCE LIGHT SUNSCREEN

10mL e 0.33 fl oz

It was all so dull,
I used to rush,
I was looking for purpose,

Then I Met You.

Now is the time to go deeper. It starts with cultivating jeong, a deep and meaningful connection that encourages empathy and generosity. Jeong takes time to build, but when you feel it, you know.

We also make quality skin care.

**WHAT I
LEARNED
IN KOREA,
IS THAT
BEAUTY
HAS LAYERS**

12M
KOS
Please recycle
outer box.



Then I
Met
You®

Ceramides
Ferment Filtrate
Hyaluronic Acid
Vitamin B

ACTIVE INGREDIENTS:

Avobenzone 3.0%
Homosalate 9.0%
Octisalate 4.5%
Octocrylene 5.0%

Lightweight Moisturizer + SPF 50 PA+++

Directions: Apply an even layer onto your face and neck using your fingertips. For use 15 minutes before sun exposure and reapply as needed.

Refer to Drug Facts on the box for complete directions and warnings.

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.



Broad Spectrum SPF 50
Sunscreen Lotion PA+++

**ESSENCE LIGHT
SUNSCREEN**

10mL e 0.33 fl oz

thenimetyou.com

Dist. by: Then I Met You LLC
Brooklyn, NY 11202

Made in Korea



Package Labeling:50ml

Drug Facts

| Active Ingredients | Purpose |
|--------------------|-----------|
| AVOBENZONE 3.0% | Sunscreen |
| HOMOSALATE 8.0% | |
| OCTISALATE 4.0% | |
| OCTOCRYLENE 5.0% | |

Uses
Helps prevent sunburn.
If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Other Information
Keep this product in its container from excessive heat and direct sun.

Inactive Ingredients
WATER, GALLIC ACID, ETHYLHEXYL METHOXYCRYLENE, METHACRYL METHACRYLATE, DIMETHYLGLYCERIN, BUTYLOCTYL SALICYLATE, CETARETH-20, ETHYLHEXYL METHOXYCRYLENE, COPOLYMER, GALACTOMYCES FERMENT CELLULOSE, CERAMIDE NP, HYDROLYZED HYALURONIC ACID, SODIUM ACETYLATED HYALURONATE, HYALURONIC ACID, HYDROLYZED SODIUM HYALURONATE, SODIUM HYALURONATE, POLYGLYCERIN-3, POLYGLYCERIN-4, POLYGLYCERIN-6, POLYGLYCERIN-8, POLYGLYCERIN-10, POLYGLYCERIN-12, POLYGLYCERIN-14, POLYGLYCERIN-16, POLYGLYCERIN-18, POLYGLYCERIN-20, POLYGLYCERIN-22, POLYGLYCERIN-24, POLYGLYCERIN-26, POLYGLYCERIN-28, POLYGLYCERIN-30, POLYGLYCERIN-32, POLYGLYCERIN-34, POLYGLYCERIN-36, POLYGLYCERIN-38, POLYGLYCERIN-40, POLYGLYCERIN-42, POLYGLYCERIN-44, POLYGLYCERIN-46, POLYGLYCERIN-48, POLYGLYCERIN-50, POLYGLYCERIN-52, POLYGLYCERIN-54, POLYGLYCERIN-56, POLYGLYCERIN-58, POLYGLYCERIN-60, POLYGLYCERIN-62, POLYGLYCERIN-64, POLYGLYCERIN-66, POLYGLYCERIN-68, POLYGLYCERIN-70, POLYGLYCERIN-72, POLYGLYCERIN-74, POLYGLYCERIN-76, POLYGLYCERIN-80, POLYGLYCERIN-84, POLYGLYCERIN-88, POLYGLYCERIN-92, POLYGLYCERIN-96, POLYGLYCERIN-100, POLYGLYCERIN-104, POLYGLYCERIN-108, POLYGLYCERIN-112, POLYGLYCERIN-116, POLYGLYCERIN-120, POLYGLYCERIN-124, POLYGLYCERIN-128, POLYGLYCERIN-132, POLYGLYCERIN-136, POLYGLYCERIN-140, POLYGLYCERIN-144, POLYGLYCERIN-148, POLYGLYCERIN-152, POLYGLYCERIN-156, POLYGLYCERIN-160, POLYGLYCERIN-164, POLYGLYCERIN-168, POLYGLYCERIN-172, POLYGLYCERIN-176, POLYGLYCERIN-180, POLYGLYCERIN-184, POLYGLYCERIN-188, POLYGLYCERIN-192, POLYGLYCERIN-196, POLYGLYCERIN-200, POLYGLYCERIN-204, POLYGLYCERIN-208, POLYGLYCERIN-212, POLYGLYCERIN-216, POLYGLYCERIN-220, POLYGLYCERIN-224, POLYGLYCERIN-228, POLYGLYCERIN-232, POLYGLYCERIN-236, POLYGLYCERIN-240, POLYGLYCERIN-244, POLYGLYCERIN-248, POLYGLYCERIN-252, POLYGLYCERIN-256, POLYGLYCERIN-260, POLYGLYCERIN-264, POLYGLYCERIN-268, POLYGLYCERIN-272, POLYGLYCERIN-276, POLYGLYCERIN-280, POLYGLYCERIN-284, POLYGLYCERIN-288, POLYGLYCERIN-292, POLYGLYCERIN-296, POLYGLYCERIN-300, POLYGLYCERIN-304, POLYGLYCERIN-308, POLYGLYCERIN-312, POLYGLYCERIN-316, POLYGLYCERIN-320, POLYGLYCERIN-324, POLYGLYCERIN-328, POLYGLYCERIN-332, POLYGLYCERIN-336, POLYGLYCERIN-340, POLYGLYCERIN-344, POLYGLYCERIN-348, POLYGLYCERIN-352, POLYGLYCERIN-356, POLYGLYCERIN-360, POLYGLYCERIN-364, POLYGLYCERIN-368, POLYGLYCERIN-372, POLYGLYCERIN-376, POLYGLYCERIN-380, POLYGLYCERIN-384, POLYGLYCERIN-388, POLYGLYCERIN-392, POLYGLYCERIN-396, POLYGLYCERIN-400, POLYGLYCERIN-404, POLYGLYCERIN-408, POLYGLYCERIN-412, POLYGLYCERIN-416, POLYGLYCERIN-420, POLYGLYCERIN-424, POLYGLYCERIN-428, POLYGLYCERIN-432, POLYGLYCERIN-436, POLYGLYCERIN-440, POLYGLYCERIN-444, POLYGLYCERIN-448, POLYGLYCERIN-452, POLYGLYCERIN-456, POLYGLYCERIN-460, POLYGLYCERIN-464, POLYGLYCERIN-468, POLYGLYCERIN-472, POLYGLYCERIN-476, POLYGLYCERIN-480, POLYGLYCERIN-484, POLYGLYCERIN-488, POLYGLYCERIN-492, POLYGLYCERIN-496, POLYGLYCERIN-500.

ESSENCE LIGHT SUNSCREEN
Broad Spectrum SPF 50 Sunscreen Lotion PA+++
90 mL (3.18 Fl. oz.)

A lightweight, hydrating sunscreen that provides Broad Spectrum SPF 50 protection in a ferment-enriched formula that leaves skin with an essence-like luminous glow. An innovative, glowy finish that blends in effortlessly, without white cast or pilling.

"I was inspired by Korean innovation and time-honored rituals to make sensorial and clinically effective skincare to elevate your self-care experience."

CHARLOTTECHO
FOUNDER OF THEN I MET YOU

ESSENCE LIGHT SUNSCREEN SPF 50 PA

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14268-119 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 mL |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 90 mg in 1 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 45 mg in 1 mL |
| OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM) | OCTOCRYLENE | 50 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIPROPYLENE GLYCOL (UNII: E107L85C40) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY) | |
| ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8) | |
| CERAMIDE NP (UNII: 4370DF050B) | |
| SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93) | |

| |
|---|
| HYALURONIC ACID (UNII: S270N0TRQY) |
| ASIAN GINSENG (UNII: CUQ3A77YXI) |
| SORBITAN MONOOLEATE (UNII: 06XEA2VD56) |
| POLYSORBATE 60 (UNII: CAL22UVI4M) |
| SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| CETEARYL OLIVATE (UNII: 58B69Q84JO) |
| PANTHENOL (UNII: WW9CM0O67Z) |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| SORBITAN OLIVATE (UNII: MDL271E3GR) |
| TROMETHAMINE (UNII: 023C2WHX2V) |
| ISOHEXADECANE (UNII: 918X1OUF1E) |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) |
| TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q) |
| XANTHAN GUM (UNII: TTV12P4NEE) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| SODIUM BENZOATE (UNII: OJ245FE5EU) |
| OCTYLDODECANOL (UNII: 461N1O614Y) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:14268-119-50 | 50 mL in 1 TUBE; Type 0: Not a Combination Product | 03/01/2023 | |
| 2 | NDC:14268-119-10 | 10 mL in 1 TUBE; Type 0: Not a Combination Product | 03/01/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/01/2023 | |

Labeler - ENGLEWOOD LAB, INC. (172198223)