FAMOTIDINE - famotidine tablet, film coated Magno-Humphries, Inc.

Drug Facts

Active ingredient (in each tablet)

Famotidine USP 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- if you have kidney disease, except under the advice and supervision of a doctor
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
 - to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10
 to 60 minutes before eating food or drinking beverages that cause heartburn
 - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

Inactive ingredients

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

Questions or comments?

call **1-800-935-6737**

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

Do not use if printed foil seal under bottle cap is open or torn.

Distributed by:

Magno-Humphries Labs Tigard, OR 97223, U.S.A.

Visit our website: www.magno-humphries.com

Made in India

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (100 Tablets, Container Label)

MHL®

*Compare to the Active Ingredient of Maximum Strength Pepcid® AC

MAXIMUM STRENGTH

FAMOTIDINE TABLETS USP 20 mg

ACID REDUCER

Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion

100 TABLETS



Drug Fasts (continued) (88" to 77% protect from missione from missione from from from from from from from continue from missione carrains was com carrains was com carrains was com continues, hypomonelose, microrystaline cellulose, microrystaline cellulose, microrystaline cellulose, microrystaline cellulose, proposed in protection from the static plocates, tale, talenium diorde and spation from code, duestions or duestions or moments?	Tips for Managing - Do not le lat or bend - Do not le lat or bend - Do not le lat or bend not wear tips-fifting not wear tips-fifting stormach - Do not del stormach - Salos real for portion - Do not del stormach - Salos real for portion - Salo	"This product is not manufactured or distributed by Johnson & Johnson & MERCK Consumer Pharmaceuticals Co., distributor of Maximum Strength Peptid* AC.
--	--	---

FAMOTIDINE

famotidine tablet, film coated

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54257-802	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg	

Inactive Ingredients		
Ingredient Name	Strength	
CARNAUBA WAX (UNII: R12CBM0EIZ)		
STARCH, CORN (UNII: O8232NY3SJ)		
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)		
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
FERRIC OXIDE YELLOW (UNII: EX43802MRT)		

Product Characteristics				
Color	YELLOW	Score	no score	
Shape	ROUND (Square shaped Biconvex)	Size	5mm	
Flavor		Imprint Code	CC;59	
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54257-802- 02	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/26/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206531	04/26/2016	

Labeler - Magno-Humphries, Inc. (063251433)

Registrant - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(54257-802), MANUFACTURE(54257-802)

Establishment			
Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(54257-802), MANUFACTURE(54257-802)

Revised: 5/2025 Magno-Humphries, Inc.