

**KIEHLS SINCE 1851 BODY FUEL ANTIPERSPIRANT AND DEODORANT- aluminum chlorohydrate lotion**  
**L'Oreal USA Products Inc**

-----  
**Active ingredient**

Aluminum chlorohydrate 12%

**Purpose**

Antiperspirant

**Use**

reduces underarm wetness

**Warnings**

**For external use only**

**Do not use**

on broken skin

**Stop use if**

rash or irritation occurs

**Ask a doctor before use if**

you have kidney disease

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

apply to underarms only

**Inactive ingredients**

water, cetearyl alcohol, fragrance, cetearth-33, perlite, dimethicone, phenoxyethanol, pentylene glycol, limonene, caffeine, tocopheryl acetate, zinc gluconate, ascorbyl

glucoside, linalool, citral



**Drug Facts**

Active ingredient	Purpose
Aluminum chlorohydrate, 12% ...	Antiperspirant

**Use** reduces underarm wetness

**Warnings**

For external use only

Do not use on broken skin

Stop use if rash or irritation occurs

Ask a doctor before use if you have kidney disease

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** apply to underarms only

**Inactive ingredients**

water, cetearyl alcohol, fragrance, ceteareth-33, perlite, dimethicone, phenoxethylanol, pentylene glycol, limonene, caffeine, tocopheryl acetate, zinc gluconate, ascorbyl glucoside, linalool, citral

**Questions or comments?**

Call toll free 1-800-946-4453

Fmra: 972156 6 Code F.I.L. D213961/1

KIEHL'S SINCE 1851 LLC,  
NEW YORK, NY 10014

Ingredients sourced worldwide, made in U.S.A.

Dist., Kiehl's Canada, Montreal H4T 1K5  
106 rue Denton 92691 Levallois Perret Cedex  
TSA 75000 93584 ST. QUEN CEDEX FR

www.kiehls.com

0604710



FSC  
LOGO

UPC CODE

**KIEHL'S**  
SINCE 1851

0.5

**KIEHL'S**  
SINCE 1851



**BODY FUEL**  
ANTIPERSPIRANT &  
DEODORANT

FOLD #2

**48-HOUR**  
PROTECTION AGAINST  
SWEAT & ODOR

The fuel to keep your cool!  
Our quick-dry formula with  
Caffeine, Vitamin C and  
Zinc provides all-day  
protection against sweat  
and odor, and glides on  
easily without sticking.

**Drug Facts**

Active ingredient	Purpose
Aluminum chlorohydrate 12% ...	Antiperspirant

**Use** reduces underarm wetness

**Warnings**

**For external use only**

**Do not use** on broken skin

**Stop use** if rash or irritation occurs

**Ask a doctor before use** if you have kidney disease

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** apply to underarms only

**Inactive ingredients**

water, cetearyl alcohol, fragrance, ceteareth-33, perlite, dimethicone, phenoxyethanol, pentylene glycol, limonene, caffeine, tocopheryl acetate, zinc gluconate, ascorbyl glucoside, linalool, citral

**Questions or comments?**

Call toll free 1-800-946-4453

Fm1a 972156 6 Code FILL D213961/1

KIEHL'S SINCE 1851 LLC,  
NEW YORK, NY 10014

**Ingredients sourced worldwide, made in U.S.A.**

Dist., Kiehl's Canada, Montreal H4T 1K5  
106 rue Danton 92691 Levaillois Parret Cedex  
TSA 75000 93584 ST-OUEN CEDEX FR

[www.kiehls.com](http://www.kiehls.com)  
06047 10



FSC  
LOGO

UPC CODE


PRE-BREAK 120°-130°

FOLD #1

PRE-BREAK 120°-130°




FRONT



BACK



FRONT



BACK

**KIEHL'S SINCE 1851 BODY FUEL ANTIPERSPIRANT AND DEODORANT**

## aluminum chlorohydrate lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-639
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM CHLOROHYDRATE</b> (UNII: HPN8MZ W13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZ W13M)	ALUMINUM CHLOROHYDRATE	120 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARETH-33</b> (UNII: R42C2O714B)	
<b>PERLITE</b> (UNII: 0SG101ZGK9)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z)	
<b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52RONHXW)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>CITRAL</b> (UNII: T7EU009VPP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-639-01	1 in 1 CARTON	03/28/2018	
1		75 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	03/28/2018	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
Fareva Richmond, Inc.		969523245	manufacture(49967-639)

Revised: 12/2023

L'Oreal USA Products Inc