FIRST AID ANTISEPTIC PAIN RELIEVING- benzalkonium chloride, lidocaine hydrochloride cream GFA Production (Xiamen) Co., Ltd.

First Aid Antiseptic Pain Relieving Cream

Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5

Purpose

First aid antiseptic

Pain relieving cream

Uses

- First aid to help prevent infection in minor cuts, scrapes, and burns.
- For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes.

Warnings

For external use only.

Do not use

• in the eyes • over large areas of the body • in large quantities • over raw surfaces or blistered areas • longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

• deep or puncture wounds • animal bites • serious burns.

Stop use and ask a doctor if

• the condition persists or gets worse • symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily
- Children under 2 years of age: consult a doctor
- May be covered with a sterile bandage


Other information

Store at room temperature

Inactive ingredients

glycerin monostearate, glycerol, purified water

Package Labeling:



Drug Facts Active ingredients Purpose Benzalkonium chloride 0.13% ... First aid antiseptic Lidocaine hydrochloride 0.5% Pain relieving cream First aid to help prevent infection in minor cuts, scrapes, and burns. For the temporary relief of pain and itching associated with minor burns, minor cuts, and scrapes Warnings For external use only. Do not use in the eyes over arge areas of the body in large quantities over raw surfaces or blistered areas longer than 1 week unless directed by a doctor Ask a doctor before use if you have deep or puncture wounds animal bites serious burns. Stop use and ask a doctor if the condition persists or gets worse symptoms persist for more than 7 days or clear up and occur again within a few days Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Clean the affected area Adults and children 2 years of age and older: Apply a small amount of this product to affected area not more than 3 times daily Children under 2 years of age: consult a doctor May be covered with a sterile bandage Other information Store at room temperature Inactive ingredients glycerin monostearate, glycerol, purified water TO REPORT A SERIOUS ADVERSE EVENT CONTACT (800) 258-4696 DATE OF MANUFACTURE: LOT NO:

FIRST AID ANTISEPTIC PAIN RELIEVING

benzalkonium chloride, lidocaine hydrochloride cream

Product	Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:50814-009

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y) BENZALKONIUM CHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) BENZALKONIUM CHLORIDE 1.3 mg in 1 g LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) LIDOCAINE HYDROCHLORIDE 5 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:50814-009- 01	0.9 g in 1 PACKAGE; Type 0: Not a Combination Product	07/01/2016		

Marketing In	Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M003	07/01/2016			

Labeler - GFA Production (Xiamen) Co., Ltd. (421256261)

Revised: 4/2025 GFA Production (Xiamen) Co., Ltd.