

NOEVIR RAYSELA - zinc oxide, octinoxate, titanium dioxide cream
NOEVIR USA INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Drug Facts

Drug Facts

Active Ingredients	Purpose
ZINC OXIDE 14.25%	Sunscreen
OCTINOXATE 7.5%	Sunscreen
TITANIUM DIOXIDE 2.07%	Sunscreen

Uses

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- Provides high protection against sunburn.

Warnings

For external use only.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- Apply evenly before sun exposure.
- Children under 6 months of age ask a doctor.
- Reapply as needed or after towel drying, swimming or sweating.

Other Information

Sun Alert

Limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

■ RAYSELA FACE PROTECTOR UV



■ RAYSELA FACE PROTECTOR UV

**NOEVIR RAYSELA
FACE PROTECTOR UV
SPF 30+ PA+++**

Drug Facts

Active Ingredients	Purpose
ZINC OXIDE 14.20%	Sunscreen
OCTINOATE 7.8%	Sunscreen
TITANIUM DIOXIDE 2.07%	Sunscreen

Uses

- Helps prevent sunburn.
- Higher SPF gives more sunburn protection.
- Provides high protection against sunburn.

Warnings

For external use only.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- Rash or irritation develops and lasts.

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply evenly before sun exposure.
- Children under 6 months of age: ask a doctor.
- Reapply as needed or after towel drying, swimming or sweating.

Other information

Sun Alert: Limiting sun exposure, wearing protective clothing and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Drug Facts (continued)

Inactive Ingredients

WATER, CYCLOPENTASILOXANE, BIS(2-ETHYLHEXYL)TRISILOXANATE, BUTYLENE GLYCOL, DIMETHICONE, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, GLYCERIN, POLYETHYLENE SESQUIOXANE, DIMETHYLSILOXYETHYL TRIMETHICONE, STEARIC ACID, SODIUM HYALURONATE, TOCOPHEROL ASCORBYL TETRAISODIUM L-ASCORBATE, SODIUM DMA, PRUNUS SPINOSA (PEACH) EXTRACT, PHILLODENDRON AMPURE BARK EXTRACT, ACTINEA CHINENSIS (MORNING GLORY) ROOT EXTRACT, SAPONARIA OFFICINALIS LEAF EXTRACT, YUCCA VIRENS (SPRING) LEAF EXTRACT, YEAST EXTRACT, CYCLODEXTRIN, ACRYLATES/CROTHICONE COPOLYMER, ALCOHOL, CHROMIUM OXIDE, RESORCINOL, SODIUM DIBIPHENOLYLSULFONATE, SILICA, CAPRYLIC/CAPRIC TRIGLYCERIDE, NYLON-11, HYDROXYMETHYL PEG-11 DIMETHICONE, DIMETHICONE/METHICONE COPOLYMER, SODIUM CHLORIDE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, ALUMINUM HYDROXIDE, SILICA DIMETHYL SIOALATE, PHENYLETHANOL, BUTYLENE GLYCOL, DIMETHICONE, POLYURETHANE, PEG-10 DIMETHICONE, NYLON-11, NYLON-12, NYLON-13, NYLON-14, NYLON-15, NYLON-16, NYLON-17, NYLON-18, NYLON-19, NYLON-20, NYLON-21, NYLON-22, NYLON-23, NYLON-24, NYLON-25, NYLON-26, NYLON-27, NYLON-28, NYLON-29, NYLON-30, NYLON-31, NYLON-32, NYLON-33, NYLON-34, NYLON-35, NYLON-36, NYLON-37, NYLON-38, NYLON-39, NYLON-40, NYLON-41, NYLON-42, NYLON-43, NYLON-44, NYLON-45, NYLON-46, NYLON-47, NYLON-48, NYLON-49, NYLON-50, NYLON-51, NYLON-52, NYLON-53, NYLON-54, NYLON-55, NYLON-56, NYLON-57, NYLON-58, NYLON-59, NYLON-60, NYLON-61, NYLON-62, NYLON-63, NYLON-64, NYLON-65, NYLON-66, NYLON-67, NYLON-68, NYLON-69, NYLON-70, NYLON-71, NYLON-72, NYLON-73, NYLON-74, NYLON-75, NYLON-76, NYLON-77, NYLON-78, NYLON-79, NYLON-80, NYLON-81, NYLON-82, NYLON-83, NYLON-84, NYLON-85, NYLON-86, NYLON-87, NYLON-88, NYLON-89, NYLON-90, NYLON-91, NYLON-92, NYLON-93, NYLON-94, NYLON-95, NYLON-96, NYLON-97, NYLON-98, NYLON-99, NYLON-100.

NOEVIR CO., LTD.
6-13-1 PORT ISLAND
KOBÉ, JAPAN
MADE IN JAPAN

RAYSELA
FACE
PROTECTOR UV
Protection UV Visage

SPF
30+
PA+++

NOEVIR
GINZA TOKYO
NET. WT. 1.2 OZ. - 35g

JANコード 8096
494502286215c

NOEVIR RAYSELA

zinc oxide, octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62908-011
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	14250 mg in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7500 mg in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2070 mg in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62908-011-02	1 in 1 BOX		
1	NDC:62908-011-01	35 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/01/2010	

Labeler - NOEVIR USA INC (018593293)

Registrant - NOEVIR USA INC (018593293)

Establishment

Name	Address	ID/FEI	Business Operations
NOEVIR USA INC		018593293	manufacture