

**KROGER PAIN RELIEF LIDOCAINE PATCH- lidocaine patch**  
**Kroger Company**

-----  
**Kroger Pain Relief 4% Lidocaine Patch**

**Active Ingredient**

Lidocaine 4%

**Purpose**

Topical anesthetic

**Use**

Temporary relieves minor pain

**Warnings**

For external use only

**Do not Use**

1. more than 1 patch on your body at a time
  2. on cut, irritated or swollen skin
  3. On puncture wounds
  4. For more than one week without consulting a doctor
  5. If you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

**When using this product**

1. Use only as directed
2. Read and follow all directions and warnings on this carton
3. Do not allow contact with the eyes
4. Do not use at the same time as other topical analgesics
5. Do not bandage tightly or apply local heat (such as heating pads) to the area of use
6. Do not microwave
7. Dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse

effects if a child or pet chews or ingests this patch.

### **Stop use and consult a doctor**

1. condition worsens
2. redness is present
3. irritation develops
4. symptoms persist for more than 7 days or clear up and occur again within a few days
5. you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

### **If pregnant or breastfeeding**

ask a health professional before use

### **Keep out of reach of children and pets**

If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away

### **Directions**

1. clean and dry affected area
2. carefully remove backing from patch starting at the corner
3. Apply sticky side of patch to affected area.
4. Use one patch for up to 12 hours.
5. Discard patch after single use

children under 12 years or age: consult a physician

### **Other Information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture

### **Inactive Ingredients**

aluminum glycinate, carboxymethylcellulose sodium, glycerin, iodopropynyl butylcarbamate, kaolin, petrolatum, phenoxyethanol, polyacrylic acid, polysorbate 80, povidone, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water, 3-(2-ethylhexyloxy)propane-1,2-diol

### **Kroger Pain Relief 4% Lidocaine Patch**



# KROGER PAIN RELIEF LIDOCAINE PATCH

lidocaine patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-583
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	4 g in 100 g
Inactive Ingredients			
Ingredient Name			Strength
KAOLIN (UNII: 24H4NWX5CO)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)			

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>POLYACRYLIC ACID (8000 MW)</b> (UNII: 73861X4K5F)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-583-06	6 in 1 CARTON	04/01/2023	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2023	

**Labeler -** Kroger Company (006999528)

### Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech LLC		529128763	manufacture(30142-583)

Revised: 12/2024

Kroger Company