GOOD SKIN MD FACIAL MOISTURIZER WITH SUNSCREEN BROAD SPECTRUM SPF 15- zinc oxide lotion

The Procter & Gamble Manufacturing Company

Good Skin MD Facial Moisturizer with Sunscreen Broad Spectrum SPF 15 Drug Facts

ZINC OXIDE 9.7%

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - o limit time in sun, especially from 10 a.m. 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

Other information

• protect this product from excessive heat and direct sun

Inactive ingredients

Water, caprylic/capric triglyceride, isohexadecane, glycerin, hydroxyacetophenone, C13-14 isoparaffin, steareth-21, polyhydroxystearic acid, laureth-7, steareth-2, stearyl alcohol, behenyl alcohol, cetyl alcohol, disodium EDTA, polyacrylamide, triethoxycaprylylsilane, phenoxyethanol.

Distr. by: PROCTER & GAMBLE

CINCINNATI, OH 45202

www.getgoodskinmd.com

Questions & comments?

Questions or comments? 888-FAB-3063

PRINCIPAL DISPLAY PANEL - 50 mL Carton

GOOD SKIN MD

DERMATOLOGIST TESTED

Facial Moisturizer

with SUNSCREEN

ZINC OXIDE

BROAD SPECTRUM

SPF 15

50 mL (1.7 FL OZ)





Facial Moisturizer

with Sunscreen

Zinc Oxide

Broad Spectrum SPF 15

50 mL (1.7 FL OZ)



Our safe and effective Good Skin MD Facial and protects skin from stress and UV exposure. Skin looks and feels happy all day long.

Your life may be stressful, but your skin doesn't need to show it.







Drug Facts Active ingredients Purpose Zinc Oxide 9.70% . Sunscreen

helps prevent auribum.

 if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Finse with water

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- · apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
 Sun Protection Measures. Spending time in the sun
- increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

 • limit time in sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses children under 6 months: ask a doctor

Other information

protect this product from excessive heat and direct sun

Inactive ingredients

Water, capylic/capric triglyceride, isohexadecane, glycerin, hydroxysoetophenone, C13-14 isoparafin, steareth-21, polyhydroxystearic acid, laureth-7, steareth-2, stearyl alcohol, behanyl alcohol, catyl alcohol, disodium EDTA, polyacrylamide, triethoxycaprylylailane, phenoxyethanol.

Questions? 1-855-419-0863

Manufactured in USA from local and Imported ingredients Distr. by PROCTER & GAMBLE,

CINCINNATI, OH 45202

www.getgoodskinmd.com



GOOD SKIN MD FACIAL MOISTURIZER WITH SUNSCREEN BROAD SPECTRUM SPF 15

zinc oxide lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69423-692

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 9.7 g in 100 mL |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| LAURETH-7 (UNII: Z95S6G8201) | |
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y) | |
| POLYACRYLAMIDE (1300000 MW) (UNII: SC5Y4X78TG) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| HYDROXYACETOPHENONE (UNII: G1L3HT4CMH) | |
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| DOCOSANOL (UNII: 9G10E216XY) | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| C13-14 ISOPARAFFIN (UNII: E4F12ROE70) | |
| STEARETH-21 (UNII: 53J3F32P58) | |
| STEARETH-2 (UNII: V56DFE46J5) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |

| P | Packaging | | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:69423- 692-50 | 1 in 1 CARTON | 03/01/2022 | 05/01/2025 | | |
| 1 | | 50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | | | | |

| Marketing Information | | | | | |
|-----------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC Monograph Drug | M020 | 03/01/2022 | 05/01/2025 | | |
| | | | | | |

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 11/2024 The Procter & Gamble Manufacturing Company