

**LOREAL PARIS INFALLIBLE UP TO 32H FRESH WEAR FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN- octinoxate and titanium dioxide liquid**  
L'Oreal USA Products Inc

-----

**Drug Facts**

**Active ingredients**

Octinoxate 6.7%

Titanium dioxide 4.6%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Flammable until dry.**

Do not use near fire, flames or heat.

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- shake well before using
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## Other information

- protect the product in this container from excessive heat and direct sun

## Inactive ingredients


water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol, PEG-10 dimethicone, perlite, synthetic fluorophlogopite, nylon-12, isopropyl lauroyl sarcosinate, diisopropyl sebacate, HDI/trimethylol hexyllactone crosspolymer, disteardimonium hectorite, BIS-PEG/PPG-14/14 dimethicone, magnesium sulfate, aluminum hydroxide, phenoxyethanol, disodium stearyl glutamate, hydrogen dimethicone, cellulose, dipentaerythrityl tetrahydroxystearate/tetraisostearate, ascorbyl glucoside, silica silylate, fragrance, calcium aluminum borosilicate, tocopherol, silica, hexyl cinnamal, benzyl salicylate, BHT, linalool, alpha-isomethyl ionone, benzyl alcohol, citronellol; may contain: titanium dioxide, iron oxides, bismuth oxychloride, mica

## Questions or comments?

**1-800-322-2036**

Monday - Friday

(10 a.m. - 5 p.m. EST)



## LOREAL PARIS INFALLIBLE UP TO 32H FRESH WEAR FOUNDATION BROAD SPECTRUM SPF 25 SUNSCREEN

octinoxate and titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49967-815
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	46 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PERLITE</b> (UNII: 0SG101ZGK9)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>ISOPROPYL LAUROYL SARCOSINATE</b> (UNII: LYR06W430J)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>POWDERED CELLULOSE</b> (UNII: SMD1X3XO9M)	
<b>DIPENTAERYTHRITYL TETRAHYDROXYSTEARATE/TETRAISOSTEARATE</b> (UNII: 230K0823CE)	
<b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52R0NHXW)	
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>BENZYL SALICYLATE</b> (UNII: WAO5MKN9TU)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)	
<b>MICA</b> (UNII: V8A1AW0880)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:49967-815-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2024	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
L'OREAL USA PRODUCTS, INC		624244349	manufacture(49967-815)

Revised: 6/2024

L'Oreal USA Products Inc