

**HONGO KILLER- undecylenic acid spray**  
**Efficient Laboratories Inc**

-----  
**Drug Facts**

<b>Active Ingredient</b>	<b>Purpose</b>
Undecylenic Acid 20% w/v.....	Antifungal

**Purpose:** Antifungal

**Uses** For the cure of most:

- athlete's foot (tinea pedis)
- ringworm (tinea corporis)

For the relief of:

- itching
- burning
- scaling
- cracking
- soreness
- irritation

**For external use only.**

**Flammable:** Keep away from fire and flame

**When using this product**

- avoid contact with the eyes and mucous membrane.

**Stop use and consult a doctor if**

- irritation occurs
- there is no improvement within 4 weeks

**Do not use**

- on children under 2 years of age unless directed by a doctor.

**If pregnant or breast-feeding,** consult a health professional before using this product.

**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Clean the affected area and dry thoroughly.
- Apply a thin layer of Hongo Killer Antifungal Spray over affected area twice daily (morning and night) or as directed by a doctor.
- Supervise children in the use of this product
- For athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer,


consult a doctor. This product is not effective on the scalp and nails.

**Inactive ingredients** aloe vera, fragrance, hypromelloses, isopropyl alcohol, tocopherol acetate (vitamin E), water

**Questions or Comments?**

(305) 805-3456 Monday-Friday (9 am - 5 pm EST).

[www.efficientlabs.com](http://www.efficientlabs.com)



**Drug Facts**

Active ingredient	Purpose
Undecylenic Acid 20% w/v	Antifungal

**Uses** For the cure of most:  athlete's foot (tinea pedis)  ringworm (tinea corporis)  
For the relief of:  itching  burning  scaling  cracking  soreness  irritation

**Warnings**  
For external use only.  
**Flammable:** Keep away from fire and flame.  
When using this product  avoid contact with the eyes.  
**Stop use and consult a doctor if**  
 irritation occurs  
 there is no improvement within 4 weeks  
**Do not use**  on children under 2 years of age, unless directed by a doctor  
**If pregnant or breast-feeding, consult a health professional before using this product.**  
**Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  clean the affected area and dry thoroughly.  apply a thin layer of **Hongo Killer® Antifungal Spray** over affected area twice daily (morning and night) or as directed by a doctor  supervise children in the use of this product  for athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily  for athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.



**Other information**  store between: 15°-30° C (59°-86° F)  protect from freezing, if freezing occurs, warm to room temperature. **Tamper Evident:** Do not accept if safety seal is torn, broken or missing.

**Inactive ingredients** aloe, fragrance, hypromellose, isopropyl alcohol, tocopherol acetate (vitamin E), water

**Questions or Comments?**  
(305) 805-3456 Monday-Friday (9 am-5 pm EST), [www.efficientabs.com](http://www.efficientabs.com)

Hongo Killer® is available in: Solution, Cream, Spray Powder, Ultra, Powder & Nail Formula.

Distributed by:  
Efficient Laboratories, Inc., Miami, FL 33166  
Made in U.S.A.



**Datos Farmacológicos**

Ingrediente activo	Propósito
Ácido Undecilénico 20% w/v	Antifungal

**Usos** Para la cura de la mayoría:  pie de atleta (tinea pedis)  tiña (tinea corporis)  
Para el alivio de:  picazón  ardor  escamas  grietas  dolor  irritación

**Avisos**  
Para uso externo solamente.  
**Inflamable:** Manténgalo lejos del fuego o llamas.  
Cuando use este producto  evite contacto con los ojos.  
Pare el uso de este producto y consulte a su médico si  surge irritación  la condición no mejora en 4 semanas  
**No lo use**  en niños menores de 2 años de edad, al menos que su doctor lo indique  
**Si está embarazada o lactando,** consulte a su médico antes de usar este producto.  
**Mantenga este producto fuera del alcance de los niños.** En caso de ingestión, busque asistencia médica o llame al Centro de Envenenamiento inmediatamente.

**Instrucciones**  lave el área afectada y séquela bien  aplique una capa fina de **Hongo Killer® Rociador Antifungal** sobre el área afectada 2 veces al día (mañana y noche) o como indique su médico  supervise a los niños con el uso de este producto  para el pie de atleta. Ponga especial atención al área entre los dedos; use zapatos cómodos y bien ventilados, cambie medias y zapatos diariamente  para el pie de atleta y tiña: Use por 4 semanas. Si la condición persiste, consulte a su médico. Este producto no es efectivo en el cuero cabelludo o las uñas.

**Información adicional**  
 almacene entre 15°-30° C (59°-86° F)  proteja de la congelación, si ocurre congelación, póngalo a temperatura ambiente. **Evidencia de Seguridad:** No acepte este producto si el sello de seguridad está torcido, roto o falta.

**Ingredientes inactivos** sávila, fragancia, hipromelosa, alcohol isopropílico, acetato de tocoferol (vitamina E), agua

**¿Preguntas o Comentarios?**  
(305) 805-3456 Lunes-Viernes (9 am-5 pm EST), [www.efficientabs.com](http://www.efficientabs.com)

Hongo Killer® está disponible en: Solución, Crema, Spray en Polvo, Ultra, Polvo y Formula para las Uñas.

Distribuido por:  
Efficient Laboratories, Inc., Miami, FL 33166  
Hecho en EE.UU



88

undecylenic acid spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58593-601
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>UNDECYLENIC ACID</b> (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	2 mg in 10 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>HYPROMELLOSE 2208 (100 MPA.S)</b> (UNII: B1QE5P712K)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>WATER</b> (UNII: 059QF0KOOR)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-601-15	1 in 1 BOX	07/01/2013	
1		44 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	07/01/2013	

**Labeler** - Efficient Laboratories Inc (969044932)