

HONGO KILLER- undecylenic acid spray
Efficient Laboratories Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient	Purpose
Undecylenic Acid 20% w/v.....	Antifungal

Purpose: Antifungal

Uses For the cure of most:

- athlete's foot (tinea pedis)
- ringworm (tinea corporis)

For the relief of:

- itching
- burning
- scaling
- cracking
- soreness
- irritation

For external use only.

Flammable: Keep away from fire and flame

When using this product

- avoid contact with the eyes and mucous membrane.

Stop use and consult a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Do not use

- on children under 2 years of age unless directed by a doctor.

If pregnant or breast-feeding, consult a health professional before using this product.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area and dry thoroughly.
- Apply a thin layer of Hongo Killer Antifungal Spray over affected area twice daily (morning and night) or as directed by a doctor.

- Supervise children in the use of this product
- For athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily.
- For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp and nails.

Inactive ingredients aloe vera, fragrance, hypromelloses, isopropyl alcohol, tocopherol acetate (vitamin E), water

Questions or Comments?

(305) 805-3456 Monday-Friday (9 am - 5 pm EST).

www.efficientlabs.com



Drug Facts

Active ingredient	Purpose
Undecylenic Acid 20% w/v	Antifungal

Uses For the cure of most: athlete's foot (tinea pedis) ringworm (tinea corporis)
For the relief of: itching burning scaling cracking soreness irritation

Warnings
For external use only.
Flammable: Keep away from fire and flame.
When using this product avoid contact with the eyes
Stop use and consult a doctor if
 irritation occurs
 there is no improvement within 4 weeks
Do not use on children under 2 years of age, unless directed by a doctor
If pregnant or breast-feeding, consult a health professional before using this product.
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions clean the affected area and dry thoroughly. apply a thin layer of **Hongo Killer® Antifungal Spray** over affected area twice daily (morning and night) or as directed by a doctor supervise children in the use of this product for athlete's foot: Pay special attention to spaces between toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily for athlete's foot and ringworm: Use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.



Other information store between: 15°-30° C (59°-86° F) protect from freezing, if freezing occurs, warm to room temperature. **Tamper Evident:** Do not accept if safety seal is torn, broken or missing.

Inactive ingredients aloe, fragrance, hypromellose, isopropyl alcohol, tocopherol acetate (vitamin E), water

Questions or Comments?
(305) 805-3456 Monday-Friday (9 am-5 pm EST), www.efficientlabs.com

Hongo Killer® is available in: Solution, Cream, Spray Powder, Ultra, Powder & Nail Formula.

Distributed by:
Efficient Laboratories, Inc., Miami, FL 33166
Made in U.S.A.



Datos Farmacológicos

Ingrediente activo	Propósito
Ácido Undecilénico 20% w/v	Antifungal

Usos Para la cura de la mayoría: pie de atleta (tinea pedis) tiña (tinea corporis)
Para el alivio de: picazón ardor escamas grietas dolor irritación

Avisos
Para uso externo solamente.
Inflamable: Manténgalo lejos del fuego o llamas.
Cuando use este producto evite contacto con los ojos
Pare el uso de este producto y consulte a su médico si surge irritación la condición no mejora en 4 semanas
No lo use en niños menores de 2 años de edad, al menos que su doctor lo indique
Si está embarazada o lactando, consulte a su médico antes de usar este producto.
Mantenga este producto fuera del alcance de los niños. En caso de ingestión, busque asistencia médica o llame al Centro de Envenenamiento inmediatamente.

Instrucciones lave el área afectada y séquela bien aplique una capa fina de **Hongo Killer® Rociador Antifungal** sobre el área afectada 2 veces al día (mañana y noche) o como indique su médico supervise a los niños con el uso de este producto para el pie de atleta. Ponga especial atención al área entre los dedos; use zapatos cómodos y bien ventilados, cambie medias y zapatos diariamente para el pie de atleta y tiña: Use por 4 semanas. Si la condición persiste, consulte a su médico. Este producto no es efectivo en el cuero cabelludo o las uñas.

Información adicional
 almacene entre 15°-30° C (59°-86° F) proteja de la congelación, si ocurre congelación, póngalo a temperatura ambiente. **Evidencia de Seguridad:** No acepte este producto si el sello de seguridad está torcido, roto o falta.

Ingredientes inactivos sávila, fragancia, hipromelosa, alcohol isopropílico, acetato de tocoferol (vitamina E), agua

¿Preguntas o Comentarios?
(305) 805-3456 Lunes-Viernes (9 am-5 pm EST), www.efficientlabs.com

Hongo Killer® está disponible en: Solución, Crema, Spray en Polvo, Ultra, Polvo y Formula para las Uñas.

Distribuido por:
Efficient Laboratories, Inc., Miami, FL 33166
Hecho en EE.UU



88

undecylenic acid spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58593-601
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	2 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-601-15	1 in 1 BOX	07/01/2013	
1		44 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	07/01/2013	

Labeler - Efficient Laboratories Inc (969044932)

Establishment

Name	Address	ID/FEI	Business Operations
RNV, LLC		118917568	manufacture(58593-601)

Revised: 8/2023

Efficient Laboratories Inc