

**CHILDRENS ACETAMINOPHEN- acetaminophen tablet, chewable**  
**United Natural Foods, Inc. dba UNFI**

-----  
**Equaline 44-450-children**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- any new symptoms appear
- redness or swelling is present

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

**Questions or comments?**

**1-855-423-2630**

**Principal Display Panel**

**EQUALINE®**

**compare to  
Children's Tylenol® Chewables**  
active ingredient\*\*

NDC 41163-045-08

children's  
**acetaminophen**  
160 mg, chewable tablets  
*pain reliever/fever reducer*

for ages 2-11  
**bubble gum flavor**

- *aspirin free*
- *ibuprofen free*

CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING.  
DO NOT SWALLOW TABLETS WHOLE.

**24** chewable tablets

actual size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*\*This product is not manufactured or distributed by Kenvue Inc.,  
owner of the registered trademark Children's Tylenol® Chewables.  
50844 REV0424D45008

**100% Quality  
GUARANTEED**

Like it or let us make it right.

**That's our quality promise.**

855-423-2630

**DISTRIBUTED BY UNFI  
PROVIDENCE, RI 02903 USA**

**EQUALINE®**

children's  
**acetaminophen**  
160 mg, chewable tablets

*pain reliever/fever reducer*

**24** chewable tablets

**EQUALINE®**

compare to  
Children's Tylenol® Chewables  
active ingredient\*\*  
NDC 41163-045-08

children's  
**acetaminophen**  
160 mg, chewable tablets

*pain reliever/fever reducer*

for ages 2-11  
**bubble gum flavor**

- aspirin free
- ibuprofen free

CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING.  
DO NOT SWALLOW TABLETS WHOLE.



actual size

**24** chewable tablets



\*\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol® Chewables.  
50844 REV0424D45008



**100% Quality GUARANTEED**

Like it or let us make it right.  
That's our quality promise.  
855-423-2630  
DISTRIBUTED BY UNFI  
PROVIDENCE, RI 02903 USA

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**Drug Facts** (continued)

**Questions or comments?** 1-855-423-2630

No Print/No Varnish  
Lot & EXP

**KEEP OUTER PACK AGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**

**Active ingredient** **Purpose**  
(in each chewable tablet)  
Acetaminophen 160 mg..... Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

**Warnings**

- Liver warnings:** This product contains acetaminophen. Severe liver damage may occur if your child takes
  - more than 5 doses in 24 hours, which is the maximum daily amount
  - with other drugs containing acetaminophen
- Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
  - skin redness
  - hives
  - rash
- If a skin reaction occurs, stop use and seek medical help right away.
- Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

B-0019E-450-08-R1  
REV0424D45008

**Drug Facts** (continued)

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole

**Drug Facts** (continued)

- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACK AGE IS OPENED OR BLISTERS ARE TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

**Inactive Ingredients**

citric acid, croscollonates, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

# CHILDRENS ACETAMINOPHEN

acetaminophen tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-045
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPROVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	44;450
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-045-08	4 in 1 CARTON	02/25/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M013	02/25/2005	

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41163-045)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41163-045) , pack(41163-045)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41163-045)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41163-045)

Revised: 12/2025

United Natural Foods, Inc. dba UNFI