

**MINERAL SUNSCREEN BROAD SPECTRUM SPF30- titanium dioxide, zinc oxide lotion**  
**COSMECCA KOREA CO., LTD**

-----  
**Mineral Sunscreen Broad Spectrum SPF30**

**Drug Facts**

**Active Ingredients**

TITANIUM DIOXIDE 3.44%

ZINC OXIDE 4.88%

**PURPOSE**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**when using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

If swallowed, get medical help or contact a Poison Control Center right away.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Immediately after towel drying

- At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of a skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.

### **Other Information**

- Protect the product in this container from excessive heat and direct sun

### **Inactive Ingredients**

WATER (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PROPANEDIOL, CETYL PEG/PPG-10/1 DIMETHICONE, BUTYLOCTYL SALICYLATE, ARGANIA SPINOSA KERNEL OIL, TOCOPHERYL ACETATE, SODIUM CHLORIDE, DISTEARDIMONIUM HECTORITE, NIACINAMIDE, POLYGLYCERYL-4 ISOSTEARATE, HEXYL LAURATE, OLIVE OIL POLYGLYCERYL-6 ESTERS, POLYSILICONE-11, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL, HYDROXYACETOPHENONE, MAGNESIUM SULFATE, PERSEA GRATISSIMA (AVOCADO) OIL, POLYGLYCERYL-6 PENAOLEATE, BUTYROSPERMUM PARKII (SHEA) BUTTER, STEARIC ACID, ALPHA-GLUCAN OLIGOSACCHARIDE, SILICA, VITIS VINIFERA (GRAPE) SEED OIL, BISABOLOL, CAFFEINE, TRIETHOXYCAPRYLYLSILANE, ALUMINA, POLYMNIA SONCHIFOLIA ROOT JUICE, POLYHYDROXYSTEARIC ACID, MALTODEXTRIN, SODIUM HYALURONATE, PHENOXYETHANOL, LACTOBACILLUS, MAY CONTAIN: IRON OXIDES (CI 77491, CI 77492, CI 77499)

### **Package Labeling:**

**COSMECCA  
MINERAL SUNSCREEN**  
Broad Spectrum SPF 30

Light coverage, fragrance-free moisturizer with powerful hydrating effect ingredients, and includes Broad spectrum SPF 30 with Mineral sunscreens only.

**Drug Facts**

Active Ingredients	Purpose
TITANIUM DIOXIDE 3.44%	Sunscreen
ZINC OXIDE 4.88%	

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



Made in Korea

**Drug Facts (continued)**

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of a skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.

**Other information**

- Protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**

WATER (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PROPANEDIOL, CETYL PEG/PPG-10/1 DIMETHICONE, BUTYLOCTYL SALICYLATE, ARGANIA SPINOSA KERNEL OIL, TOCOPHERYL ACETATE, SODIUM CHLORIDE, DISTEARDIMONIUM HECTORITE, NIACINAMIDE, POLYGLYCERYL-4 ISOSTEARATE, HEXYL LAURATE, OLIVE OIL POLYGLYCERYL-6 ESTERS, POLYSILICONE-11, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL, HYDROXYACETOPHENONE, MAGNESIUM SULFATE, PERSEA GRATISSIMA (AVOCADO) OIL, POLYGLYCERYL-6 PENTAOLEATE, BUTYROSPERMUM PARKII (SHEA) BUTTER, STEARIC ACID, ALPHA-GLUCAN OLIGOSACCHARIDE, SILICA, VITIS VINIFERA (GRAPE) SEED OIL, BISABOLOL, CAFFEINE, TRIETHOXYCAPRYLYLSILANE, ALUMINA, POLYMNIA SONCHIFOLIA ROOT JUICE, POLYHYDROXYSTEARIC ACID, MALTODEXTRIN, SODIUM HYALURONATE, PHENOXYETHANOL, LACTOBACILLUS, MAY CONTAIN: IRON OXIDES (CI 77491, CI 77492, CI 77499)



**COSMECCA  
MINERAL SUNSCREEN**

Broad Spectrum  
SPF 30

**SPF  
30**



50g / 1.7 fl. oz.

www.cosmecca.com

Cosmecca Korea Co. Ltd

17-12 Daegeum-ro 196 Beon-gil  
Daeso-myeon, Eumseong-gun,  
Chungcheongbuk-do, South Korea 27659



8 809783 327791 >



**COSMECCA  
MINERAL SUNSCREEN**

**Broad Spectrum  
SPF 30**

50g / 1.7 fl. oz.



**Cosmecca  
Mineral Sunscreen  
Broad Spectrum SPF 30**

**Active ingredients**

TINATUM DIOXIDE 3.44%  
ZINC OXIDE 4.88%

**Directions**

Apply an even layer onto your face and neck using your fingertips. For use 15 minutes before sun exposure and reapply as needed. Refer to Drug Facts on the box for complete directions and warnings.

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children.

**If swallowed, get medical help or contact a Poison Control Center right away.**

See box for complete ingredient list.

[www.cosmecca.com](http://www.cosmecca.com)

Cosmecca Korea Co. Ltd

17-9, 17-12 Daegeum-ro 196 Beon-gil Daeso-myeon,  
Eumseong-gun, Chungcheongbuk-do, South Korea  
(27659)

Made in Korea



**Front**

**Back**

**Cosmecca  
Mineral Sunscreen  
Broad Spectrum SPF 30**

Light coverage, fragrance-free moisturizer with powerful hydrating effect ingredients, and includes Broad spectrum SPF 30 with Mineral sunscreens only.

**Drug Facts**

Active ingredients	Purpose
TINATUM DIOXIDE 3.44%	Sunscreen
ZINC OXIDE 4.88%	

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



Made in Korea

**Drug Facts (continued)**

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of a skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.

**Other Information**

- Protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

WATER (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PROPANEDIOL, CETYL PEG/PPG-10/1 DIMETHICONE, BUTYLOCTYL SALICYLATE, ARGANIA SPINOSA KERNEL OIL, TOCOPHERYL ACETATE, SODIUM CHLORIDE, DISTEARDIMONIUM HECTORITE, NIACINAMIDE, POLYGLYCERYL-4 ISOSTEARATE, HEXYL LAURATE, OLIVE OIL POLYGLYCERYL-6 ESTERS, POLYSILICONE-11, 1,2-HEXANEDIOL, CAPRYLYL GLYCOL, HYDROXYACETOPHENONE, MAGNESIUM SULFATE, PERSEA GRATISSIMA (AVOCADO) OIL, POLYGLYCERYL-6 PENTAOLEATE, BUTYROSPERMUM PARKII (SHEA) BUTTER, STEARIC ACID, ALPHA-GLUCAN OLIGOSACCHARIDE, SILICA, VITIS VINIFERA (GRAPE) SEED OIL, BISABOLOL, CAFFEINE, TRIETHOXYCAPRYLYLSILANE, ALUMINA, POLYMNIA SONCHIFOLIA ROOT JUICE, POLYHYDROXYSTEARIC ACID, MALTODEXTRIN, SODIUM HYALURONATE, PHENOXYETHANOL, LACTOBACILLUS, MAY CONTAIN: IRON OXIDES (CI 77491, CI 77492, CI 77499)



**COSMECCA  
MINERAL SUNSCREEN  
Broad Spectrum  
SPF 30**

50g / 1.7 fl. oz.



www.cosmecca.com

Cosmecca Korea Co. Ltd

17-9, 17-12 Daegeum-ro 196 Beon-gil  
Daeso-myeon, Eumseong-gun,  
Chungcheongbuk-do, South Korea 27659



8 809783 327791 >

**MINERAL SUNSCREEN BROAD SPECTRUM SPF30**

titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53727-121
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	34.4 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	48.8 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>SMALLANTHUS SONCHIFOLIUS ROOT JUICE</b> (UNII: M9S7HX36CT)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>OLIVE OIL POLYGLYCERYL-6 ESTERS</b> (UNII: 4KDO9AFM9I)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)	
<b>POLYGLYCERYL-10 PENTAOLEATE</b> (UNII: BH1TF96DJC)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>.ALPHA.-GLUCAN OLIGOSACCHARIDE</b> (UNII: S95658MI3W)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GRAPE SEED OIL</b> (UNII: 930MLC8XGG)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53727-121-01	50 g in 1 TUBE; Type 0: Not a Combination Product	03/01/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2023	

**Labeler** - COSMECCA KOREA CO., LTD (688830827)

Revised: 12/2023

COSMECCA KOREA CO., LTD