REVASOL TUSSIN- guaifenesin liquid Rnv LLC

Guafenesin 200 mg

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.

Warning

Ask a doctor before use if you have • a persistent or chronic cough such as occurs wiht smoking, asthma, chronic bronchitis, or emphysema or where cough is accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.


Directions

Directions: do not exceed more than 6 doses in any 24-hour period shake well before use measure only with dosing cup provided keep dosing cup with product mL=mililiter TSP=teaspoonful this adult product is not intended for use in children

| Age | Dose |
|--------------------------------|-----------------------|
| adults and children 12 years | 10 mL (2 teaspoonful) |
| of age and over | every 4 hours |
| children under 12 years of age | do not use |

Inactive ingredients citric acid, FD&C #40, flavors, glycerin, menthol, propylene glycol, sodium benzoate, sucralose, water.

Questions or comments: 305-821-4002 Monday - Friday (9 AM - 5 PM EST)



| REVASOL TUSSIN guaifenesin liquid | | | | | |
|--------------------------------------|----------------|--------------------|---------------|--|--|
| Product Information | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84379-313 | | |
| Route of Administration | ORAL | | | | |

| Activ | e Ingredi | ent/Active Moiety | | | | | |
|------------------------------------|---|---|-------------------------|-----------------------|--|--|--|
| | | Ingredient Name | Basis of Strengt | th Strength | | | |
| GUAIF | | | 200 mg in 10 m | | | | |
| | | | | | | | |
| nact | tive Ingre | dients | | | | | |
| | | Strength | | | | | |
| ANHYE | DROUS CITRI | C ACID (UNII: XF417D3PSL) | | | | | |
| D&C | RED NO. 40 | (UNII: WZB9127XOA) | | | | | |
| GLYCE | RIN (UNII: PD | C6A3C0OX) | | | | | |
| MENTI | HOL (UNII: L7 | Т10ЕІРЗА) | | | | | |
| PROPY | PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | | | | | |
| SODIU | M BENZOAT | E (UNII: OJ245FE5EU) | | | | | |
| SUCRA | ALOSE (UNII: 9 | 96K6UQ3ZD4) | | | | | |
| SUCRA | | 96K6UQ3ZD4) | | | | | |
| SUCRA | ALOSE (UNII: 9 | 96K6UQ3ZD4) | | | | | |
| SUCRA | ALOSE (UNII: 9 R (UNII: 059Q) | 96K6UQ3ZD4) | | | | | |
| SUCRA WATE Pack | ALOSE (UNII: 9 | 96K6UQ3ZD4) | Marketing Start Date | Marketing End Date | | | |
| SUCRA WATE Pack # Ite | ALOSE (UNII: 9 R (UNII: 059Q) Caging em Code C:84379-313- | 96K6UQ3ZD4) F0KO0R) | - | | | | |
| Pack | ALOSE (UNII: 9 R (UNII: 059Q) Caging em Code C:84379-313- | 96K6UQ3ZD4) F0KO0R) Package Description 118 mL in 1 BOTTLE; Type 0: Not a Combination | Date | | | | |
| Pack # Ite | ALOSE (UNII: 9 R (UNII: 059Q) Caging em Code C:84379-313- | 96K6UQ3ZD4) F0KO0R) Package Description 118 mL in 1 BOTTLE; Type 0: Not a Combination | Date | | | | |
| Pack # Ite 1 NDC 04 | ALOSE (UNII: 9 R (UNII: 059Q) Caging em Code C:84379-313- | 96K6UQ3ZD4) F0KO0R) Package Description 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | Date | | | | |

Labeler - Rnv LLC (118917568)

Registrant - Rnv LLC (118917568)

| Establishment | | | | | | |
|---------------|---------|-----------|----------------------------|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | |
| Rnv LLC | | 118917568 | manufacture(84379-313) | | | |

Revised: 9/2024

Rnv LLC