

REVASOL TUSSIN- guaifenesin liquid
Rnv LLC

Revasol Tussin Cherry Flavor NDC 84379-313-04, 84379-313-16

Guaifenesin 200 mg

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.

Warning

Ask a doctor before use if you have • a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema or where cough is accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions:

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter • TSP=teaspoonful
- this adult product is not intended for use in children

Age	Dose
adults and children 12 years of age and over	10 mL (2 teaspoonful) every 4 hours
children under 12 years of age	do not use

Inactive ingredients citric acid, FD&C #40, flavors, glycerin, menthol, propylene glycol, sodium benzoate, sucralose, water.

Questions or comments? 1-888-446-4753

Monday - Friday (9 AM - 5 PM EST)

Other Information:

- store at room temperature 15-30°C (59-86°F). Do not refrigerate

TAMPER-EVIDENT FEATURE: Do not use if printed safety seal is torn, broken or missing.

Made in USA

Distributed by:

RNV LLC

14501 NW 60 Ave,

Miami Lakes, FL 33014

NDC 84379-313-16



TUSSIN

EXPECTORANT

Guaifenesin 100 mg

Cool Cherry Flavor



16 FL OZ (474 mL)

Drug Facts

Active Ingredient (in each 5 mL) Guaifenesin 100 mg.....	Purpose Expectorant
--	-------------------------------

Uses • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.

Warnings
Ask a doctor before use if you have • a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema or where cough is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter • TSP=teaspoonful

Drug Facts (continued)

Age	Dose
adults and children 12 years of age and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children under 6 years of age	do not use

Other information
• Store at room temperature 15-30°C (59-86°F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use if printed safety seal is torn, broken or missing.

Inactive ingredients citric acid, FD&C #40, flavors, glycerin, menthol, propylene glycol, sodium benzoate, sucralose, water.

Questions or comments? 1-888-446-4753
Monday - Friday (9 AM - 5 PM EST)

Made in USA
Distributed by:
RNV LLC
14501 NW 60 Ave,
Miami Lakes, FL 33014
Rev. 2



8 50073 25710 4
Lot:
Exp:

NDC 84379-313-04



TUSSIN

EXPECTORANT

Guaifenesin 200 mg

Cool Cherry Flavor
For ages 12 & Over



4 FL OZ (118 mL)

Drug Facts

Active Ingredient (in each dose, 10 mL 2 teaspoonful) Guaifenesin 200 mg.....	Purpose Expectorant
---	-------------------------------

Uses • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.

Warnings
Ask a doctor before use if you have • a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema or where cough is accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if • cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right

Directions:

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter • TSP=teaspoonful
- this adult product is not intended for use in children

Drug Facts (continued)

Age	Dose
adults and children 12 years of age and over	10 mL (2 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other Information:
• store at room temperature 15-30°C (59-86°F). Do not refrigerate

TAMPER-EVIDENT FEATURE: Do not use if printed safety seal is torn, broken or missing.

Inactive ingredients citric acid, FD&C #40, flavors, glycerin, menthol, propylene glycol, sodium benzoate, sucralose, water.

Questions or comments: 305-821-4002
Monday - Friday (9 AM - 5 PM EST)

Made in USA
Distributed by:
RNV LLC
14501 NW 60 Ave,
Miami Lakes, FL 33014
Rev. 3



8 60012 31351 8
Lot:
Exp:

REVASOL TUSSIN
guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84379-313
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MENTHOL (UNII: L7T10EIP3A)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84379-313-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2024	
2	NDC:84379-313-16	474 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/19/2024	

Labeler - Rnv LLC (118917568)

Registrant - Rnv LLC (118917568)

Establishment

Name	Address	ID/FEI	Business Operations
Rnv LLC		118917568	manufacture(84379-313)

Revised: 2/2026

Rnv LLC