

SALICYLIC ACID- clear medicated corn removers patch
Walgreens Company

Walgreens Clear Medicated Wart Remover

Active ingredient

Salicylic acid 40% w/w

Purpose

Wart remover

Use

- For the removal of warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.

Warnings

For external use only.

Do not use

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on genital warts or warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips

Stop use and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area.
- may soak corn in warm water for 5 minutes.
- dry area thoroughly
- if necessary, cut medicated disc to fit the wart.
- carefully apply the medicated with sticky side onto the wart.
- cover the medicated disc with the center of the bandage strip.
- repeat this procedure every 48 hours as needed (until wart is removed) for up to 12 weeks.

Other information

store between 59° and 86°F (15° and 30°C)

Inactive ingredients

acrylic adhesive, polyethylene foam.

Questions?

Call 1-866-964-0939

Principal Display Panel

Walgreens

Clear Wart

Remover

Strips

SALICYLIC ACID 40%

MAXIMUM

STRENGTH

Medicated

- Safely removes common & plantar warts
- Conceals & protects
- Medicated disc, no-mess application

14 CLEAR STRIPS 18 MEDICATED DISCS



Use for warts on feet & hands

Drug Facts

Active ingredient	Purpose
Salicylic acid 40% w/w.....	Wart remover

Uses ■ For the removal of warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.

Warnings
For external use only.

Do not use

- if you are a diabetic
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on genital warts or warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals, and lips

Stop use and ask a doctor if discomfort persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- if necessary, cut medicated disc to fit the wart
- carefully apply the medicated disc with sticky side onto the wart
- cover the medicated disc with the center of the bandage strip
- repeat this procedure every 48 hours as needed (until wart is removed) for up to 12 weeks

Other information
store between 59°F and 86°F (15°C and 30°C)

Inactive ingredients acrylic adhesive, polyethylene foam.

Questions? Call 1-866-964-0939

Care ■ Avoid surrounding skin when applying medicated disc
Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Medtech Products, Inc., owner of the registered trademark Compound W®.

DISTRIBUTED BY: WALGREEN CO. ITEM 159891 W00000-0000-0
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2023 Walgreen Co.
MADE IN U.S.A. WITH U.S. AND IMPORTED PARTS

3 11917 14474 0

DIRECTIONS FOR USE:

Skin should be clean, dry & free of creams & oils. Place sticky side of medicated disc directly over center of wart.

To apply strip, first peel off backing.

Align center of strip with medicated disc. Place sticky side of strip on skin then remove remainder of backing to apply.

Walgreens  NDC 0363-XXXX-XX

Compare to the active ingredient in Compound W®^{††}

Clear Wart Remover Strips

SALICYLIC ACID 40%

Maximum Strength Medicated

- Safely removes common & plantar warts
- Conceals & protects
- Medicated disc, no-mess application

14 CLEAR STRIPS **18** MEDICATED DISCS **ACTUAL SIZE**

53-016WG

SALICYLIC ACID			
clear medicated corn removers patch			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1747
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	40 mg in 12	

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
VINYL ACETATE (UNII: L9MK238N77)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1747-01	18 in 1 PACKAGE; Type 0: Not a Combination Product	02/22/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	02/22/2022	

Labeler - Walgreens Company (008965063)

Revised: 12/2024

Walgreens Company