## PRO-SAN LV ACTIVATOR- lactic acid liquid IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **Pro-San LV Activator**

#### **Active Ingredient**

Lactic Acid 2.6%

#### **Inert Ingredients**

Glycerin, Surfactants, Viscosity Builders and Food Grade Dyes

#### **Mixing Directions**

To make a ready-to-use solution of Pro-San LV Teat Dip, add equal volumes of Pro-San LV Activator and Pro-San LV Base into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Do not mix with any other products. Mix only the amount needed for a 24 hour period. Discard any unused teat dip. Unused teat dip may be diluted with water and safely flushed down the drain.

#### **Recommended Procedures for Teat Sanitation**

- A. PRE-MILKING (PRE-DIPPING)
- 1. Remove visible soils from the teats
- 2. Observe foremilk by stripping two or three streams of milk into a strip cup.
- 3. Dip, spray of foam the cow's teats full length with READY-TO-USE PRO-SAN LV TEAT DIP.
- 4. Wait at least 15-30 seconds.
- 5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder with a clean, single service paper towel(s) to avoid contamination of milk.
- 6. Attach milking unit.
- B. POST-MILKING (POST-DIPPING)

Immediately after milking, dip,spray or foam all teats full length with READY-TO-USE PRO-SAN LV TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

#### Caution

Keep out of reach of children. Avoid contact with food. Do not take internally. Not for human use.

#### First Aid

EYE CONTACT: Rinse cautiously with fresh, tepid water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical advice/attention. SKIN CONTACT: For RTU products wash any sensitive areas. INGESTION: Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink large amounts of water. If vomiting occurs, keep airways open. Keep head lower than the hips to prevent aspiration into the lungs. Get immediate medical advice/attention.

#### Warning

Do not dilute this product.


Do not return teat dip left in the teat dipper to storage container.

Ensure that dipped teats are dry before exposing the animals to weather conditions which may cause damage to the teats.

Store at room temperature. Always store away from direct sunlight.

Protect this product from freezing. However, freezing will not affect Pro-San LV provided that the contents are thawed completely and agitated thoroughly before mixing base and activator together.

#### **Pro-San LV Activator**



#### **PRO-SAN LV ACTIVATOR**

lactic acid liquid

Product Information					
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1093		
Route of Administration	TOPICAL				

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT) LACTIC ACID (2.6 kg in 100 kg

Packaging						
#	Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date		
1	NDC:29983-1093-8	215.25 kg in 1 DRUM				
2	NDC:29983-1093-9	1076.25 kg in 1 CONTAINER				
3	NDC:29983-1093-4	19.57 kg in 1 PAIL				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		04/26/2023			

### **Labeler -** IBA (019494160)

## **Registrant -** IBA (019494160)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Morgan Gallacher Inc. DBA in Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack		

Revised: 12/2023 IBA