FUNGINIX AF- toinaftate cream The Sisquoc Healthcare Corporation

Sisquoc HC (as PLD) - FUNGINIX AF ATHLETE'S FOOT CREAM (71229-103)

ACTIVE INGREDIENT

TOLNAFTATE 1%

PURPOSE

ANTIFUNGAL

USES

• ANTI-FUNGAL TREATMENT

WARNINGS

FOR EXTERNAL USE ONLY.

DO NOT USE ON CHILDREN UNDER 2 YEARS OF AGE UNLESS DIRECTED BY A DOCTOR.

WHEN USING THIS PRODUCT AVOID CONTACT WITH THE EYES. IF CONTACT OCCURS, RINSE THE EYES VERY THOROUGHLY WITH WATER.

STOP USE AND ASK A DOCTOR IF IRRITATION OCCURS OR THERE IS NO IMPROVEMENT WITHIN 4 WEEKS.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

- For the cure of all forms of athlete's foot (tinea pedis). For relief of itching, scaling, cracking, burning, redness, soreness, irritation and discomforts which may accompany these conditions.
- Wash affected area and dry thoroughly. Apply a layer of FUNGINIX AF over the affected area twice daily (morning and night). Allow the cream to dry for at least 3 minutes before covering the affected area with clothing.
- Wash hands after each application to prevent the chance of the infection spreading to other parts of the skin.
- Most athlete's foot infections will require at least 2 weeks of continuous daily treatment before the infection is completely eliminated.
- Proper use of FUNGINIX AF should eliminate all types of athlete's foot infections. If the condition persists longer, contact a physician or medical professional.

INACTIVE INGREDIENTS

Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Oleth-10 Phosphate, Triethanolamine, Polysorbate 20, Acrylates Copolymer, Glycerin, Propylene Glycol, Uva Ursi (Bearberry) Extract, Beta-Glucan, Propolis Extract, Aloe Barbadensis Juice, Tocopheryl Acetate (Vitamin E), Camphor, Menthol, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Jasminum Officinale (Jasmine) Oil, Eugenia Caryophyllus (Clove) Flower Oil, Theobroma Cacao (Cocoa) Seed Butter, Rosa Canina (Rose Hip) Flower Oil, Cetyl Hydroxyethylcellulose, Ethylhexylglycerin, Phenoxyethanol

Store between 20°c to 25°C (68° to 77°F)

Œ	UNGINIX AF
AT	HLETE'S FOOT CREAM
	1 OZ/28 G
	redient: Tolnaftate 1% S: For external use only. Do not use on children under 2 years of age sected by a doctor. When using this product, avoid contact with ntact occurs, rinse eyes thoroughly with water.
WARNINGS unless dire eyes. If con Stop use a within 4 we	
WARNINGS unless dire eyes. If con Stop use an within 4 we assistance	5: For external use only. Do not use on children under 2 years of age octed by a doctor. When using this product, avoid contact with ntact occurs, rinse eyes thoroughly with water. Ind ask a physician if irritation occurs or if there is no improvement seks. Keep out of reach of young children. If swallowed, get medical



HOW LONG SHOULD TREATMENT LAST?

Athlete's foot infections should be treated the moment the infection is detected. The earlier you begin treating the infected areas.

1

I

Athlete's Foot Cream

Specifically designed to swiftly eliminate athlete's foot infections.

WHAT IS ATHLETE'S FOOT?

I

I

I

L

I

I

I

I

I

Athlete's foot, known medically as tinea pedis, is a common skin infection of the feet caused by fungus. Signs and symptoms often include itching, scaling, and redness. In severe cases the skin may blister. Athlete's foot fungus may infect any part of the foot, but most often grows between the toes. The next most common area is the bottom of the foot. The same fungus may also affect the nails or hands. It is a member of the group of diseases known as tinea.

Tinea pedis is caused by a number of different fungi. The condition is typically acquired by coming into contact with infected skin, or fungus I in the environment. Common places where the fungi can survive are around swimming pools and in locker rooms. They may also be spread from other animals. Usually diagnosis is made based on signs and symptoms. L

Some methods of prevention include avoiding I walking barefoot in public showers, keeping 1 the toenails short, wearing big enough shoes, and changing socks daily. When infected, the feet should be kept dry and clean and wearing open-toed shoes can help. Treatment can L be either with an antifungal medication like I FUNGINIX AF which is applied to the skin such as tolnaftate or for persistent infections antifungal medication that are taken by mouth such as terbinafine. Use of any antifungal cream L is typically recommended for a minimum of I four weeks.

WHY USE FUNGINIX AF TO **ELIMINATE ATHLETE'S FOOT?**

FUNGINIX AF is an excellent combination of anti-fungal agents, essential oils and fungusfighting extracts specifically created to fight L athlete's foot. In order to create the most powerful anti-fungal solution, we at Sisquoc Healthcare took the best of research from both traditional and herbal medicine on how to kill the fungiresponsible for athlete's foot infections. After comparing and contrasting the effects of mulana anultinationa

you begin a caung are meeted areas, the shorter the treatment period will be. Once treatment with FUNGINIX AF begins, it should be uninterrupted for a minimum of 2 weeks. More severe treatments may require up to 4-6 months to eliminate all existing fungal agents. It is VERY IMPORTANT to continue treatment beyond the time when the infection is no longer visible. All fungal infections, like athlete's foot, often return if the treatment period is not thorough enough to kill ALL of the fungal agents, not just those visible. In stubborn cases if substantial progress is not by then, a medical professional should be consulted to discuss alternative methods of treatment.

1

L

T

I

I

L

I

1

I

I

1

1

I

I

I

DIRECTIONS:

• For the cure of all forms of athlete's foot (tinea pedis). For relief of itching, scaling, cracking, burning, redness, soreness, irritation and discomforts which may accompany these conditions.

• Wash affected area and dry thoroughly. Apply a layer of FUNGINIX AF over the affected area twice daily (morning and night). Allow the cream to dry for at least 3 minutes before covering the affected area with clothing.

• Wash hands after each application to prevent the chance of the infection spreading to other parts of the skin.

• Most athlete's foot infections will require at least 2 weeks of continuous daily treatment before the infection is completely eliminated.

O Proper use of FUNGINIX AF should eliminate all types of athlete's foot infections. If the condition persists longer, contact a physician or medical professional.

WARNINGS:

O Use only as directed. For external use only.

Ask a doctor before using on children under 2 years of age.

O When using this product, avoid contact with eyes.

Stop using and consult a physician if the condition continues and there is no improvement within 4 weeks.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Active Ingredient: Tolnaftate (1%)

Inactive Ingredients: Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Oleth-10 Phosphate, Trietha-

or various combinations, we came up with nolamine, Polysorbate 20, Acrylates Copolymer, Glycerin, Propylene Glycol, Uva Ursi (Bearberry) Extract, Betaour unique blend of active ingredients like Glucan, Propolis Extract, Aloe Barbadensis Juice, Tocoph-Tolnaftate, herbal remedies like camphor I eryl Acetate (Vitamin E), Camphor, Menthol, Melaleuca L and essential oils like tea tree oil. There Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia I (Lavender) Oil, Jasminum Officinale (Jasmine) Oil, Eugenia is simply no other topical toenail fungus Caryophyllus (Clove) Flower Oil, Theobroma Cacao (Cocoa) L treatment created to fight athlete's foot Seed Butter, Rosa Canina (Rose Hip) Flower Oil, Cetyl Hydroxyethylcellulose, Ethylhexylglycerin, Phenoxyethanol more effective and complete. that is 1 The active ingredient in FUNGINIX AF has I been recognized to be safe and effective by an FDA Expert Advisory Panel, when used as I directed. I I Sisquoc Healthcare, Inc. Newport Beach, CA 92660 USA Questions? (800) 589-8913 FUNGINIX AF toInaftate cream **Product Information Product Type** HUMAN OTC DRUG NDC:71229-103 Item Code (Source) **Route of Administration** TOPICAL **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV) TOLNAFTATE 1 g in 100 g **Inactive Ingredients Ingredient Name** Strength WATER (UNII: 059QF0K00R) ALMOND OIL (UNII: 66YXD4DKO9) OLETH-10 PHOSPHATE (UNII: Q95361F4VS) TROLAMINE (UNII: 903K93S3TK) POLYSORBATE 20 (UNII: 7T1F30V5YH) BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E) GLYCERIN (UNII: PDC6A3C0OX) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) ARCTOSTAPHYLOS UVA-URSI WHOLE (UNII: 375XO36KR7) OAT (UNII: Z6J799EAJK) PROPOLIS WAX (UNII: 6Y8XYV2NOF) ALOE VERA LEAF (UNII: ZY81Z83H0X)

ALFRAIUCUP	IEROL ACETA	TE (UNII: 9E8X80D2L0)				
THEOBROMA CA	CAO WHOLE	(UNII: EB048G1S9J)				
ROSA CANINA FR	UIT OIL (UNII	CR7307M3QZ)				
CAMPHOR OIL (U	NII: 75IZZ8Y7	27)				
MENTHOL (UNII: I	.7T10EIP3A)					
TEA TREE OIL (U	NII: VIF565UC2	G)				
LAVANDULA ANG	USTIFOLIA W	HOLE (UNII: 51217XIL5L)				
ASMINUM OFFIC	INALE WHO	E (UNII: X3314B4SYD)				
CLOVE LEAF OIL						
		LOSE (350000 MW) (UN	II: T7SWE4S	2TT)		
PHENOXYETHAN	OL (UNII: HIE4	92ZZ3T)				
ETHYLHEXYLGLY	CERIN (UNII: 1	L47D247K3P)				
Packaging						
	P	ackage Description		Marketing Start Date	Marketi Da	
# Item Code		ackage Description JBE; Type 0: Not a Combin	nation 0	-		
# Item Code	- 28 g in 1 TI	J	ation 0	Date		-
# Item Code 1 NDC:71229-103	- 28 g in 1 Tl Product	JBE; Type 0: Not a Combin	nation 0	Date		-
# Item Code	- 28 g in 1 TI Product	JBE; Type 0: Not a Combin		Date	: Market	-

Labeler - The Sisquoc Healthcare Corporation (021517142)

Revised: 10/2023

The Sisquoc Healthcare Corporation