

**MINOXIDIL (FOR MEN)- minoxidil aerosol, foam**  
**CVS Pharmacy**

-----  
**Minoxidil**  
**5% (For Men)**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**

**For external use only.**

**For use by men only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

**Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container.
- do not expose to heat or store at temperatures above 120°F (49°C).

**Inactive ingredients**

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

**Questions?**

- Call **1-866-923-4914**

**Distributed by:**  
**CVS Pharmacy, Inc.**

One CVS Drive  
Woonsocket, RI 02895

**PRINCIPAL DISPLAY PANEL - 60 g Can Carton**

CVS  
Health™

Compare to the  
active ingredient  
in Men's Rogaine®\*  
NDC 51316-212-01

MINOXIDIL  
Topical Aerosol, 5%  
(For Men)

Hair  
Regrowth  
Treatment

FOR MEN

- #1 Dermatologist recommended active ingredient†
- Clinically proven to help regrow hair
- Reactivates hair follicles to stimulate regrowth

1  
month  
supply

Unscented  
Easy-to-use foam

**NOT FOR USE BY WOMEN**

1 MONTH SUPPLY  
1-60 g (2.11 OZ) CAN



998  
00-2280-00-2280-00



Compare to the active ingredient in Men's Rogaine®

**MINOXIDIL**  
Topical Aerosol, 5%  
(For Men)

# Hair Regrowth Treatment

FOR MEN



Compare to the active ingredient in Men's Rogaine®  
NDC 51316-212-01

**MINOXIDIL**  
Topical Aerosol, 5%  
(For Men)

# Hair Regrowth Treatment

FOR MEN

- #1 Dermatologist recommended active ingredient\*
- Clinically proven to help regrow hair
- Reactivates hair follicles to stimulate regrowth

1  
month  
supply



Unscented  
Easy-to-use foam

**NOT FOR USE BY WOMEN**

**1 MONTH SUPPLY**  
1-60 g (2.11 OZ) CAN

## Drug Facts

**Active ingredient Purpose**  
Minoxidil 5% w/w (without propellant) Hair regrowth treatment for men

**Use** To regrow hair on the top of the scalp (vertex only; see pictures on side of this carton)

### Warnings

**For external use only.**

**For use by men only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

### Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

### When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

### Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## Drug Facts (continued)

### Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

### Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container.
- do not expose to heat or store at temperatures above 120°F (49°C).


### Inactive ingredients

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

### Questions?

- Call 1-866-923-4914

Minoxidil Topical Aerosol, 5% (For Men) is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Aerosol, 5% (For Men) has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Aerosol, 5% (For Men) may not work.



how2recycle.info

## THIS PACKAGE CONTAINS

- One 60 g (2.11 oz) can of Minoxidil Topical Aerosol, 5% (For Men) (one month supply)

## DIRECTIONS FOR USE

See information leaflet with complete directions on how to use and obtain best results.



### 1: PREP HANDS WITH COLD WATER

Rinse your fingers in cold water and dry them. **Note:** foam will melt on contact with warm surfaces.



### 2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



### 3: DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g. dish, or cold hands).



### 4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.



### 5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Men's Rogaine®.

**For best results:**  
Use twice daily.  
Apply directly to the scalp.

<sup>†</sup>In the U.S.  
Source: Alphametrics

**Distributed by:**  
CVS Pharmacy, Inc.  
One CVS Drive  
Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
Made in Israel V-38744

100% money back guaranteed.  
CVS.com/returnpolicy

#870796



12

# MINOXIDIL (FOR MEN)

minoxidil aerosol, foam

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-212
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Minoxidil</b> (UNII: 5965120SH1) (Minoxidil - UNII:5965120SH1)	Minoxidil	50 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>anhydrous citric acid</b> (UNII: XF417D3PSL)	
<b>butane</b> (UNII: 6LV4FOR43R)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>cetyl alcohol</b> (UNII: 936JST6JCN)	
<b>isobutane</b> (UNII: BXR49TP611)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>polysorbate 60</b> (UNII: CAL22UVI4M)	
<b>propane</b> (UNII: T75W9911L6)	
<b>stearyl alcohol</b> (UNII: 2KR89I4H1Y)	
<b>water</b> (UNII: 059QF0KOOR)	

## Product Characteristics

<b>Color</b>	WHITE (white to off-white foam)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-212-01	1 in 1 CARTON	08/19/2022	
1		60 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:51316-212-03	3 in 1 CARTON	08/19/2022	

2		60 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:51316-212-30	3 in 1 CARTON	08/19/2022	
3		60 g in 1 CAN; Type 0: Not a Combination Product		
4	NDC:51316-212-10	1 in 1 CARTON	10/20/2023	
4		60 g in 1 CAN; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209074	08/19/2022	

**Labeler** - CVS Pharmacy (062312574)

Revised: 10/2023

CVS Pharmacy