

**RESICLEAN CONCENTRATE- hydrogen peroxide solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**Warning**

Causes serious eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection.

**DIRECTIONS:**

Resiclean™ CONCENTRATE

**MUST BE DILUTED BEFORE USE**

**DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER**

**FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB**

Dilution Parameter:

Resiclean Concentrate By Part	Resiclean Adjuvant By Part	Water By Part	Resiclean RTU Product
10.0	1.5	88.5	100

Let the product sit for 10 minutes before use. This mixed solution Resiclean Concentrate & Adjuvant RTU (ready-to-use) will remain stable for 8 hours. After 8 hours discard any remaining solution and mix a new solution. Suggest using freshly mixed product for each milking.

**IMPORTANT:** Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

**Application of Diluted Resiclean Concentrate**

**Directions for Teat Dipping**

**Pre-Milk Dipping:** Fill teat dip cup with Resiclean RTU (ready-to-use). Before each cow is milked, dip each teat full-length into the teat dip cup containing Resiclean RTU. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Using fresh Resiclean RTU product, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Directions for Teat Spraying**

**Pre-Milk Spraying:** Before each cow is milked, spray entire teat with Resiclean RTU. Wipe teats after spraying using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Using fresh Resiclean RTU product, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Resiclean Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## **READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT**

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

### **Principal display panel and representative label**

ECOLAB

Resiclean™ Concentrate

Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

Hydrogen Peroxide.....5.0%

INERT INGREDIENT:..... 95.0%

(contains glycerin)

TOTAL:.....100.0%

### **Warning**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

This product may be patented [www.ecolab.com/patents](http://www.ecolab.com/patents)

Ecolab · 1 Ecolab Place · St. Paul, MN 55102 USA · tel: 1 800 392 3392

© 2022 Ecolab USA · All rights reserved

Made in U.S.A.



# Resiclean™ Concentrate

## Teat Dip Concentrate Concentrado para el tratamiento de pezones

• An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis

<b>ACTIVE INGREDIENT:</b>	
Hydrogen Peroxide.....	5.0%
<b>INERT INGREDIENT:</b> .....	95.0%
(contains glycerin)	
<b>TOTAL:</b> .....	100.0%

### Warning | Atención

**KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**  
**NOT FOR HUMAN USE | NO ES PARA USO HUMANO**

Read other label for directions for use, first aid and precautionary statements  
Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas




Teat Dip  
Baño de tetina



Teat Spray  
Roceador de tetina

208 L (55 US GAL)  
6302332



Resiclean™ Concentrate

Teat Dip Concentrate  
Concentrado para el tratamiento de pezones

# Resiclean™ Concentrate

## Teat Dip Concentrate

### DIRECTIONS:

Resiclean™ CONCENTRATE MUST BE DILUTED BEFORE USE  
DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER  
FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB  
Dilution Parameter:

Resiclean Concentrate By Part	Resiclean Adjuvant By Part	Water By Part	Resiclean RTU Product
10.0	1.5	88.5	100

Let the product sit for 10 minutes before use. This mixed solution Resiclean Concentrate & Adjuvant RTU (ready-to-use) will remain stable for 8 hours. After 8 hours discard any remaining solution and mix a new solution. Suggest using freshly mixed product for each milking.

**IMPORTANT:** Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

### Application of Diluted Resiclean Concentrate

#### Directions for Teat Dipping

**Pre-Milk Dipping:** Fill teat dip cup with Resiclean RTU (ready-to-use). Before each cow is milked, dip each teat full-length into the teat dip cup containing Resiclean RTU. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

**Post-Milk Dipping:** Using fresh Resiclean RTU product, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

#### Directions for Teat Spraying

**Pre-Milk Spraying:** Before each cow is milked, spray entire teat with Resiclean RTU. Wipe teats after spraying using single-service towels to avoid contamination of milk.

**Post-Milk Spraying:** Using fresh Resiclean RTU product, spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:** Resiclean Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

## Warning

Causes serious eye irritation.

Wash skin thoroughly after handling. Wear eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

### READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

**EMERGENCY HEALTH INFORMATION:** 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

This product may be patented | Este producto puede ser patentado: [www.ecolab.com/patents](http://www.ecolab.com/patents)

Ecolab - 1 Ecolab Place - St. Paul, MN 55102 USA - tel: 1 800 392 3392  
© 2022 Ecolab USA - All rights reserved | Todos los derechos reservados  
Made in U.S.A. | Hecho en EE.UU.  
[www.ecolab.com](http://www.ecolab.com) - 778038/5300/1122

## Concentrado para el tratamiento de pezones

### INSTRUCCIONES:

Resiclean™ CONCENTRATE DILUIR ANTES DE USAR  
MEZCLAR EXCLUSIVAMENTE CON AGUA POTABLE Y A TEMPERATURA FRESCA  
PARA USO EXCLUSIVO EN SISTEMAS DE DISPENSADO RECOMENDADOS POR ECOLAB  
Parámetro de dilución:

Resiclean Concentrate Por Parte	Resiclean Adjuvant Por Parte	Agua Por Parte	Resiclean LTU Producto
10.0	1.5	88.5	100

Deje reposar el producto durante 10 minutos antes de usarlo. Esta solución ya mezclada de Resiclean Concentrate & Adjuvant LPU (listo para usar) permanecerá estable por 8 horas. Después de 8 horas descarte el producto que haya quedado y prepare una nueva solución. Se sugiere usar producto recién mezclado para cada ordeño.

**IMPORTANTE:** Nunca use producto concentrado en los pezones. Una vez que el antiséptico para pezón concentrado haya sido diluido adecuadamente, no lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseché el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

### Aplicación del diluido Resiclean Concentrate

#### Instrucciones para el sellado del pezón

**Sellado del pezón previo al ordeño:** Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con Resiclean LPU (listo para usar) fresco. Limpie los pezones con toallas de uso único después del baño para evitar la contaminación de la leche.

**Sellado del pezón posterior al ordeño:** Bañe toda la superficie de cada pezón en un recipiente que contenga producto Resiclean LTU fresco. No utilice paños. Deje secar al aire. No deje a las vacas expuestas a un clima helado hasta que el producto se haya secado por completo.

#### Instrucciones para el rociado de pezones

**Rociado previo al ordeño:** Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con producto Resiclean Concentrate & Adjuvant LPU (listo para usar). Limpie los pezones con toallas de uso único después del baño para evitar la contaminación de la leche.

**Rociado de pezones posterior al ordeño:** Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con producto Resiclean LTU fresco. No utilice paños. Deje secar al aire. No deje a las vacas expuestas a un clima helado hasta que el producto se haya secado por completo.

**Otros usos:** Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

**PRECAUCIÓN:** Resiclean Concentrate no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es necesario.

Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**NO ES PARA USO HUMANO**

## Atención

Provoca irritación ocular grave.

Lavarse la piel cuidadosamente después de la manipulación. Usar equipo de protección para los ojos/ la cara.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

### LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

**INFORMACIÓN DE EMERGENCIA SOBRE SALUD:** 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

# RESICLEAN CONCENTRATE

hydrogen peroxide solution

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:47593-647
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	50 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-647-21	208000 mL in 1 DRUM		
2	NDC:47593-647-44	1150000 mL in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/09/2023	

**Labeler** - Ecolab Inc. (006154611)

Revised: 7/2025

Ecolab Inc.