HEB SPF 50 TATTOO CONTINUOUS SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene spray H.E.B

HEB SPF 50 Tattoo Continuous Sunscreen Spray

Active Ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protetion measures (see [Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term stoage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wearl long-sleeved shirts, pants, hats, and sunglasses


Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive Ingredients

SD ALCOHOL, BUTYLOCTYL SALICYLATE, FRAGRANCE, ACRYLATES/OCTYLACRYLAMIDE COPOLYMER, ALOE BARBADENSIS LEAF JUICE, BUTYLENE GLYCOL, SACCHAROMYCES/ PODOPHYLLUM PELTATUM FERMENT FILTRATE, DAUCUS CAROTA SATIVA (CARROT) ROOT EXTRACT, PANTHENOL, PERSEA GRATISSIMA (AVOCADO) OIL, VITIS VINIFERA (GRAPE) SEED OIL, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, COCOS NUCIFERA (COCONUT) OIL, CAPRYLIC/CAPRIC TRIGLYCERIDE, GLYCERIN, STEAROXYTRIMETHYLSILANE, TOCOPHEROL.

Label



Dye, PABA, Retinyl Palmitate & Paraben Free* · No Oxybenzone or Octinoxate Dermatologist Tested · Hypoallergenic · Clear Application · Fresh Scent

Dermatologist rested . Hypoallergenic . Clear Application . Fresh Scent
Drug Facts
Active ingredients Purpose
Avobenzone 3%, Homosalate 10% Octisalate 5%, Octocrylene 4%
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun
Warnings For external use only
Hammable: • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)
Do not use • on damaged or broken skin.
When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.
Stop use and ask a doctor if • rash occurs,
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into face. Spray into hands then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • children under 6 months of age. Ask a doctor • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • fimit time in the sun, especially from 10 a,m 2 p,m. • wear long-sleeved shirts, pants, hats, and sunglasses
Other information • protect the product in this container from excessive heat and direct sun • may stain or damage some fabrics, materials or surfaces
Inactive ingredients acrylates/octylacrylamide copolymer, aloe barbadensis leaf juice, butylene glycol, butyloctyl salicylate, canylic/capric triglyceride, occos nucifera (occonut) oi, il daucus carola sativa (carrol) extract, fragrance, glycerin, panthenol, persea gratissima (avocado) oil, saccharomyces jodophyllum petatum ferment fittate, SD abchol 40-B, simmondsia chinensis (jojoba) seed oil, stearoxytrimethylslane, tocopherol, vitis vinifera (grape) seed oil.
Questions or comments? Call toll free 1-800-527-7731
NO PARABENS SEPARATELY ADDED TO PRESERVE THIS PRODUCT MADE WITH PRIDE AND CARE FOR H-E-B", SAN ANTONIO, TEXAS 78204

* Dermatologist Tested · Hypoal ergenic * Oil Free · PABA Free * Retiny Pamitate Free & Paraben Free Drug Facts * . . Active Ingredients Purpose Avabenzone 3% Homosalate 10% Octisalate 5% Octocrylene 4% Sunscreen * USES + helps prevent sunburn + if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun Warnings For external use only Flammable: do not use near heat, flame or while smoking
 avoid long term storage above 104°F (40°C) SPE Do not use + on damaged or broken skin. When using this product + keep out of eyes. Rinse with water to remove, + keep sway from face to avoid breathing it, + do not puncture or incinerate, Contents under pressure, + do not store at temperatures above 120° F. Stop use and ask a doctor if + rash occurs. Tattoo Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right sway, **OXYBENZONE FREE** Directions Scrat block of the second evenly by hand 15 minutes before our exposure.
 Hold can 4-6 inches away from the skin to apply.
 Do not spray into face. Spray into hand and apply to face. * Sunscreen do not apply in windy conditions
 use in a well-ventilated area
 reapply; For a Tattoo Lovers ** UVA/UVB Protection after 80 minutes of swimming or sweating ж · immediately after towel drying Sweat and Water · at least every 2 hours at least every 2 hours
 chigten under 6 months of age: Ask a doctor
 Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun groupeling measures inclusing:
 Imit time in the sun, especially from 10 a.m. - 2 p.m.
 wear long-sleeved shins, parts, hets, and sunglesses Resistant (80 minutes) With 8 moisturizers added to help protect tattoo color * Other Information **BROAD SPECTRUM SPF 50** protect this product from excessive heat and direct sun
 may stain or damage some fabrics, materials or surfaces Inactive Ingredients Solubiol (%) Autochi oliojani, france, scrislovichigalnije opolime, ale tartatevis kol jace, bojene dvol, acctanovece potokylan polatin ferren (fran, kaza carbi ativa jamt) oftest, perine, preva gražina jancati oli (fran unite grazel secili ali neprotici chinese (pizite veri al cose publica jorceni) ol, capile capito figherate, glecan, chemovinettybian, teopteri. * Questions or Comments? Call to free 1-800-527-7731 * "No parabens separately added to preserve this product, * MADE WITH PRIDE AND CARE FOR H-E-B* SAN ANTONIO, TEXAS 78204 PLEASE RECYCLE * ж NET WT. 5.5 OZ (156 g) GO TEXAN. 15761-2101 ォ 0

HEB SPF 50 TATTOO CONTINUOUS SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (S	iource)	NDC:3	7808-139
Route of Administration	TOPICAL				
Active Ingredient/Active Moiety					
Ingree	dient Name		Basis of Stren	ngth	Strength
AVOBENZONE (UNII: G63QQF2NO)	(AVOBENZONE - UNII:G63	BQQF2NOX)	AVOBENZONE		30 mg in 1 g

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PODOPHYLLUM (UNII: 2S713A4VP3)	
WATER (UNII: 059QF0KO0R)	
CARROT (UNII: L56Z1JK48B)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PANTHENOL (UNII: WV9CM0067Z)	
JOJOBA OIL (UNII: 724GKU717M)	
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
GLYCERIN (UNII: PDC6A3C0OX)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
COCONUT OIL (UNII: Q9L0073W7L)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	

Packaging

1 NDC:37808-139- 37 156 g in 1 CAN; Type 0: Not a Combination Product 01/13/2021 2 NDC:37808-139- 76.5 g in 1 CAN; Type 0: Not a Combination 01/04/2024	# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:37808-139-76.5 g in 1 CAN: Type 0: Not a Combination			01/13/2021	
2 74 Product 01/04/2024	2 NDC:37808-139 74	 76.5 g in 1 CAN; Type 0: Not a Combination Product 	01/04/2024	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M020	01/13/2021	

Labeler - H.E.B (007924756)

Revised: 9/2024