#### BULL FROG SPF 50 QUIK WITH WATER ARMOR TECH- avobenzone, homosalate, octisalate, octocrylene aerosol, spray BULLFROG BRANDS, LLC.

\_\_\_\_\_

## Bull Frog SPF 50 Quik Spray with Water Armor Tech

#### Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%

#### Purpose

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

#### For external use only

#### FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

#### Do not use

• on damaged or broken skin.

#### When using this product

 keep out of eyes. Rinse with water to remove.
 keep away from face to avoid breathing it.
 do not puncture or incinerate. Contents under pressure.
 do not store at temperatures above 120° F.

#### Stop use and ask doctor if

• rash occurs.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- •Spray liberally and spread evenly by hand 15 minutes before sun exposure
- •Hold can 4 to 6 inches away from skin to apply
- •Do not spray directly into face. Spray into hand then apply to face.
- •Do not apply in windy conditions
- •Use in a well-ventilated area

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

## **Other Information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## Inactive ingredients

SD Alcohol 40-B, Isobutane, Neopentyl Glycol Diheptanoate, Polysilicone-31, Dimethicone, Acrylates/Octylacrylamide Copolymer, Ascorbyl Palmitate, Fragrance

## Label

# ENGINEERED TO DEFEND YOUR SKIN SINCE 1985. • ENGINEERED TO DEFEND YOUR SKIN SINCE 1985. •

At Bull Frog? we believe that life is a participation sport best played in the great outdoors. That's why we make high- performance sunscreens that deliver clinically proven protection. Our innovative Water Armor TECH™ technology utilizes a hydrophobic polymer that delivers the longest-lasting water resistance available today. Perfect for all Water Sports, Engineered for Utilimate Performance & Protection.

Andrea in supplie		0
Active ingredie Avobenzone 3.0%	nis C	Purpose
Homosalate 10.0%	5	Sunscreen
Octisalate 5.0% Octocrylene 5.0%	1	
Uses + helps prever	nt sunburn + if used as cirected with oth uses the risk of skin cancer and early skin a	er sun protection measures
Warnings For external use of		And excernel of an emi-
Flammable: + do not use near	heat, flame or while smoking storage above 104*F (40*C)	
Do not use + on dar		
When using this pr	aduct + keep out of eyes. Rinse with athing it. + do not puncture or incinerate.	
	a doctor if + rash occurs,	
Keep out of reach Control Center right av	n of children. If swallowed, get mer vay,	fical help or contact a Poisor
Directions	pread evenly by hand 15 minutes before	and anticella
<ul> <li>Hold can 4-6 inches</li> </ul>	s away from the skin to apply	
<ul> <li>Do not spray direct</li> </ul>	y into face, Spray into hands then app	y to face
<ul> <li>Do not apply in win</li> <li>Use in a well-ventile</li> </ul>		
+ reapply:		
	on extension or exactions	
<ul> <li>after 30 minutes ( immediately after</li> </ul>		
<ul> <li>immediately after</li> <li>at jeast every 2 h</li> </ul>	towel drying ours	
<ul> <li>immediately after</li> <li>at jeast every 2 h</li> <li>children under 6 mg</li> </ul>	towel drying ours niths of ape: Ask a doctor	
immediately after     at jeast every 2 h     children under 6 m     Sun Protection Me	towel drying ours withs of age: Ask a doctor essures, Spending time in the sun incr	esses your risk, requilarly
<ul> <li>immediately after</li> <li>at jeast every 2 h</li> <li>children under 6 mo</li> <li>Sun Protection Me</li> <li>risk of skin cancer</li> <li>use a sunscreen with</li> </ul>	towel drying ours withs of age: Ask a doctor easures, Spending time in the sun incr and early skin aging. To decrease this th a Broad Spectrum SPF value of 15 o	risk, regularly
<ul> <li>immediately after</li> <li>at jesst every 2 h</li> <li>chikhen under 6 me</li> <li>Sun Protection Me risk of skin cancer</li> <li>use a sunscreen will other aun protection</li> </ul>	towel drying purs mits of age: Ask a doctor assures. Spending time in the sun incr and early skin aging. To decrease this th a Broad Spectrum SPF value of 15 o measures including:	risk, regularly
<ul> <li>immediately after</li> <li>at jeast every 2 h</li> <li>chikinen under 6 me</li> <li>Sun Protection Me</li> <li>risk of skin cancer</li> <li>use a sunscreen wi</li> <li>other sun protection</li> <li>(imit time in the)</li> </ul>	towel drying ours withs of age: Ask a doctor easures, Spending time in the sun incr and early skin aging. To decrease this th a Broad Spectrum SPF value of 15 o	risk, regularly
<ul> <li>immediately after</li> <li>at least every 2 h</li> <li>chikhen under 6 mo</li> <li>Sune Protection Me</li> <li>risk of skin cancer</li> <li>use a sunscreen wi</li> <li>other aun protection</li> <li>limit time in the i</li> <li>wear long-sleave</li> </ul>	towel drying purs mits of age: Ask a doctor assures. Spending time in the sun incr and early skin aging. To decrease this to a Broad Spectrum SPF value of 15 of n measures including: sun, especially from 10 a.m 2 p.m. ef shirls, parts, hats, and surglasses	risk, regularly
<ul> <li>immediately after</li> <li>ai least every 2 h</li> <li>chikan under 6 mé</li> <li>Sun Protection Mé risk of skin cancer</li> <li>use a sunscreen wi</li> <li>ofter aun protection</li> <li>limit time in the a wear long-sleave</li> <li>Other informati</li> </ul>	Itswel drying bers mits of age: Ask a doctor essures, Spending time in the sun incr and early sith aging. To decrease this th a Broad Spectrum SPF value of 15 o in messures including: sun, especially from 10 a.m 2 p.m. ef shirls, parts, hals, and surglesses <b>ion</b>	risk, régularly r higher and
<ul> <li>immediately after</li> <li>it least every 2 h</li> <li>children under 6 me</li> <li>Sue Protection Me</li> <li>Sue Protection Me</li> <li>it use a sunscreen wi</li> <li>other aun protection</li> <li>it mit time in the</li> <li>wear long-slewe</li> <li>Other information</li> </ul>	towel drying purs mits of age: Ask a doctor assures. Spending time in the sun incr and early skin aging. To decrease this to a Broad Spectrum SPF value of 15 of n measures including: sun, especially from 10 a.m 2 p.m. ef shirls, parts, hats, and surglasses	risk, régularly r higher and
<ul> <li>immediately after</li> <li>at jesst every 2 h</li> <li>children under 6 me</li> <li>Sue Protection Me</li> <li>Sue Protection Me</li> <li>int one in the</li> <li>wear long-sleew</li> <li>Other informat</li> <li>protectie</li> </ul>	Iowel drying bers mins of age: Ask a doctor essures, Spending time in the sun incr and early sith aging. To docrease this th a Broad Spectrum SPF value of 15 o messures including: sun, especially from 10 a.m 2 p.m. ef shirts, parts, hals, and surglesses <b>for</b> in this container from escessive heat an e score fabrics, materials or surfaces	risk, regularly Higher and d direct sun
<ul> <li>immediately after</li> <li>at jesst every 2 h</li> <li>children under 6 me</li> <li>Sue Protection Me</li> <li>Sue Protection Me</li> <li>int one in the</li> <li>wear long-sleew</li> <li>Other informat</li> <li>protectie</li> </ul>	towel drying purs mits of age: Ask a doctor ressures. Spending time in the sun incr and early skin aging. To decrease this is a Stored Spectrum SPF value of 15 o measures including: sun, especially from 10 a,m 2 p,m. et shirts, parts, hats, and surglasses <b>ion</b> in this container from excessive heat an	risk, régularly r higher and d direct sun Icohol 40-43, Isobutane,
<ul> <li>immediately after at least every 2 h</li> <li>childran under 5 md</li> <li>Sun Protection Me risk of skin cancer: use a sunscreen wi other sun protection</li> <li>limit time in the word long-sleavi</li> <li>Other informat</li> <li>protect the product</li> <li>may stain or damag</li> </ul>	Itswel drying bers mins of age: Ask a doctor assures, Spencing time in the sun incr and early skin aging. To decrease this th a Brozer Spectrum SPF value of 15 o messures including: sun, especially from 10 a.m 2 p.m. et shirts, parts, hals, and surglesses for in this container from excessive heat an e some fabrics, materials or surfaces Inactive ingreadients: SD A Neopentyl Glycol Diheptanoets, P Dimethicore, AcrybiaeVotykacyl	risk, regularly r higher and 6 direct sun Icohol 40-8, Isobutane, Julyalicone-31,
<ul> <li>immediately after</li> <li>at jesst every 2 h</li> <li>children under 6 me</li> <li>Sue Protection Me</li> <li>Sue Protection Me</li> <li>int one in the</li> <li>wear long-sleew</li> <li>Other informat</li> <li>protectie</li> </ul>	Izwel drying purs mits of age: Ask a doctor assures. Spending time in the sun incr and early skin aging. To decrease this of a forced Spectrum SPF value of 15 of n measures including: sun, especially from 10 a.m 2 p.m. et shirts, parks, hats, and sunglesses in this container from excessive heat an e some fabrics, materials or surfaces <b>Inactive ingredients</b> SD A Neopenty Orycol Diheptanoste, P	risk, regularly r higher and 6 direct sun Icohol 40-8, Isobutane, hybilicone-31,
<ul> <li>immediately after</li> <li>at jest every 2 h</li> <li>children under 6 me</li> <li>Sun Protection Me</li> <li>Sun Protection Me</li> <li>sunscreen wi</li> <li>other sun protection</li> <li>imit time in the:</li> <li>wear long-slowed</li> </ul> Other informative protection of the protecti	Itswel drying bers mins of age: Ask a doctor assures, Spencing time in the sun incr and early skin aging. To decrease this th a Brozer Spectrum SPF value of 15 o messures including: sun, especially from 10 a.m 2 p.m. et shirts, parts, hals, and surglesses for in this container from excessive heat an e some fabrics, materials or surfaces Inactive ingreadients: SD A Neopentyl Glycol Diheptanoets, P Dimethicore, AcrybiaeVotykacyl	risk, regularly r higher and d direct sun loohol 40-8, Isobutane, olysiticone-31, amide Copolymer, Ascorbyl
<ul> <li>immediately after at jesst every 2 h</li> <li>childran under 6 me</li> <li>Sun Protection Me risk of skin cancer: use a sunscreen wi other sun protection</li> <li>imit time in the wear long-sleew</li> <li>Other informat</li> <li>protect the product</li> <li>may stain or damage</li> </ul>	Itswel drying burs mins of age: Ask a doctor assures. Spencing time in the sun incr and early skin aging. To decrease this in measures including: sun, especially from 10 a.m 2 p.m. et shirts, parts, hats, and surglesses ion in this container from excessive heat on e some fabrics, materials or surfaces incretive ingractionts SD A Neopenty Gircut Dihaptanceia, P Dimethicore, Acrystees/Chylacryl Palmitate, Fragrance Ouestions or comments;	risk, regularly r higher and d direct sun loohol 40-8, Isobutane, olysiticone-31, amide Copolymer, Ascorbyl
<ul> <li>immediately after</li> <li>initial (sati every 2 h)</li> <li>childran under 6 me</li> <li>Sun Protection Me risk of skin cancer:</li> <li>use a sunscreen wi other sun protection</li> <li>limit time in the:</li> <li>wear long-slazw</li> <li>Other informat</li> <li>protect the product</li> <li>may stain or damage</li> </ul>	Itswel drying burs mins of age: Ask a doctor assures. Spencing time in the sun incr and early skin aging. To decrease this in measures including: sun, especially from 10 a.m 2 p.m. et shirts, parts, hats, and surglesses ion in this container from excessive heat on e some fabrics, materials or surfaces incretive ingractionts SD A Neopenty Gircut Dihaptanceia, P Dimethicore, Acrystees/Chylacryl Palmitate, Fragrance Ouestions or comments;	risk, regularly r higher and d direct sun loohol 40-8, Isobutane, olysiticone-31, amide Copolymer, Ascorbyl
<ul> <li>immediately after</li> <li>initial (sati every 2 h)</li> <li>childran under 6 me</li> <li>Sun Protection Me risk of skin cancer:</li> <li>use a sunscreen wi other sun protection</li> <li>limit time in the:</li> <li>wear long-slazw</li> <li>Other informat</li> <li>protect the product</li> <li>may stain or damage</li> </ul>	Itswel drying bers mins of age: Ask a doctor ressures, Spencing time in the sun incr assures, Spencing time in the sun incr and early skin aging. To decrease this th a Broad Spectrum SPF value of 15 of measures including: sun, especially from 10 a.m 2 p.m. et shirts, parts, hals, and surglesses <b>fort</b> in this container from excessive heat an e some fabrics, materials or surfaces <b>fort</b> in this container from excessive heat an e some fabrics, materials or surfaces <b>fort</b> Neopentyl Glycol Diheptanosta, P Dimethicome, Acrysteles/Octytacryl Palmitate, Fragrance <b>Questions or comments:</b> www.bullrogsuncreen.com or ca	risk, regularly r higher and 6 direct sun Icohol 40-8, Isobutane, Johal Icone-31, amide Copolymer, Ascorbyl 1 toll-Iree 1(800) 990-FROG ands, LLC
<ul> <li>immediately after</li> <li>at least every after</li> <li>childran under 6 me</li> <li>Sun Protection Me risk of skin cancer</li> <li>use a sunscreen wi other sun protection</li> <li>limit time in the :</li> <li>word long-slaw</li> <li>Other informat</li> <li>protect the product</li> <li>may stain or damage</li> </ul>	Itswel drying bers mits of age: Ask a doctor assumes, Spending time in the sun incr assumes, Spending time in the sun incr and early situ aging. To decrease this th a Broad Spectrum SPF value of 15 of in measures including: sun, especially from 10 a.m 2 p.m. ef shirls, parts, hals, and surglasses ion in this container from excessive heat an e score fabrics, materials or surfaces in <i>Inactive ingredients</i> SD A Neopenty Glycol Diheptanosia, P Dimethicone, Acrylates/Octylacryl Palmitate, Fragrance <b>Questions or comments</b> 1 www.bullmogsuncreen.com or ca	risk, regularly r higher and 6 direct sun Icohol 40-8, Isobuttane, Johal Icone-31, amide Copolymer, Ascorbyl 1 toll-Iree 1(800) 990-FRO ands, LLC



#### Broad Spectrum SPF 50 Sunscreen with UVA/UVB Protection

Water Resistant (80 minutes)

Sweat Resistant (80 Minutes)

<b>Dries Instantly</b>	y
------------------------	---

Net Wt 6 OZ (170 g)

## **BULL FROG SPF 50 QUIK WITH WATER ARMOR TECH**

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

œ

DOT 2Q M5749 DSC

HUMAN OTC DRUG	Item Code (Source)	NDC:77714-006				
TOPICAL						
Active Ingredient/Active Moiety						
	TOPICAL	TOPICAL				

	Ingredient Name	Basis of	f Strength S	Strength	
AVOBENZONE (UNI	I: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2	2NOX) AVOBENZO	ONE 30	30 mg in 1 g	
HOMOSALATE (UNI	OSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) HOMOSALATE		ATE 100	100 mg in 1 g	
OCTISALATE (UNII:	4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALAT	ΓE 50	mg in 1 g	
OCTOCRYLENE (UN	III: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68W	GF6WM) OCTOCRYL	LENE 50	mg in 1 g	
Inactive Ingre	dients				
Ingredient Name				Strengt	
<b>ACRYLATE/ISOBUT</b> (UNII: JU3XHR8VWK)	YL METHACRYLATE/N-TERT-OCTYLACRYLA	MIDE COPOLYMER (	75000 MW)		
ISOBUTANE (UNII: E	3XR49TP611)				
ASCORBYL PALMIT	ATE (UNII: QN83US2B0N)				
NEOPENTYL GLYC	DL DIHEPTANOATE (UNII: 5LKW3C543X)				
TRISILOXANE (UNII:	9G1ZW13R0G)				
ALCOHOL (UNII: 3KS	2958\/90M)				
	<b>JJJJU V JU</b>				
	5550 <b>4</b> 56M)				
Packaging					
	Package Description	Marketing Sta Date		ing End	
# Item Code		-			
# Item Code 1 NDC:77714-006-	Package Description 170 g in 1 CAN; Type 0: Not a Combination	Date			
<ul> <li># Item Code</li> <li>1 NDC:77714-006- 25</li> </ul>	<b>Package Description</b> 170 g in 1 CAN; Type 0: Not a Combination Product	Date			
NDC:77714-006-	<b>Package Description</b> 170 g in 1 CAN; Type 0: Not a Combination Product	<b>Date</b> 03/01/2022	tart Marke		
<ul> <li># Item Code</li> <li>1 NDC:77714-006- 25</li> <li>Marketing I Marketing</li> </ul>	Package Description         170 g in 1 CAN; Type 0: Not a Combination         Product         Information         Application Number or Monograph         Citation	Date 03/01/2022	tart Marke	ting End	

Labeler - BULLFROG BRANDS, LLC. (117426500)

Revised: 10/2024

BULLFROG BRANDS, LLC.