

**BULL FROG SPF 50 QUIK WITH WATER ARMOR TECH- avobenzone, homosalate, octisalate, octocrylene aerosol, spray  
BULLFROG BRANDS, LLC.**

-----  
**Bull Frog SPF 50 Quik Spray with Water Armor Tech**

**Active ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 5.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin

**When using this product**

• keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

**Stop use and ask doctor if**

- rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

## Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

## Inactive ingredients

Alcohol Denat., Isododecane, Diisopropyl Adipate, Acrylates/Octylacrylamide Copolymer, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, PEG-12 Dimethicone, Caprylyl Glycol, Hydrogenated Methyl Abietate, Ascorbyl Palmitate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract, Fragrance

## Label

ENGINEERED TO DEFEND YOUR SKIN SINCE 1985. • ENGINEERED TO DEFEND YOUR SKIN SINCE 1985. •

At BullFrog® we believe that life is a participation sport best played in the great outdoors. That's why we make high-performance sunscreens that deliver clinically proven protection. Our innovative Water Armor TECH™ technology utilizes a hydrophobic polymer that delivers the longest-lasting water resistance available today. Perfect for all Water Sports. Engineered for Ultimate Performance & Protection.

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 5.0% Octocrylene 5.0%	Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> For external use only	
<b>Flammable:</b> • do not use near heat, flame or while smoking • avoid long term storage above 104°F (40°C)	
<b>Do not use</b> • on damaged or broken skin.	
<b>When using this product</b> • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.	
<b>Stop use and ask a doctor if</b> • rash occurs.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
• Spray liberally and spread evenly by hand 15 minutes before sun exposure	
• Hold can 4-6 inches away from the skin to apply	
• Do not spray directly into face. Spray into hands then apply to face	
• Do not apply in windy conditions	
• Use in a well-ventilated area	
• reapply:	
• after 80 minutes of swimming or sweating	
• immediately after towel drying	
• at least every 2 hours	
• children under 6 months of age: Ask a doctor	
• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m.	
• wear long-sleeved shirts, pants, hats, and sunglasses	
<b>Other information</b>	
• protect the product in this container from excessive heat and direct sun	
• may stain or damage some fabrics, materials or surfaces	
	<b>Inactive ingredients:</b> Acrylates/Dimethylacrylamide Copolymer, Aloe Barbadensis Leaf Extract, Ascorbyl Palmitate, Caprylyl Glycol, Diisopropyl Adipate, Fragrance, Isododecane, Methyl Hydrogenated Rosinate, Mineral Oil, Panthenol, PEG-12 Dimethicone, SD Alcohol 40-B, Tocopheryl Acetate, VV/Burly Maleate/Isobornyl Acrylate Copolymer, Water
	<b>Questions or comments?</b> www.bullfrogsunscreen.com or call toll-free 1(800) 990-FROG



- Broad Spectrum SPF 50 Sunscreen with UVA/UVB Protection
- Water Resistant (80 minutes)
- Sweat Resistant (80 Minutes)

**Dries Instantly**

Distributed by: Bullfrog Brands, LLC  
PO Box 600207, Dallas, TX 75360 USA  
(800) 990-FROG

Net Wt 6 OZ (170 g)

## BULL FROG SPF 50 QUIK WITH WATER ARMOR TECH

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:77714-008
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>METHYL HYDROGENATED ROSINATE</b> (UNII: 13DHA19W9N)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>PEG-12 DIMETHICONE</b> (UNII: ZEL54N6W95)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:77714-008-25	170 g in 1 CAN; Type 0: Not a Combination Product	02/15/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/15/2023	

**Labeler** - BULLFROG BRANDS, LLC. (117426500)

Revised: 10/2024

BULLFROG BRANDS, LLC.