

**WEGMANS ALOE AFTER SUN GEL WITH LIDOCAINE HCL EXTERNAL ANALGESIC-
lidocaine hydrochloride gel
WEGMANS FOOD MARKETS INC**

Wegmans Aloe After Sun Gel with Lidocaine HCl External Analgesic

Active ingredient

Lidocaine 0.8% (as Lidocaine HCl)

Purpose

External Analgesic

Uses

For the temporary relief of pain and itching associated with sunburn, minor burns, minor cuts, scrapes, insect bites, and minor skin irritations

Warnings

For External Use Only

Do not use

in large quantities, particularly over raw surfaces or blistered areas

When using this product

avoid contact with eyes. If contact occurs, rinse with water to remove.

Stop use and ask a doctor if

• condition worsens • symptoms persist for more than 7 days • symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, seek medical help or contact a Poison Control Center immediately.

Directions

• Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily

- Children under 2 years of age: Ask a doctor.

Inactive ingredients

water, aloe barbadensis leaf juice, SD alcohol 40-B, laureth-23, polysorbate 20, glycerin, allantoin, carbomer, triethanolamine, menthyl lactate, menthol, fragrance, aleurites moluccanus seed extract, carica papaya (papaya) fruit extract, colocasia antiquorum root extract, mangifera indica (mango) fruit extract, passiflora incarnata flower extract, plumeria acutifolia flower extract, psidium guajava fruit extract, tocopheryl acetate (vitamin E acetate), tocopherol, phenoxyethanol, benzyl alcohol, fragrance

Label

Wegmans

Aloe

AFTER SUN

GEL WITH LIDOCAINE HCl

EXTERNAL ANALGESIC

TEMPORARY PAIN RELIEF • NON-GREASY
OIL FREE • DERMATOLOGIST TESTED

NET WT 16 OZ (1 LB) 454 g

Free From:

- ✓ Retinyl Palmitate
- ✓ Artificial Colors
- ✓ Animal Testing
- ✓ Mineral Oil
- ✓ Phthalates
- ✓ Parabens*

Drug Facts

Active ingredient	Purpose
Lidocaine 0.8% (as Lidocaine HCl)	External Analgesic

Uses For the temporary relief of pain and itching associated with sunburn, minor burns, minor cuts, scrapes, insect bites, and minor skin irritations.

Warnings

For External Use Only

Do not use in large quantities, particularly over raw surfaces or blistered areas

When using this product avoid contact with eyes. If contact occurs, rinse with water to remove.

Stop use and ask a doctor if • condition worsens • symptoms persist for more than 7 days • symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, seek medical help or contact a Poison Control Center immediately.

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily
- Children under 2 years of age: Ask a doctor.

Inactive ingredients: Water, Aloe Barbadensis Leaf Juice, Alcohol Denat., Laureth-23, Glycerin, Polysorbate 20, Allantoin, Carbomer, Triethanolamine, Menthyl Lactate, Menthol, Aleurites Moluccanus Seed Extract, Carica Papaya (Papaya) Fruit Extract, Colocasia Antiquorum Root Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Flower Extract, Plumeria Acutifolia Flower Extract, Psidium Guajava Fruit Extract, Tocopheryl Acetate, Tocopherol, Phenoxyethanol, Benzyl Alcohol, Fragrance.

Distributed By:
Wegmans Food Markets, Inc.
Rochester, NY 14603
We guarantee it!
The Wegmans Family

Questions?
1-800-Wegmans (934-6267) Ext 5920
9am - 4pm EST weekdays
Visit us at wegmans.com

*No parabens separately added to preserve this product.

0 77890 47651 2

WEGMANS ALOE AFTER SUN GEL WITH LIDOCAINE HCL EXTERNAL ANALGESIC

lidocaine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47124-129
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	8 mg in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
MANGO (UNII: I629I3NR86)				
ALCOHOL (UNII: 3K9958V90M)				
LAURETH-23 (UNII: N72LMW566G)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
ALLANTOIN (UNII: 344S277G0Z)				
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)				
TROLAMINE (UNII: 9O3K93S3TK)				
MENTHYL LACTATE, (-)- (UNII: 2BF9E65L7I)				
LEVOMENTHOL (UNII: BZ1R15MTK7)				
KUKUI NUT OIL (UNII: TP11QR7B8R)				
PAPAYA (UNII: KU94FIY6JB)				
COLOCASIA ESCULENTA ROOT (UNII: H7B71Q0G0D)				
PASSIFLORA INCARNATA FLOWER (UNII: K8F3G29S6Z)				
GUAVA (UNII: 74O70D6VG0)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
WATER (UNII: 059QF0KO0R)				
PLUMERIA ALBA FLOWER OIL (UNII: T69Z2432CU)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47124-129-68	454 g in 1 BOTTLE; Type 0: Not a Combination Product	02/06/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	02/06/2019		

Labeler - WEGMANS FOOD MARKETS INC (059650069)