

HARRIS TEETER EYE DROPS MAXIMUM REDNESS RELIEF- glycerin, naphazoline hydrochloride solution
Harris Teeter, LLC

Harris Teeter Eye Drops Max. Redn. Relief 15 mL (PLD)

Active ingredients

Glycerin.....0.5%

Naphazoline hydrochloride....0.03%

Purpose

Glycerin.....Lubricant

Naphazoline hydrochloride.....Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Sterile

EYE DROPS

Maximum Redness Relief

Drug Facts

Active ingredients	Purposes
Glycerin 0.5%.....	Lubricant
Naphazoline HCl 0.03%.....	Redness reliever

Uses

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

Drug Facts (continued)

Directions

instill 1 to 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Eye Drops

Maximum Redness Relief

Compare to the active ingredients in Clear Eyes® Maximum Strength Relief*

Relieves Dryness,
Burning and Irritation

Sterile

0.5 fl. oz. (15 mL)

LOT
EXP

*This product is not manufactured or distributed by Prestige Brands, Inc. owner of the registered trademark Clear Eyes® Maximum Redness Relief.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

0 72036 73589 8
CEDCM0051HT0

yourplus guarantee. If you are not 100% satisfied with this product, simply return it with your VIC card for a full refund. Plus we will replace it with a like item of your choice. For full details: 1-800-432-6111 or harrissteeter.com.

PROUDLY DISTRIBUTED BY:
HARRIS TEETER, LLC
MATTHEWS, NC 28105
MADE IN USA

HARRIS TEETER EYE DROPS MAXIMUM REDNESS RELIEF

glycerin, naphazoline hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69256-058
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
WATER (UNII: 059QF0KO0R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256-058-01	1 in 1 CARTON	03/24/2023	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	03/24/2023	

Labeler - Harris Teeter, LLC (048463103)

Registrant - K.C. Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(69256-058) , pack(69256-058) , label(69256-058)

Revised: 12/2025

Harris Teeter, LLC