

**HARRIS TEETER EYE DROPS MAXIMUM REDNESS RELIEF- glycerin, naphazoline hydrochloride solution**  
**Harris Teeter, LLC**

-----  
**Harris Teeter Eye Drops Max. Redn. Relief 15 mL (PLD)**

***Active ingredients***

Glycerin.....0.5%

Naphazoline hydrochloride....0.03%

***Purpose***

Glycerin.....Lubricant

Naphazoline hydrochloride.....Redness reliever

***Uses***

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

***Warnings***

**For external use only**

**Do not use** if solution changes color or becomes cloudy

**Ask a doctor before use if you have** narrow angle glaucoma

**When using this product**

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

**Stop use and ask a doctor if**

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

***Other information***

- store at room temperature
- remove contact lenses before using

***Inactive ingredients***

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

**Sterile**

**EYE DROPS**

Maximum Redness Relief

**Drug Facts**

<b>Active ingredients</b>	<b>Purposes</b>
Glycerin 0.5%.....	Lubricant
Naphazoline HCl 0.03%.....	Redness reliever

**Uses**

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

**Warnings**

**For external use only**

**Do not use** if solution changes color or becomes cloudy

**Ask a doctor before use** if you have narrow angle glaucoma

**When using this product**

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

**Stop use and ask a doctor if**

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

**Drug Facts (continued)**

**Directions**

instill 1 to 2 drops in the affected eye(s) up to 4 times daily.

**Other information**

- store at room temperature
- remove contact lenses before using

**Inactive ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

## Eye Drops

### Maximum Redness Relief

Compare to the active ingredients in Clear Eyes® Maximum Strength Relief\*

## Relieves Dryness, Burning and Irritation

Sterile

## 0.5 fl. oz. (15 mL)

LOT  
EXP

\*This product is not manufactured or distributed by Prestige Brands, Inc. owner of the registered trademark Clear Eyes® Maximum Redness Relief.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

0 72036 73589 8  
CEDCM0051HT0

**your plus guarantee.**

If you are not 100% satisfied with this product, simply return it with your VIC card for a full refund. Plus we will replace it with a like item of your choice. For full details: 1-800-432-6111 or harrissteeter.com.

**PROUDLY DISTRIBUTED BY:**  
**HARRIS TEETER, LLC**  
**MATTHEWS, NC 28105**  
**MADE IN USA**

## HARRIS TEETER EYE DROPS MAXIMUM REDNESS RELIEF

glycerin, naphazoline hydrochloride solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69256-058
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL
<b>NAPHAZOLINE HYDROCHLORIDE</b> (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256-058-01	1 in 1 CARTON	03/24/2023	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	03/24/2023	

**Labeler** - Harris Teeter, LLC (048463103)

**Registrant** - K.C. Pharmaceuticals, Inc. (174450460)

Establishment			
Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(69256-058) , pack(69256-058) , label(69256-058)

Revised: 12/2023

Harris Teeter, LLC