

MEDICS CHOICE EYE DROPS MAXIMUM REDNESS RELIEF- glycerin, naphazoline hydrochloride solution
K.C. Pharmaceuticals, Inc.

Medic's Choice Eye Drops Maximum Redness Relief 15 mL

Active ingredients

Glycerin.....0.5%

Naphazoline hydrochloride....0.03%

Purpose

Glycerin.....Lubricant

Naphazoline hydrochloride.....Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Inatill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Drug Facts

Active ingredients
Glycerin 0.5%.....Lubricant
Naphazoline hydrochloride 0.03%.....Redness reliever

Purposes
Lubricant
Redness reliever

Uses

- for the relief of redness of the eye due to minor eye irritations
- for the temporary relief of burning and irritation due to dryness of the eye
- for use as a protectant against further irritation or dryness of the eye

Warnings
For external use only
Do not use if solution changes color or becomes cloudy
Ask a doctor before use if you have narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip of container to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions
instill 1 to 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using

Inactive ingredients
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

*This product is not manufactured or distributed by Prestige Brands, Inc. owner of the registered trademark Clear Eyes® Maximum Redness Relief.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Compare to the active ingredients in Clear Eyes® Maximum Redness Relief*

KC Pharmaceuticals, Inc.
Pomona, CA 91768
Questions? Call 1-888-527-4276

Medic's Choice.
EYE DROPS
MAXIMUM REDNESS RELIEF

Lubricant Redness Reliever

Relieves
• Dryness
• Burning
• Irritations

Sterile
0.5 fl. oz. (15 mL)

LOT
EXP

0 95072 21001 3

MEDICS CHOICE EYE DROPS MAXIMUM REDNESS RELIEF

glycerin, naphazoline hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55651-059
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
WATER (UNII: 059QF0KO0R)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55651-059-01	1 in 1 CARTON	03/27/2023	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	03/27/2023	

Labeler - K.C. Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(55651-059) , pack(55651-059) , label(55651-059)

Revised: 12/2025

K.C. Pharmaceuticals, Inc.