GOOD SENSE PAIN AND FEVER- acetaminophen suspension L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Pain & Fever Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily:

- reduces fever
- relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

• if your child has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*	
under 24	under 2 years	ask a doctor	
24-35	2-3 years	5 mL	
36-47	4-5 years	7.5 mL	
48-59	6-8 years	10 mL	
60-71	9-10 years	12.5 mL	
72-95	11 years	15 mL	

^{*}or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other Information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, calcium sulfate, carrageenan, flavor, glycerin, hydroxyethyl cellulose, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, propylparaben, purified water, sodium benzoate, sorbitol solution, sucralose, tribasic sodium phosphate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Ages 2 – 11 Years

Children's Pain & Fever

Pain Reliever/Fever Reducer

Acetaminophen 160 mg per 5 mL

Oral Suspension

Fast, effective relief of children's pain and fever

Dye Free

Alcohol Free

Aspirin Free


Ibuprofen Free

Cherry Flavor

Compare to active ingredient of Children's Tylenol® Oral Suspension

100% SATISFACTION GUARANTEED

4 FL OZ (118 mL)





COODSEASE°

GOODSENSE.

Ages 2-11 Years

Children's

Acetaminophen 160 mg per 5 mL

Oral Suspension

Fast, effective relief of children's pain and fever



Oral Suspension 4 FL 0Z (118 mL) GOODSENSE.

Ages 2-11 Years

Children's Pain&Fever

DIRECTIONS:

Shake well before using



STEP 2. Remove child protective . cap

STEP 3. Squeeze your child's dose into the dosing cup



IMPORTANT:

Please see dosing chart or ask a doctor for your child's correct dose.

Drug Facts

Active ingredient (in each 5 mL)

Purpose

ceta minophen 160 mg.

- Uses temporarily:

 reduces fever
 relieves minor aches and pains due to:
 the common cold
 sore throat
 tothache

Warnings
Liver warning: This product contains acetaminophen.
Severe liver damage may occur if your child takes

more than 5 doses in 24 hours, which is the maximu

■ more man's uses an item rooms, and adding amount

■ with other drugs containing acetaminophen
Allergy alert-Acetaminophen may cause severe skin reactions. Symptoms may include:
■ skin reddening
■ blisters
■ skin reaction occurs, stop use and seek medical help

if a soft reaction occurs, stop use and seek medical neight away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

- Do not use

 with any other drug containing acetaminophen
 (prescription or nonprescription). If you are not sure
 whether a drug contains acetaminophen, ask a doctor
- or pharmacist.
 if your child has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if your child has liver disease Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- Stop use and ask a doctor if pain gets worse or lasts more than 5 days lever gets worse or lasts more than 3 days new symptoms occur are dness or swelling is present These could be signs of a serious condition.

Keep out of reach of children.
Overdose warning: In case of overdose, get medical
help or contact a Poison Control Center right away
(1-800-222-1222). Quick medical attention is critical even if you do not notice any signs or symptoms.

Drug Facts (continued)

- Directions
 this product does not contain directions or complete warnings for adult use do not give more than directed (see overdose warning)
 shake well before using
 mL = milliliter

- mL = milliliter
 find right dose on chart below. If possible, use weight to dose; otherwise, use age.
 remove the child protective cap and squeeze your child's dose into the dosing cup
 repeat dose every 4 hours whi

_	ropou	1 000	0 0 101	,	oulo	****	10 0 51	npoonino	Iuo
	dio not	give	more	than	5 tir	nes	in 24	hours	

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

*or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
 do not use if printed neckband is broken or missing

Inactive ingredients


anhydrous citric acid, calcium sulfate, carrageenan flavor, glycerin, hydroxyethyl cellulose, microcrystal cellulose and carboxymethylcellulose sodium, propylene glycol, propylparaben, purified water, sod ium benzoate, sorbitol solution, sucralose, tribasic sodium phosphate

Questions or comments? 1-800-719-9260

Gluten Free

Distributed By

Perrigo_® Allegan, MI 49010





95926 C2 C5

GOOD SENSE PAIN AND FEVER

acetaminophen suspension

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0113-8959

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	160 mg in 5 mL	

Inactive Ingredients				
Ingredient Name	Strength			
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)				
CALCIUM SULFATE (UNII: WAT0 DDB 505)				
CARRAGEENAN (UNII: 5C69 YCD2YJ)				
GLYCERIN (UNII: PDC6 A3C0 OX)				
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)				
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
SO DIUM PHO SPHATE, TRIBASIC (UNII: A752Q30 A6 X)				

Product Characteristics				
Color	WHITE (opaque, viscous)	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				

]	Packaging						
3	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
:	NDC:0113-8959-26	1 in 1 CARTON	03/22/2012				
:	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part343	03/22/2012			

Labeler - L. Perrigo Company (006013346)

Revised: 8/2018 L. Perrigo Company