## OXYGEN - oxygen gas Melo's Gas and Gear, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## Oxygen Label

LIQUID OXYGEN OXYGEN, REFRIGERATED LIQUID U.S.P. UN 1073 RX ONLY OXYGEN 2 **KEEP CONTAINER UPRIGHT** FOR LIQUID WITHDRAWAL WEAR FACE SHIELD and GLOVES USE HAND TRUCK DO NOT DROP ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet. Produced by Air Liquefaction Process.

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

DO NOT REMOVE THIS PRODUCT LABEL.

CHEMTREC EMERGENCY NO. 1-800-424-9300

MELO'S GAS AND GEAR (661) 387-6800


OXYGEN, REFRIGERATED	OXYGEN *KEEP CONTAINER UPRIGHT •FOR LIQUID WITHDRAWAL WEAP EACE
U.S.P. UN 1073 RONI	SHIELD & GLOVE
CAN CAUSE SEVERE FROSTBITE. Use only with equipment cleaned adequate ventilation. Do not get lig withdrawal, wear face shield and glov container movement. Avoid scale	ERATES COMBUSTION. COMBUSTIBLES IN MAY EXPLODE ON IGNITION OR IMPACT Keep cil, grease, and combustibles away. I for oxygen service. Store and use with quid in eyes, on skin or clothing. For liquid ves. Do not drop. Use suitable hand truck for Do not walk on or roll equipment over spills. xceed 52°C (125°F). Close valve after each ance with Material Safety Data Sheets.

## MGG-USP

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2 18033 (R 04/05)

WARNING: For emergency use only when administered by properly trained personnel for Oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on Oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for use with Oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. PRODUCED BY AIR LIQUEFACTION. WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for Oxygen service and rated for cylinder pressure. Use a back flow preventive device in piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52C (125F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL. MELO'S GAS AND GEAR (661) 387-6800



oxygen gas					
,0 0					
Product Information	1				
Product T ype	HUMAN PRESCRIPTI	HUMAN PRESCRIPTION DRUG		Item Code (Source)	
Route of Administration	RESPIRATORY (INH	RESPIRATORY (INHALATION)			
Active Ingredient/Ac	ctive Moiety				
	Ingredient Name		Basis of Strength		Strength
Oxygen (UNII: S88TT1406	5) (Oxygen - UNII:S88TT14065)		Oxygen		990 mL in 1 L
# Item Code	Package Description	Marketin	g Start Date Market		eting End Date
Packaging					
	170 L in 1 CYLINDER	Marketin	g Start Date	<b>IVId F H</b>	ting End Date
<b>1</b> NDC:24533-001-01	1/0 L III I C YLINDER				
NDC-24E22 001 02	DEE L in 1 CVI INDED				
	255 L in 1 CYLINDER				
<b>3</b> NDC:24533-001-03	708 L in 1 CYLINDER				
B         NDC:24533-001-03           4         NDC:24533-001-04	708 L in 1 CYLINDER 7108 L in 1 CYLINDER				
3         NDC:24533-001-03           4         NDC:24533-001-04           5         NDC:24533-001-05	708 L in 1 CYLINDER7108 L in 1 CYLINDER7985 L in 1 CYLINDER				
<ul> <li>3 NDC:24533-001-03</li> <li>4 NDC:24533-001-04</li> <li>5 NDC:24533-001-05</li> <li>6 NDC:24533-001-06</li> </ul>	708 L in 1 CYLINDER         7108 L in 1 CYLINDER         7985 L in 1 CYLINDER         129974 L in 1 DEWAR				
<ul> <li>NDC:24533-001-03</li> <li>NDC:24533-001-04</li> <li>NDC:24533-001-05</li> <li>NDC:24533-001-06</li> <li>NDC:24533-001-07</li> </ul>	<ul> <li>708 L in 1 CYLINDER</li> <li>7108 L in 1 CYLINDER</li> <li>7985 L in 1 CYLINDER</li> <li>129974 L in 1 DEWAR</li> <li>155290 L in 1 DEWAR</li> </ul>				
<ul> <li>NDC:24533-001-03</li> <li>NDC:24533-001-04</li> <li>NDC:24533-001-05</li> <li>NDC:24533-001-06</li> <li>NDC:24533-001-07</li> <li>NDC:24533-001-08</li> </ul>	708 L in 1 CYLINDER         7108 L in 1 CYLINDER         7985 L in 1 CYLINDER         129974 L in 1 DEWAR				
<ul> <li>NDC:24533-001-03</li> <li>NDC:24533-001-04</li> <li>NDC:24533-001-05</li> <li>NDC:24533-001-06</li> <li>NDC:24533-001-07</li> <li>NDC:24533-001-08</li> </ul>	<ul> <li>708 L in 1 CYLINDER</li> <li>7108 L in 1 CYLINDER</li> <li>7985 L in 1 CYLINDER</li> <li>129974 L in 1 DEWAR</li> <li>155290 L in 1 DEWAR</li> <li>168089 L in 1 DEWAR</li> </ul>				
<ul> <li>NDC:24533-001-03</li> <li>NDC:24533-001-04</li> <li>NDC:24533-001-05</li> <li>NDC:24533-001-06</li> <li>NDC:24533-001-07</li> <li>NDC:24533-001-08</li> </ul>	<ul> <li>708 L in 1 CYLINDER</li> <li>7108 L in 1 CYLINDER</li> <li>7985 L in 1 CYLINDER</li> <li>129974 L in 1 DEWAR</li> <li>155290 L in 1 DEWAR</li> <li>168089 L in 1 DEWAR</li> </ul>				
<ul> <li>NDC:24533-001-03</li> <li>NDC:24533-001-04</li> <li>NDC:24533-001-05</li> <li>NDC:24533-001-06</li> <li>NDC:24533-001-07</li> <li>NDC:24533-001-08</li> <li>NDC:24533-001-09</li> </ul>	<ul> <li>708 L in 1 CYLINDER</li> <li>7108 L in 1 CYLINDER</li> <li>7985 L in 1 CYLINDER</li> <li>129974 L in 1 DEWAR</li> <li>155290 L in 1 DEWAR</li> <li>168089 L in 1 DEWAR</li> <li>172733 L in 1 DEWAR</li> </ul>				
<b>NDC:24533-001-05 MDC:24533-001-06 NDC:24533-001-07</b>	<ul> <li>708 L in 1 CYLINDER</li> <li>7108 L in 1 CYLINDER</li> <li>7985 L in 1 CYLINDER</li> <li>129974 L in 1 DEWAR</li> <li>155290 L in 1 DEWAR</li> <li>168089 L in 1 DEWAR</li> <li>172733 L in 1 DEWAR</li> </ul>	ograph Citation	Marketing Start D	ate M	Aarketing End Dat

Establishment								
Name	Address	ID/FEI	Business Operations					
Melo's Gas and Gear, Inc.		078373996	manufacture					

Revised: 2/2012

Melo's Gas and Gear, Inc.