PAIN RELIEF PM- acetaminophen, diphenhydramine hcl tablet, coated AmerisourceBergen (Good Neighbor Pharmacy) 46122

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever

Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other products containing diphenhydramine, even one used on skin
- in children under 12 years of age
- If you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

• taking the blood thinning drug warfarin

• taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years of age and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years of age: do not use

Other information

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

Inactive ingredients

croscarmellose sodium, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone K30, pregelatanized starch, purified water, silicon dioxide, sodium starch glycolate, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Extra Strength Tylenol® PM active ingredients†

Extra Strength • Non habit forming

Pain Relief PM

acetaminophen, 500 mg • diphenhydramine HCl, 25 mg

Pain Reliever/ Nighttime Sleep Aid

Caplets

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed By: AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

www.mygnp.com

Package Label

	Drug Facts (continued) Directions Directions e not take more than directed (see Dverdose warning) a not take more than directed (see Dverdose warning) a dufts and children 12 years of age: do not take more than 2 caplets at beditime. Do not take more than 2 caplets of this product in 24 hours. a children 12 years of age: do not use a children 12 years of age: do not use a children 12 years of age: do not use a children 12 years of age: do not use a children 12 years of age: do not use a children 12 years of age: do not use a children 12 years of age: do not use a children 12 years of age: do not use children 12 years of age: do not use a cold high humidity and excessive heat Dasot blue #1 aluminum lake, FD&C blue #1 aluminum lake, hydromelloses, magnesium staarate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, polydone K30, pregelatinized starch, purfied water, silicon dioxide, sodium starch glycolate, talc, titanium dioxide Call 1-877-753-3335 Monday-Friday 9AM-5PM EST This product is not manufactured or distributor of Extra Strength Tylenol® PM. TamPER EVDENT: DO NOT USE IF PAINTED TamPER EVDENT: DO NOT USE IF PAINTED TamPER EVDENT: DO NOT USE IF PAINTED TamPER EVDENT: DO NOT USE IF PAINTED <td< th=""></td<>			
Distributed By AmarisourceBergen 1300 Morris Drive, Chesterbrook, PA 19087 Ouestions or Concerns? Visit us at www.mygn.com ABC# 10229913 ABC# 1022914 ABC# 1022914 ABC# 102914 ABC# 102914 ABC	 Drug Facts (continued) Ask a doctor before use if you have iver disease a breathing problem such as emphysema or chronic bronohitis a breathing problem such as emphysema or chronic bronohitis trouble urinating due to an enlarged prostate gland glaucoma Pack a doctor or pharmacist before use if you are elange the blood thinning drug warfarin taking the blood thinning drug warfarin taking sedatives or tranquilizers Droug action of drove and ack a doctor if do not drive a motor vehicle or operate machinery Stop use and ask a doctor if Stop use and ask a doctor if avoid alcoholic drinks do not drive a motor vehicle or operate machinery Betalessness persists continuously for more than veeks. Insomnia may be a symptom of a serious underlying medical illuess. pain gets worse or lasts more than 10 days tever gets worse or lasts more than 10 days tered pets worse or lasts more than 10 days Betore use. pain gets worse or lasts more than 10 days tered pets worse or lasts more than 3 days tered pets worse or lasts more than 10 days tered pets worse or lasts more than 10 days tered pets worse or lasts more than 10 days tered pets worse or lasts more than 10 days tered pets worse or lasts more than 10 days tered pets worse or lasts more than 10 days tered pets worse or lasts more than 10 days 			
	Drug Facts Purposes Active ingredients Purposes fin each caplet) Nighttime Acetaminophen 500 mg Nighttime Johenhydramine HCI 25 mg Nighttime Diphenhydramine HCI 26 mg Step=aid With other drugs containing preparents Step Night avait Step and or acetaminophen Som more alcoholic drinks every day while using this Doutes Protocors Step and sceletaminophen Som more alcoholic drinks every day while using this Doutes Protocors Step and sceletaminophen Som more alcoholic drinks every day while using this Step and sceletaminophen Som more alcoholic drinks every day while using this Step and sceletaminophen Sor more used on skin Step and			
	Compare to Extra Strength Tylenol® PM active ingredients DC 46122-643-71 Ind 45122-643-71 Ind 45122-643-71 <t< th=""></t<>			

GOOD NEIGHBOR PHARMACY Pain Relief PM

PAIN RELIEF PM						
acetaminophen, diphenhyd	ramine hcl tablet, coated					
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Item Code (Source) NDC:		2:46122-643	
Route of Administration	ORAL					
Active Ingredient/Acti	ve Moietv					
0	Ingredient Name Basis of Strengtl				trength	
ACETAMINO PHEN (UNII: 362	HEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN			0	0 mg	
DIPHENHYDRAMINE HYDRO CHL O RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE - UNII:8 GTS82S83M) DIPHENHYDRO CHL O RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE - HYDRO CHL O RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE -					mg	
Inactive Ingredients						
mactive ingreatents	Ingredient	Name		Stren	nơth	
CROSCARMELLOSE SODIU	C C	i unic		otici	1811	
FD&C BLUE NO. 1 (UNII: H3I						
FD&C BLUE NO. 2 (UNII: L0						
HYPROMELLOSES (UNII: 3N	- ,					
MAGNESIUM STEARATE (U						
CELLULOSE, MICROCRYS	TALLINE (UNII: OP1R32D61U)					
POLYETHYLENE GLYCOL,	UNSPECIFIED (UNII: 3WJQ0S	DW1A)				
POLYVINYL ALCOHOL, UN	SPECIFIED (UNII: 532B59J99)	0)				
POVIDONE K30 (UNII: U725)	QWY32X)					
STARCH, CORN (UNII: 0823	2NY3SJ)					
WATER (UNII: 059QF0KO0R)					
SILICON DIOXIDE (UNII: ET.	J7Z6XBU4)					
SODIUM STARCH GLYCOL	ATE TYPE A CORN (UNII: AG	9B65PV6B)				
TALC (UNII: 7SEV7J4R1U)						
TITANIUM DIO XIDE (UNII: 1	5FIX9 V2JP)					
ALUMINUM OXIDE (UNII: LM	AII2606933)					
Product Characteristic	2S					
Color	BLUE	Score		no score		
Shape	CAPSULE	Size		18 mm		
Flavor		Imprint Code		P525		
Contains						
Packaging						
# Item Code	Deckage Decerint	ion	Marketing Start	Marketing	End	
	Package Descript	1011	Date	Date		

1 71	1 in 1 BOX	12/27/2019					
	50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product						
Marketing Information							
Marketing Inf	ormation						
Marketing Inf		ion Marketing Start Date	Marketing End Date				
0	ory Application Number or Monograph Citat	ion Marketing Start Date 12/27/2019	Marketing End Date				

Labeler - AmerisourceBergen (Good Neighbor Pharmacy) 46122 (007914906)

Revised: 3/2020

AmerisourceBergen (Good Neighbor Pharmacy) 46122