

UNISHIELD FIRST AID BURN- lidocaine hcl spray
Unishield

49314-0002-1 Unishield First Aid Burn Spray

Active ingredient

Lidocaine HCL 2.0%

Purpose

.Topical pain relief

Uses

Temporary pain relief associated with minor burns

Warnings

For external use only

Do not use

- in large quantities, particularly over raw or blistered areas.
- near eyes, if this happens rinse thoroughly with water

Stop use and ask a doctor

if condition worsens or persists for more than 7 days or clears up and returns.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray an over layer of burn spray over cleaned affected area not more than 3-4 times daily
- not to be used on children under 12 years of age

Inactive ingredients

glycerin, hydroxypropyl methylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions or comments □

1-800-480-5855

Package Label - Principal Display Panel

UniShield
**FIRST AID
BURN
SPRAY**
**For Temporary
Pain Relief of
Minor Burns**

NET CONTENTS 2 FL. OZ. (59.1ML)
Distributed by: UniShield, San Fernando, CA 91340
Made in China

Drug Facts

Active ingredient	Purpose
Lidocaine HCl 2.0%	Topical pain relief

Uses Temporary pain relief associated with minor burns

Warnings
For external use only.
Do not use ■ in large quantities, particularly over raw or blistered areas ■ near eyes, if this happens rinse thoroughly with water
Stop use and ask a doctor if condition worsens or persists for more than 7 days or clears up and returns.
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions ■ spray an even layer of burn spray over cleaned affected area not more than 3-4 times daily ■ not to be used on children under 12 years of age

Inactive ingredients glycerin, hydroxypropyl methylcellulose, melaleuca alternifolia (tea tree) leaf oil, octoxynol 9, PEG-40 hydrogenated castor oil, phenoxyethanol, propylene glycol, triethanolamine, water

Questions or comments? 1-800-480-5855

UNISHIELD FIRST AID BURN

lidocaine hcl spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49314-0002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	

WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
TEA TREE OIL (UNII: VIF565UC2G)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 9O3K93S3TK)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49314-0002-1	59.1 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/20/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/20/2023	

Labeler - Unishield (790677053)

Registrant - Nantong Health & Beyond Hygienic Products Inc. (421280161)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(49314-0002)

Revised: 9/2025

Unishield