CONTAC COLD AND FLU - acetaminophen, dextromethorphan hydrobromide and doxylamine succinate capsule VESPYR BRANDS, INC.

Drug Facts

Active ingredients (in each liquid gel)

Acetaminophen USP 325 mg Dextromethorphan HBr USP 15 mg Doxylamine succinate USP 6.25 mg

Purpose

Pain reliever/fever reducer Cough suppressant Antihistamine

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 liquid gels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is

accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- do not exceed 8 liquid gels per 24 hrs

adults & children 12 yrs & over	2 liquid gels with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Other information

store at room temperature

Inactive ingredients

D&C Yellow No. 10, gelatin, glycerin, Neelicert FD&C Blue No. 1, polyethylene glycol, povidone, propylene glycol, purified water, shellac glaze, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

call **1 (855) 874-0970** Mon.-Fri. 8AM - 5PM EST

DISTRIBUTED BY:

Vespyr Brands[®], LLC. East Windsor, NJ 08520

Made in India

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 8 Capsules Carton Label

NDC 71179-003-08

CONTAC_®

COLD & FLU

Acetaminophen, Doxylamine Succinate & Dextromethorphan HBr

Pain Reliever/Fever Reducer, Antihistamine & Cough Suppressant

MULTI-SYMPTOM

- Headache, Fever, Sore Throat, Body Aches
- Sneezing, Runny Nose, Cough

8 LIQUID GELS (Liquid-Filled Capsules)



CONTAC COLD AND FLU

acetaminophen, dextromethorphan hydrobromide and doxylamine succinate capsule

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:7117	9-003
Route of Administration ORAL					
Active Ingredient/Active Moiety					
Ingredient Name Basis of Strength Stren			Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg			325 mg		

	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients			
Ingredient Name	Strength		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
GLYCERIN (UNII: PDC6A3C0OX)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A)			
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SHELLAC (UNII: 46N107B710)			
SORBITOL (UNII: 506T60A25R)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

Product Characteristics			
Color	GREEN	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	Q07
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:71179-003- 08	1 in 1 CARTON	06/29/2024		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:71179-003- 24	3 in 1 CARTON	06/29/2024		
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/29/2024	

Labeler - VESPYR BRANDS, INC. (118094893)

Establishment				
Na me	Address	ID/FEI	Business Operations	
APL HEALTHCARE LIMITED		650844777	ANALYSIS(71179-003), MANUFACTURE(71179-003)	

Revised: 7/2024 VESPYR BRANDS, INC.