

**OXYGEN- oxygen gas**  
**AIRSERVE, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Gaseous Oxygen Fill Label**

**Gaseous Oxygen Fill Label**

**Warning:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications **Rx only**.

Uninterrupted use of high concentration of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless use in conjunction with resuscitative equipment.

**WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.**

Keep away from oil, grease and all potential sources of ignition. Open valve slowly and close after each use and when empty. Store and use with adequate ventilation. Cylinder temperature should not exceed 125F (52C). Use only with equipment cleaned rated for cylinder pressure. **Use a back flow preventative device in the piping.** Use this product in accordance with its specific Material Safety Data Sheet

CAS 7782-44-7

PRODUCED BY AIR LIQUIFICATION

**DO NOT REMOVE THIS LABEL**

**AIRSERVE, LLC 26770 LIBERAL CENTER LINE, MI 48015 (586) 427-5349**

A 115 LITERS ML6 170 LITERS B 170 LITERS C/F 240 LITERS D 400 LITERS E 682 LITERS  
M60/Q 1723 LITERS M 3455 LITERS H 7108 LITERS OTHER \_\_\_\_\_ LITERS



Medical Oxygen & Specialty Gases



**OXYGEN  
COMPRESSED  
USP  
UN1072  
CAS 7782-44-7**

- |   |   |
|---|---|
| <input type="checkbox"/> A 115 LITERS   | <input type="checkbox"/> E 682 LITERS       |
| <input type="checkbox"/> ML6 170 LITERS | <input type="checkbox"/> M60/Q 1723 LITERS  |
| <input type="checkbox"/> B 170 LITERS   | <input type="checkbox"/> M 3455 LITERS      |
| <input type="checkbox"/> C/F 240 LITERS | <input type="checkbox"/> H 7108 LITERS      |
| <input type="checkbox"/> D 400 LITERS   | <input type="checkbox"/> OTHER _____ LITERS |

**DANGER:** MAY CAUSE OR INTENSIFY FIRE: OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from combustible materials. Keep valves and fitting free from grease and oil. In case of fire: stop leak if safe to do so. Store and use with adequate ventilation. Protect from sunlight if ambient temperature exceeds 125°F (52°C). Open valve slowly and close after each use and when empty. Use only with equipment oxygen cleaned and rated for cylinder pressure. **Use a back flow preventative device in the piping.** Use this product in accordance with its specific Material Safety Data Sheet.

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.**

Uninterrupted use of high concentration of oxygen over a long duration, without monitoring its effects on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

**PRODUCED BY AIR LIQUEFACTION  
DO NOT REMOVE THIS LABEL**

**AIRSERVE, LLC • 26770 LIBERAL • CENTER LINE, MI 48015 • (586) 427-5349**

### Liquid Oxygen Fill Label

**OXYGEN, REFRIGERATED LIQUID**

**USP**

**UN1073**

**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **RX only.**

**CAUTION: Federal Law prohibits dispensing without prescription.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless in conjunction with resuscitative equipment. Produced by Air Liquefaction.

**WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.**

Keep oil, grease, and combustibles away. use only equipment cleaned for oxygen service. store and use with adequate ventilation. Do not get liquid in eyes, wear a face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

**FIRST AID: IN CASE OF FROSTBITE,** obtain medical treatment immediately.

**DO NOT REMOVE LABEL**

**AIRSERVE, LLC  
26770 LIBERAL AVE, CENTER LINE, MI 48015  
(586) 427-5349**

# OXYGEN, REFRIGERATED LIQUID USP

UN 1073



CONTENTS: \_\_\_\_\_ LITERS

CAS NO: 7782-44-7

## **DANGER:**

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

## **FIRST AID:**

**IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.



Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

©Applied Home Healthcare Equipment 2014

## Airserve LLC

26770 Liberal

Centerline, MI 48015

P: 586-427-5349 F: 586-755-2465

### OXYGEN

oxygen gas

#### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:67711-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	991 mL in 1 L
--	--------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67711-001-03	400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
2	NDC:67711-001-01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
3	NDC:67711-001-02	240 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
4	NDC:67711-001-04	682 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
5	NDC:67711-001-05	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
6	NDC:67711-001-06	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
7	NDC:67711-001-07	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
8	NDC:67711-001-08	115 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
9	NDC:67711-001-09	1723 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
10	NDC:67711-001-10	40 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2003	
11	NDC:67711-001-11	33500 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
12	NDC:67711-001-12	24950 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
13	NDC:67711-001-13	16750 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
14	NDC:67711-001-14	37619 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
15	NDC:67711-001-15	29069 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
16	NDC:67711-001-16	49200 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
17	NDC:67711-001-17	38300 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
18	NDC:67711-001-18	17780 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	
19	NDC:67711-001-19	8881 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2003	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/2003	

**Labeler** - AIRSERVE, LLC (118653638)

**Registrant** - AIRSERVE, LLC (118653638)

### Establishment

Name	Address	ID/FEI	Business Operations
AIRSERVE, LLC		118653638	manufacture(67711-001)