

BRONZING PRIMER SPF 20- titanium dioxide and zinc oxide liquid Colorescience

Bronzing Primer SPF 20

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 5.0%	Sunscreen
Zinc Oxide 4.5%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.
- **Sun Protection Measures**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.– 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Cyclopentasiloxane, Dimethicone Crosspolymer, Caprylic/Capric Triglyceride, Water, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopheryl Acetate, Mica,

Simmondsia Chinensis (Jojoba) Seed Oil, Hydrolyzed Rice Protein, Dimethiconol, Avena Sativa (Oat) Kernel Protein, Spirulina Maxima Extract, Alumina, Silica, Jojoba Esters, Polyhydroxystearic Acid, Glyceryl Behenate/Eicosadioate, Aloe Barbadensis Leaf Extract, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Pentylene Glycol, Camellia Sinensis Leaf Extract, Lauroyl Lysine, Palmitoyl Tripeptide-5, Tocopherol, Triethoxycaprylylsilane, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Limonene, Linalool, Iron Oxides (CI77491, CI77492, CI77499).

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

colorescience®

BRONZING
PRIMER

3-IN-1 FACE PRIMER

- + Offers radiant bronze tint
- + Evens skin tone & texture
- + Extends makeup wear

20
Broad Spectrum
SPF 20 Sunscreen
PA+++

ALL-MINERAL ACTIVES
WATER/SWEAT RESISTANT
(40 MINUTES)

Net Wt. 1 fl. oz. / 30 mL



BRONZING PRIMER SPF 20

Ultimate Staycation

You're on vacation every day with Colorescience® Bronzing Primer SPF 20. Formulated with rice proteins and peptides to smooth and even skin tone, extend makeup wear, and instantly provide a healthy sun-kissed tint. Zinc oxide and titanium dioxide deliver all-mineral actives UVA/UVB and environmental protection.

- + Dermatologist Tested
- + Non-comedogenic

How to Use

Dispense half a pump to fingertips. Dot product around the face and blend, ensuring even coverage. Can be worn alone or under your favorite foundation.

How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product. Keep babies and young children out of direct sunlight. Over-exposure to the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or towelling.

Manufactured for / Fabriqué pour
colorescience®
Carlsbad, CA 92011
Made in USA
colorescience.com

RP BIORIJS
EU: WAVRE, BE
UK: LONDON WC2H 9JQ, GB

1710026R2

†Patent: www.colorescience.com/patents



For USA only

Drug Facts

Active Ingredients Purpose
Titanium Dioxide 5.0% Sunscreen
Zinc Oxide 4.5% Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.
- Sun Protection Measures
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.– 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel ▶

colorescience®

OFC

BRONZING PRIMER

3-IN-1 FACE PRIMER

- + Offers radiant bronze tint
- + Evens skin tone & texture
- + Extends makeup wear

20 Broad Spectrum
SPF 20 Sunscreen
PA+++

ALL-MINERAL ACTIVES
WATER/SWEAT RESISTANT
(40 MINUTES)

Net Wt. 1 fl. oz. / 30 mL

For USA only

Drug Facts (continued)

Inactive Ingredients:

Cyclopentasiloxane, Dimethylcone Crosspolymer, Caprylic/Capric Triglyceride, Water, Glycerin, Dimethylcone/Vinyl Dimethylcone Crosspolymer, Tocopheryl Acetate, Mica, Simmondsia Chinensis (Jojoba) Seed Oil, Hydrolyzed Rice Protein, Dimethiconol, Avena Sativa (Oat) Kernel Protein, Spirulina Maxima Extract, Alumina, Silica, Jojoba Esters, Polyhydroxystearic Acid, Glyceryl Behenate/Eicosadecate, Aloe Barbadensis Leaf Extract, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Pentylene Glycol, Camellia Sinensis Leaf Extract, Lauroyl Lysine, Palmitoyl Tripeptide-5, Tocopherol, Triethoxycaprylsilane, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Limonene, Linalool, Iron Oxides (CI77491, CI77492, CI77499).

Other information:

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673


Ingredients (EU)

Cyclopentasiloxane, Dimethylcone Crosspolymer, Caprylic/Capric Triglyceride, Titanium Dioxide, Zinc Oxide, Aqua, Glycerin, Dimethylcone/Vinyl Dimethylcone Crosspolymer, Tocopheryl Acetate, Mica, Simmondsia Chinensis Seed Oil, Hydrolyzed Rice Protein, Dimethiconol, Avena Sativa Kernel Protein, Spirulina Maxima Extract, Alumina, Silica, Jojoba Esters, Polyhydroxystearic Acid, Glyceryl Behenate/Eicosadecate, Aloe Barbadensis Leaf Extract, Melaleuca Alternifolia Leaf Oil, Lavandula Angustifolia Oil, Citrus Reticulata Peel Oil, Pentylene Glycol, Camellia Sinensis Leaf Extract, Lauroyl Lysine, Palmitoyl Tripeptide-5, Tocopherol, Triethoxycaprylsilane, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Limonene, Linalool, Iron Oxides (CI77491, CI77492, CI77499).

FCS LOGO FPO



8 13419 02698 7



BRONZING PRIMER SPF 20

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68078-045
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MICA (UNII: V8A1AW0880)	
JOJOBA OIL (UNII: 724GKU717M)	
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)	
OAT (UNII: Z6J799EAJK)	
ARTHROSPIRA MAXIMA (UNII: 9K7IG15M0Q)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERYL BEHENATE/EICOSADIOATE (UNII: 73CJJ317SR)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TEA TREE OIL (UNII: VIF565UC2G)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
MANDARIN OIL (UNII: NJO720F72R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
LAUROYL LYSINE (UNII: 113171Q70B)	

PALMITOYL TRIPEPTIDE-5 (UNII: 2A3916MQHO)
TOCOPHEROL (UNII: R0ZB2556P8)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
SODIUM BENZOATE (UNII: OJ245FE5EU)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
HYDROLYZED RICE PROTEIN (ENZYMATIC; 2000 MW) (UNII: J9JP2XE45M)
GERANIOL (UNII: L837108USY)
LINALYL ACETATE (UNII: 5K47SSQ51G)
LAVANDIN OIL (UNII: 9RES347CKG)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-045-01	1 in 1 CARTON	01/01/2020	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	01/01/2020	

Labeler - Colorescience (128731929)