

**PRAMOX-1- pramoxine hcl shampoo**  
**Stratford Care Usa, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Pramox-1™ Shampoo**

**Active Ingredients:**

Pramoxine HCL 1%

ANTIPRURITIC

Pramox-1™ Shampoo is a gentle cleansing formulation for dogs, cats and horses. Pramox-1™ Shampoo contains pramoxine and micronized colloidal oatmeal for the temporary relief of itching, flaking, and irritation.

**Inactive Ingredients:** Water, Sodium C14-16 Olefin Sulfonate, Disodium Cocoamphodiacetate, Sodium Chloride, Cocamidopropyl Betaine, Glycerin, Sodium Lactate, Hydrolyzed Oats, Carthamus tinctorius (Safflower) Seed Oil, Fragrance, Citric Acid, Methylchloroisothiazolinone, Methylisothiazolinone

**Directions for use:** Shake well before use. Wet the hair coat with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet hair coat, lather freely. Rinse and repeat. Allow to remain on hair for 5 to 10 minutes, then rinse thoroughly with clean water. May be used initially 2 to 3 times a week for 4 weeks, then reducing to once a week, or as directed by your veterinarian.

**Cautions:** For animal use only. For topical use only. Avoid contact with eyes or mucous membranes. If undue skin irritation develops or increases, discontinue use and consult your veterinarian. In case of contact, flush eyes with water and seek medical attention if undue irritation persists. Keep out of the reach of children.

**Storage:** Store at controlled room temperature.

MEDICATED SHAMPOO

RELIEF OF ITCHING, FLAKING & IRRITATION

FOR DOGS, CATS & HORSES

**TROPICAL GUAVA SCENT**

**Stratford Animal Care**

A MEMBER OF THE SWEDENCARE FAMILY

**Distributed by:**

**Stratford Animal Care**

**4027 Tampa Road**

**Oldsmar, FL 34677**

**877-498-2002**

**www.stratfordrx.com**

## Packaging

**Directions for use:** Shake well before use. Wet the hair coat with warm water and apply a sufficient amount of shampoo to create a rich lather. Massage shampoo into wet hair coat, lather freely. Rinse and repeat. Allow to remain on hair for 5 to 10 minutes, then rinse thoroughly with clean water. May be used initially 2 to 3 times a week for 4 weeks, then reducing to once a week, or as directed by your veterinarian.

**Cautions:** For animal use only. For topical use only. Avoid contact with eyes or mucous membranes. If undue skin irritation develops or increases, discontinue use and consult your veterinarian. In case of contact, flush eyes with water and seek medical attention if undue irritation persists. Keep out of the reach of children.

**Storage:** Store at controlled room temperature.



# Pramox-1™

## MEDICATED SHAMPOO

PRAMOXINE 1%

RELIEF OF  
ITCHING, FLAKING  
& IRRITATION

FOR DOGS,  
CATS &  
HORSES



ANTIPRURITIC

TROPICAL  
GUAVA SCENT

16 FL OZ (473 mL)

Pramox-1™ Shampoo is a gentle cleansing formulation for dogs, cats and horses. Pramox-1™ Shampoo contains pramoxine and micronized colloidal oatmeal for the temporary relief of itching, flaking, and irritation.

### Active Ingredients:

Pramoxine HCL 1%

**Inactive Ingredients:** Water, Sodium C14-16 Olefin Sulfonate, Disodium Cocoamphodiacetate, Sodium Chloride, Cocamidopropyl Betaine, Glycerin, Sodium Lactate, Hydrolyzed Oats, Carthamus tinctorius (Safflower) Seed Oil, Fragrance, Citric Acid, Methylchloroisothiazolinone, Methylisothiazolinone



Scan to learn more  
about our products  
& services.



Distributed by:  
Stratford Animal Care  
4027 Tampa Road  
Oldsmar, FL 34677  
877-498-2002  
www.stratfordrx.com

SPI227  
REV0423

## PRAMOX-1

pramoxine hcl shampoo

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86069-109
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	1 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM C14-16 OLEFIN SULFONATE</b> (UNII: O9W3D3YF5U)	
<b>DISODIUM COCOAMPHODIACETATE</b> (UNII: 18L9G3U51M)	

<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>METHYLCHLOROISOTHIAZOLINONE</b> (UNII: DEL7T5QRPN)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86069-109-16	473 mL in 1 BOTTLE, PLASTIC		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/11/2011	

**Labeler** - Stratford Care Usa, Inc. (036650469)

Revised: 4/2025

Stratford Care Usa, Inc.