

ADVANTUS- imidacloprid tablet, chewable
Elanco US Inc.

advantus™
(imidacloprid) soft chew

advantus is a flavored soft chew for dogs and puppies **10 weeks of age and older and weighing 4 pounds or greater.**

Active Ingredients:

advantus contains 7.5 mg or 37.5 mg of imidacloprid.

Use:

advantus kills adult fleas and is indicated for the treatment of flea infestations on dogs and puppies **10 weeks of age and older and weighing 4 pounds or greater.**

Warnings:

Not for human use. Keep this and all drugs out of reach of children.

Keep advantus in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose.

Side Effects:

Side effects seen with this drug include vomiting, decreased appetite, decreased energy, soft stools and difficulty walking.

Directions:

You should weigh your dog before giving this medication to make sure you are using the right size for your dog. Do not give to puppies younger than 10 weeks of age or to dogs weighing less than 4 pounds. Do not give more than one tablet a day.

Use the table to find the right dose for your dog:

Dosing Table		
Body Weight	Dose*	Soft Chew Strength
4-22 lbs	One Soft Chew	7.5 mg imidacloprid
23-110 lbs	One Soft Chew	37.5 mg imidacloprid

*If your dog becomes re-infested, you can safely repeat treatment as often as **once a**

day.

To give advantus, place the soft chew directly in your dog's mouth or allow your dog to take the soft chew from your hand. Watch closely to ensure your dog swallows the soft chew.

A single dose kills adult fleas on your dog. Because advantus does not have an effect on fleas in the environment, your dog may become re-infested with fleas. If your dog becomes re-infested, you can safely repeat treatment as often as once a day. Contact your veterinarian if you have any questions about flea infestations on your dog.

Treat all pets in your household with a flea protection product. advantus should only be given to dogs.

Questions/Comments?


For product questions or to report side effects, call Elanco at 888-545-5973. For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>

Other Information:

- Contact your veterinarian if your dog ingests more than the recommended dose of advantus.
- advantus has not been tested in pregnant or nursing dogs.
- advantus starts to kill fleas within 1 hour. A study demonstrated that advantus achieves greater than 96% effectiveness against adult fleas within 4 hours.
- advantus may be used together with other products, including heartworm preventatives, corticosteroids, antibiotics, vaccines, de-worming medications and shampoos.
- advantus does not protect against ticks or mosquitoes.

Flea Infestations on Dogs:

Treatment of flea infestations is important to your dog's health. Fleas in your dog's environment can re-infest your dog. Therefore, you may need to treat with advantus more than one time. The following diagram illustrates the flea's life cycle and where advantus works:



Fleas reproduce rapidly. A single female flea may produce up to 2,000 eggs over her lifetime. Eggs hatch and may grow into adults in only three weeks. Adult female fleas

feed by ingesting blood from your dog and lay eggs that drop off from your dog's coat. Within days, larvae hatch from these eggs and live undetected in your dog's surroundings, such as in the carpet and bedding. Fleas can emerge to re-infest your pet, continuing the life cycle. When these new fleas are seen on your dog, treat with advantus.

If you have any questions about flea treatment or medical problems associated with flea infestations, consult your veterinarian.

Storage Information:

Store at temperatures between 68° and 77°F (20°-25°C).

How Supplied:

advantus is available in two strengths: 7.5 mg or 37.5 mg imidacloprid. Both strengths are packaged in 7 count bottles containing 7 flavored soft chews or 30 count bottles containing 30 flavored soft chews.

Approved by FDA under NADA # 141-435

Manufactured for:
Elanco US Inc.
Greenfield, IN 46140 U.S.A.

90207038_PA600215X

Revised: January 2022

Made in Spain.

advantus, Elanco and the diagonal bar logo are trademarks of Elanco or its affiliates.

© 2022 Elanco or its affiliates

TAKE TIME

OBSERVE LABEL DIRECTIONS

Elanco™

Principal Display Panel - 7.5 mg Carton Label

**ORAL FLEA
TREATMENT FOR
DOGS 10 WEEKS
OF AGE AND
OLDER,
BETWEEN
4-22 lbs.**

***Elanco*
*advantus™***

(imidacloprid) soft chew

7.5 mg

ORAL FLEA TREATMENT

Starts to **kill fleas on dogs**
within **one hour**

7
SOFT
CHEWS

Each soft chew contains
7.5 mg of imidacloprid.

Approved by FDA under NADA # 141-435

KEEP OUT OF REACH
OF CHILDREN



Principal Display Panel - 7.5 mg 7 Soft Chews Bottle Label

ORAL FLEA

**TREATMENT FOR
DOGS 10 WEEKS
OF AGE AND
OLDER,
BETWEEN
4-22 lbs.**

**Elanco
advantus™**

(imidacloprid) soft chew

7.5 mg

ORAL FLEA TREATMENT

Starts to **kill fleas on dogs**
within **one hour**

**7
SOFT
CHEWS**

Each soft chew contains
7.5 mg of imidacloprid.

Approved by FDA under NADA # 141-435

**KEEP OUT OF REACH
OF CHILDREN**



Principal Display Panel - 7.5 mg 30 Soft Chews Bottle Label

Peel
Here

**ORAL FLEA
TREATMENT FOR
DOGS 10 WEEKS**

**OF AGE AND
OLDER,
BETWEEN
4-22 lbs.**

**Elanco
advantus™**

(imidacloprid) soft chew

7.5 mg

ORAL FLEA TREATMENT

Starts to **kill fleas on dogs**
within **one hour**

**30
SOFT
CHEWS**

Each soft chew contains 7.5 mg of imidacloprid.

Approved by FDA under NADA # 141-435

**KEEP OUT OF REACH
OF CHILDREN**

Peel Here

ORAL FLEA TREATMENT FOR DOGS 10 WEEKS OF AGE AND OLDER, BETWEEN 4-22 lbs.

Elanco **advantus™**
(imidacloprid) soft chew
7.5 mg

ORAL FLEA TREATMENT
Starts to kill fleas on dogs
within one hour

30
SOFT
CHEWS

Each soft chew contains 7.5 mg of imidacloprid. Approved by FDA under NADA # 141-435

KEEP OUT OF REACH OF CHILDREN

Use: advantus kills adult fleas and is indicated for the treatment of flea infestations on dogs and puppies 10 weeks of age and older and weighing 4 pounds or greater.
Warnings: Not for human use. Keep this and all drugs out of reach of children. Keep advantus in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose.
Directions: You should weigh your dog before giving this medication to make sure you are using the right size for your dog. Do not give to puppies younger than 10 weeks of age or to dogs weighing less than 4 pounds. Do not give more than one tablet a day.
Use the table to find the right dose for your dog:

Body Weight	Dose*	Soft Chew Strength
4-22 lbs	One soft chew	7.5 mg imidacloprid
23-110 lbs	One soft chew	37.5 mg imidacloprid

*If your dog becomes re-infested, you can safely repeat treatment as often as once a day. For complete product information, please read the attached information.
Store at temperatures between 68° and 77°F (20°-25°C).
Manufacturer for: Elanco US Inc., Greenfield, IN 46140 U.S.A. 90207039_YL600215A
Made in Spain.

7 24089132771 0

TAKE TIME
OBSERVE LABEL
DIRECTIONS

Principal Display Panel - 37.5 mg Carton Label

**ORAL FLEA
TREATMENT FOR**

**DOGS 10 WEEKS
OF AGE AND
OLDER,
BETWEEN
23-110 lbs.**

***Elanco*
advantus™**

(imidacloprid) soft chew

37.5 mg

ORAL FLEA TREATMENT

Starts to **kill fleas on dogs**
within **one hour**

**7
SOFT
CHEWS**

Each soft chew contains
37.5 mg of imidacloprid.

Approved by FDA under NADA # 141-435

**KEEP OUT OF REACH
OF CHILDREN**

SOFT CHEWS

Each soft chew contains 37.5 mg of imidacloprid.

Approved by FDA under NADA # 141-435

KEEP OUT OF REACH OF CHILDREN

Each soft chew contains 37.5 mg of imidacloprid.

Use: advantus kills adult fleas and is indicated for the treatment of flea infestations on dogs and puppies 10 weeks of age and older and weighing 4 pounds or greater.

Warnings: Not for human use. Keep this and all drugs out of reach of children. Keep advantus in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose.

Directions: You should weigh your dog before giving this medication to make sure you are using the right size for your dog. Do not give to puppies younger than 10 weeks of age or to dogs weighing less than 4 pounds. Do not give more than one tablet a day. Use the table to find the right dose for your dog:

Dosing Table	
Body Weight	Dose*
4-22 lbs	One soft chew
23-110 lbs	One soft chew

*If your dog becomes re-infested, you can safely repeat treatment as often as once a day. For complete product information, please read the accompanying insert. Store at temperatures between 68° and 77°F (20°-25°C).

Manufacturer for:
Elanco US, Inc.
Greenfield, IN 46140 U.S.A.
Made in Spain.

90207042_Y16A002160

TAKE TIME
OBSERVE LABEL
DIRECTIONS

C1C8
LOT:
EXP:

Elanco **advantus™**
(imidacloprid) soft chew
37.5 mg

7 SOFT CHEWS
Each soft chew contains 37.5 mg of imidacloprid.
Approved by FDA under NADA# 141-435

ORAL FLEA TREATMENT
Starts to kill fleas on dogs within one hour

KEEP OUT OF REACH OF CHILDREN

Principal Display Panel - 37.5 mg 30 Soft Chews Bottle Label

Peel Here

ORAL FLEA TREATMENT FOR DOGS 10 WEEKS OF AGE AND OLDER, BETWEEN 23-110 lbs.

Elanco
advantus™

(imidacloprid) soft chew

37.5 mg

ORAL FLEA TREATMENT

Starts to **kill fleas on dogs** within **one hour**

30 SOFT CHEWS

Each soft chew contains 37.5 mg of imidacloprid.

Approved by FDA under NADA # 141-435

**KEEP OUT OF REACH
OF CHILDREN**

Body Weight	Dose*	Soft Chew Strength
4-22 lbs	One soft chew	7.5 mg imidacloprid
23-110 lbs	One soft chew	37.5 mg imidacloprid

*If your dog becomes re-infested, you can safely repeat treatment as often as once a day. For complete product information, please read the attached information. Store at temperatures between 68° and 77°F (20°-25°C). Manufactured for: Elanco US Inc., Greenfield, IN 46140 U.S.A. 90207000_11600216A

TAKE TIME
OBSERVE LABEL
DIRECTIONS

ADVANTUS

imidacloprid tablet, chewable

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58198-0017
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IMIDACLOPRID (UNII: 3BN7M937V8) (IMIDACLOPRID - UNII:3BN7M937V8)	IMIDACLOPRID	7.5 mg

Product Characteristics

Color	red (red)	Score	no score
Shape	TRAPEZOID (TRAPEZOID)	Size	14mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58198-0017-1	1 in 1 CARTON		
1	NDC:58198-0017-2	7 in 1 BOTTLE		
2	NDC:58198-0017-3	30 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141435	01/01/2017	

ADVANTUS

imidacloprid tablet, chewable

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:58198-0018
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IMIDACLOPRID (UNII: 3BN7M937V8) (IMIDACLOPRID - UNII:3BN7M937V8)	IMIDACLOPRID	37.5 mg

Product Characteristics

Color	red (red)	Score	no score
Shape	TRAPEZOID (TRAPEZOID)	Size	14mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58198-0018-1	1 in 1 CARTON		
1	NDC:58198-0018-2	7 in 1 BOTTLE		
2	NDC:58198-0018-3	30 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141435	01/01/2017	

