

STOOL SOFTENER- docusate sodium capsule, liquid filled

H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use

if you are presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take softgels with a full glass (8 oz) of water

adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor

children under 6 years
of age

ask a doctor

Other information

- each softgel contains: **sodium 6 mg**
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

D&C red #33*, D&C yellow #10*, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, lecithin*, medium-chain triglycerides*, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Phillips'® Stool Softener**

STOOL SOFTENER

Docusate Sodium 100 mg

Gentle, Dependable Relief

- Relieves Constipation

Softgels

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TX 78204

**This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Phillips'® Stool Softener.

Product Labeling

Compare to the active ingredient in Phillips® Stool Softener**

NDC 37808-239-30



STOOL SOFTENER
Docosate Sodium 100 mg

Gentle, Dependable Relief

- Relieves Constipation

ACTUAL SIZE



30
Softgels

Compare to the active ingredient in Phillips® Stool Softener**

1 BOTTLE INSIDE



STOOL SOFTENER
Docosate Sodium 100 mg

Gentle, Dependable Relief

- Relieves Constipation

30
Softgels

Drug Facts		Drug Facts (continued)	
Active ingredient (in each softgel) Docosate sodium 100 mg	Purpose Stool softener laxative	Directions Take softgels with a full glass (8 oz) of water	
Uses for relief of occasional constipation (irregularity) this product generally produces bowel movement in 12 to 72 hours		adults and children 12 years and older	take 1-3 softgels daily or as directed by a doctor. This dose may be taken as a single daily dose or in divided doses.
Warnings Ask a doctor before use if you have stomach pain, nausea, vomiting, a sudden change in bowel habits that lasts over 14 days		children 6 to under 12 years of age	take 1 softgel daily or as directed by a doctor
Ask a doctor or pharmacist before use if you are presently taking mineral oil.		children under 6 years of age	ask a doctor
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition. you need to use a laxative for more than 1 week.		Other information each softgel contains: sodium 6 mg store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		Inactive ingredients D&C red #33*, D&C yellow #10*, edible ink, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, lecithin*, medium-chain triglycerides*, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol, titanium dioxide *contains one or more of these ingredients	
		Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TX 78204

1 BOTTLE INSIDE



PLD-B F0001501

Lot No.:
Exp. Date:

**This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Phillips® Stool Softener.

HEB Stool Softener Softgels

STOOL SOFTENER

docosate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-239
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	RED, WHITE	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10;S78;SCU2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-239-30	1 in 1 BOX	11/30/2013	
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	11/30/2013	

Labeler - HEB (007924756)