

MUCINEX INSTA SOOTHE SORE THROAT WINTER FRESH- benzocaine and menthol, unspecified form spray
RB Health (US) LLC

Mucinex® INSTASOOTHE™ Sore Throat Winter Fresh

Drug Facts

Active Ingredients

Benzocaine 5%

Menthol 2%

Purpose

Oral Pain Reliever

Uses

temporarily relieves occasional minor irritation and pain associated with

- sore throat
- sore mouth
- canker sores

Warnings

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other 'caine' anesthetics.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.

Do not use

- for teething
- in children under 6 years of age

When using this product:

do not exceed recommended dosage

Stop use and ask a doctor or dentist if

- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DirectionsAdults and children 6 years of age and older:

- apply to affected area (one spray); gargle, swish around in the mouth, or allow to remain in place at least 1 minute then spit out. Use up to 4 times daily or as directed by a doctor or dentist. Children 6 to under 12 years of age **SUPERVISE USE**

Children under 6 years of age:

- do not use

Other Information

store at 20-25°C (68-77°F)

Inactive Ingredients

anhydrous citric acid, cetylpyridinium chloride, dibasic sodium phosphate, edetate disodium, flavor, hydrochloric acid*, polyethylene glycol, propylene glycol, purified water, sodium hydroxide*, sucralose

*may contain this ingredient

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US)

Parsippany, NJ 07054-0224

©2023 RB Health

Made in Canada

www.mucinex.com

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Principle Display Panel

NDC: 72854-266-04

Mucinex® INSTASOOTHE™

Benzocaine 5.0mg oral pain reliever

Menthol 2.0mg oral pain reliever

✓ Numbs Pain Fast

✓ Maximum Cool

Product Label



PEEL HERE FOR COMPLETE DRUG FACTS & Tamper evident. Do not use if printed tamper evident band is broken or missing.

Dist. by: RB Health (US)
Paripatany, NJ 07054-0224
©2022 RB Health
Made in Canada
www.mucinex.com

3 63824 99679 0

LOT: [Barcode]

EXP: [Barcode]

Patients: www.reckitt.com/babette

Drug Facts

Active ingredients Purpose
Benzocaine 5% Oral pain reliever
Menthol 2% Oral pain reliever

Use temporarily relieves occasional minor irritation and pain associated with
■ sore throat ■ sore mouth
■ canker sores

Warnings
Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

Drug Facts (continued)

- pain, gray or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, tetracaine, benzocaine, or other "caine" anesthetics.

Sore throat warning: If sore throat is severe, persists for more than 7 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly.

Do not use
■ for teething ■ in children under 6 years of age

When using this product
do not exceed recommended dosage

PEEL HERE ▶

Drug Facts (continued)

Stop use and ask a doctor or dentist if
■ sore mouth symptoms do not improve in 7 days
■ irritation, pain, or redness persists or worsens
■ swelling, rash, or fever develops

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
adults and children (one spray); gargle, swish around in the mouth, or allow to remain in place at least 1 minute then spit out. Use up to 4 times

Drug Facts (continued)

daily or as directed by a doctor or dentist. Children 6 to under 12 years of age: SUPERSEDE USE.

children under 6 years of age) do not use

Other information
■ store at 20-25°C (68-77°F)

Inactive ingredients anhydrous citric acid, cetylpyriminium chloride, dibasic sodium phosphate, edetate disodium, flavor, hydrochloric acid, polyethylene glycol, propylene glycol, purified water, sodium hydroxide*, sucralose *may contain this ingredient

Questions? 1-866-MUCINEX (1-866-682-4638)

MUCINEX INSTA SOOTHE SORE THROAT WINTER FRESH

benzocaine and menthol, unspecified form spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-266
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	5 g in 100 mL
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
WATER (UNII: 059QF0KO0R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Product Characteristics

Color	yellow (clear to yellow)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72854-266-04	115 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	06/01/2023	07/12/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2023	07/12/2026

Labeler - RB Health (US) LLC (081049410)

Revised: 12/2025

RB Health (US) LLC