

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-NEUTRAL RICH- homosalate, octisalate and octocrylene cream**

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP HONEY- homosalate, octisalate and octocrylene cream**

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP BRONZE- homosalate, octisalate and octocrylene cream**

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP MOCHA- homosalate, octisalate and octocrylene cream**

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-NEUTRAL DEEP- homosalate, octisalate and octocrylene cream**

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP- homosalate, octisalate and octocrylene cream  
Beauty Manufacturing Solutions Corp.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **ITC CC Deep Shades**

Homosalate 10%

Octisalate 5%

Octocrylene 4%

Sunscreen

### **USES**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only

### **FLAMMABLE UNTIL DRY.**

Do not use near fire, flame, or heat.

on damaged or broken skin

keep out of eyes. Rinse with water to remove.

## **STOP USE AND ASK A DOCTOR IF**

rash occurs

If swallowed, get medical help or contact a Poison Control Center right away.

## **DIRECTIONS**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,

regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## **OTHER INFORMATION**

protect the product in this container from excessive heat and direct sun

water, dimethicone, propanediol, alcohol denat., synthetic fluorphlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, PEG-30 dipolyhydroxystearate, disodium stearyl glutamate, disteardimonium hectorite, polyglyceryl-4 isostearate/polyhydroxystearate/sebacate, magnesium sulfate, phenoxyethanol, scutellaria baicalensis root extract, aluminum hydroxide, butylene glycol, adenosine, sodium hyaluronate, snail secretion filtrate, glycerin, ethyl hexanediol, steareth-20, chlorhexidine digluconate, n-hydroxysuccinimide, sodium citrate, potassium sorbate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-7, citric acid, biotin; may contain: iron oxides, titanium dioxide

Call 800-620-3956



it

YOUR SKIN BUT BETTER

CC+

Color Correcting Full Coverage Cream

+ Anti-Aging\* Hydrating Serum

+ Broad Spectrum

SPF 50+  
S UVA/UVB  
Clear Sunscreen

1.08 US fl. oz. / 32 ml



\*Use with sun protection measures. See directions.

FPO

UPC

**Drug Facts**

Active ingredients	Purpose
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 4%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

Flammable until dry. Do not use near fire, flame, or heat.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months of age. Ask a doctor.

**Other information**


- Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

**Inactive ingredients**

G2049097: water, dimethicone, propanediol, alcohol denat., synthetic fluorphlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, peg-30 dipolyhydroxystearate, disodium stearyl glutamate, disteardimonium hectorite, polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate, magnesium sulfate, phenoxethanol, scutellaria baicalensis root extract, aluminum hydroxide, butylene glycol, adenosine, sodium hyaluronate, snail secretion filtrate, glycerin, ethyl hexanediol, steareth-20, chlorhexidine digluconate, n-hydroxysuccinimide, sodium citrate, potassium sorbate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-7, citric acid, biotin. May Contain: iron oxides, titanium dioxide

V2923271



itcosmetics.com

it

YOUR SKIN BUT BETTER

CC+

Color Correcting  
Full Coverage Cream

+  
Anti-Aging\*  
Hydrating Serum

+  
Broad Spectrum

SPF 50+  
S UVA/UVB

Clear Sunscreen

**Drug Facts**

Active ingredients	Purpose
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 4%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Flammable until dry. Do not use near fire, flame, or heat.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months of age: Ask a doctor.


**Other information**

- Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

**Inactive ingredients**

G2049097: water, dimethicone, propanediol, alcohol denat., synthetic fluorophlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, peg-30 dipolyhydroxystearate, disodium stearyl glutamate, disteardimonium hectorite, polyglyceryl-4



Color Correcting  
Full Coverage Cream  
+  
Anti-Aging\*  
Hydrating Serum  
+  
Broad Spectrum  
**SPF 50+**  
S UVA/UVB  
Clear Sunscreen

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses
  - Children under 6 months of age. Ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Questions? Call 800.620.3950**

**Inactive ingredients**

G2049097: water, dimethicone, propanediol, alcohol denat., synthetic fluorphlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, peg-30 dipolyhydroxystearate, disodium stearyl glutamate, disteardimonium hectorite, polyglyceryl-4 disostearate/polyhydroxystearate/sebacate, magnesium sulfate, phenoxyethanol, scutellaria baicalensis root extract, aluminum hydroxide, butylene glycol, adenosine, sodium hyaluronate, snail secretion filtrate, glycerin, ethyl hexanediol, steareth-20, chlorhexidine digluconate, n-hydroxysuccinimide, sodium citrate, potassium sorbate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-7, citric acid, biotin. May Contain: iron oxides, titanium dioxide

V292327/1

	F	
	FPO	
	F	

UPC

1.08 US fl. oz. / 32 ml



\*Use with sun protection measures.  
See directions.

itcosmetics.com

it

YOUR SKIN BUT BETTER

CC+

Color Correcting  
Full Coverage Cream

+

Anti-Aging\*  
Hydrating Serum

+

Broad Spectrum

SPF 50+  
S UVA/UVB

Clear Sunscreen

FPO

UPC

1.08 US fl. oz. / 32 ml



\*Use with sun protection measures.  
See directions.

### Drug Facts

Active ingredients	Purpose
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 4%	Sunscreen

### Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

#### For external use only.

Flammable until dry. Do not use near fire, flame, or heat.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

### Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months of age. Ask a doctor.

### Other information


- Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

### Inactive Ingredients

G2049097: water, dimethicone, propanediol, alcohol denat., synthetic fluorophlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, peg-30 dipolyhydroxystearate, disodium stearoyl glutamate, disteardimonium hectorite, polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate, magnesium sulfate, phenoxethanol, scutellaria baicalensis root extract, aluminum hydroxide, butylene glycol, adenosine, sodium hyaluronate, snail secretion filtrate, glycerin, ethyl hexanediol, steareth-20, chlorhexidine digluconate, n-hydroxysuccinimide, sodium citrate, potassium sorbate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-7, citric acid, biotin. May Contain: iron oxides, titanium dioxide

V2923271



itcosmetics.com

it

YOUR SKIN BUT BETTER

CC+

Color Correcting Full Coverage Cream

+

Anti-Aging\* Hydrating Serum

+

Broad Spectrum

SPF 50+  
S UVA/UVB

Clear Sunscreen

**Drug Facts**

Active ingredients	Purpose
Homosalate 10%.....	Sunscreen
Octisalate 5%.....	Sunscreen
Octocrylene 4%.....	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

Flammable until dry. Do not use near fire, flame, or heat.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months of age. Ask a doctor.

**Other information**


- Protect the product in this container from excessive heat and direct sun.

Questions? Call 800.620.3950

**Inactive ingredients**

G2049097: water, dimethicone, propanediol, alcohol denat., synthetic fluorphlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, peg-30 dipolyhydroxystearate, disodium stearyl olate, disteardimonium hectorite.





CC+

Color Correcting  
Full Coverage Cream

+  
Anti-Aging\*  
Hydrating Serum

+  
Broad Spectrum

SPF 50+  
S UVA/UVB

Clear Sunscreen

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
  - Children under 6 months of age. Ask a doctor.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Questions? Call 800.620.3950**

**Inactive ingredients**

G2049097; water, dimethicone, propanediol, alcohol denat., synthetic fluorphlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, peg-30 dipolyhydroxystearate, disodium stearyl glutamate, disteardimonium hectorite, polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate, magnesium sulfate, phenoxyethanol, scutellaria baicalensis root extract, aluminum hydroxide, butylene glycol, adenosine, sodium hyaluronate, snail secretion filtrate, glycerin, ethyl hexanediol steareth-20, chlorhexidine digluconate, n-hydroxysuccinimide, sodium citrate, potassium sorbate, palmitoyl tripeptide-1, chrysin, palmitoyl tetrapeptide-7, citric acid, biotin. May Contain: iron oxides, titanium dioxide

V29232711

FFPO

UPC

1.08 US fl. oz. / 32 ml



\*Use with sun protection measures.  
See directions.

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR  
CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM  
BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-NEUTRAL**

# RICH

homosalate, octisalate and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-096
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>N-HYDROXYSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-096-01	1 in 1 CARTON	11/01/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2022	

# IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP HONEY

homosalate, octisalate and octocrylene cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-094
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	

<b>WATER</b> (UNII: 059QF0KO0R)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)
<b>CAFFEINE</b> (UNII: 3G6A5W338E)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>ADENOSINE</b> (UNII: K72T3FS567)
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-094-01	1 in 1 CARTON	11/01/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2022	

**IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP BRONZE**  
homosalate, octisalate and octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-097
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11090-097-01	1 in 1 CARTON	11/01/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2022	

## IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP MOCHA

homosalate, octisalate and octocrylene cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11090-098
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>N-HYDROXYSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	

<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-098-01	1 in 1 CARTON	11/01/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2022	

## IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-NEUTRAL DEEP

homosalate, octisalate and octocrylene cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-095
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	40 mg in 1 mL

### Inactive Ingredients



Ingredient Name	Strength
STEARETH-20 (UNII: L0Q8IK9E08)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
N-HYDROXSUCCINIMIDE (UNII: MJE3791M4T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
NIACINAMIDE (UNII: 25X5118RD4)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
WATER (UNII: 059QF0KO0R)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
CHRYSIN (UNII: 3CN01F5ZJ5)	
CAFFEINE (UNII: 3G6A5W338E)	
ALCOHOL (UNII: 3K9958V90M)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ADENOSINE (UNII: K72T3FS567)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PROPANEDIOL (UNII: 5965N8W85T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
GLYCERIN (UNII: PDC6A3C0OX)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-095-01	1 in 1 CARTON	11/01/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2022	

# IT COSMETICS YOUR SKIN BUT BETTER CC PLUS COLOR CORRECTING FULL COVERAGE ANTIAGING HYDRATING SERUM BROAD SPECTRUM SPF 50 PLUS CLEAR SUNSCREEN-DEEP

homosalate, octisalate and octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11090-093
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>N-HYDROXSUCCINIMIDE</b> (UNII: MJE3791M4T)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>TERT-BUTYL ALCOHOL</b> (UNII: MD83SFE959)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE</b> (UNII: 9713Q0S7FO)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

GLYCERIN (UNII: PDC6A3C0OX)

SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11090-093-01	1 in 1 CARTON	11/01/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2022	

**Labeler** - Beauty Manufacturing Solutions Corp. (783200723)

**Registrant** - Beauty Manufacturing Solutions Corp. (783200723)

### Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(11090-093, 11090-094, 11090-095, 11090-096, 11090-097, 11090-098)

Revised: 3/2023

Beauty Manufacturing Solutions Corp.