

ANTIBIOTIC AND PAIN RELIEF- neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride cream
STRATEGIC SOURCING SERVICES LLC

Antibiotic Cream+Pain Relief

Drug Facts

<i>Active ingredients (each gram contains)</i>	<i>Purpose</i>
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum

Questions?

call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

Foster & Thrive™

MAXIMUM STRENGTH

Antibiotic Cream + Pain Relief

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl
FIRST AID ANTIBIOTIC / PAIN RELIEVING CREAM

NET WT ½ oz (14.2 g)

NDC 70677-1218-1

Foster & Thrive™

COMPARE TO THE ACTIVE INGREDIENTS IN NEOSPORIN® + PAIN RELIEF *

MAXIMUM STRENGTH

Antibiotic Cream + Pain Relief

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl
FIRST AID ANTIBIOTIC / PAIN RELIEVING CREAM

• Helps Prevent Infection in Minor Cuts, Scrapes, and Burns

5242643
0124
14

Foster & Thrive™

MAXIMUM STRENGTH

Antibiotic Cream + Pain Relief

Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl
FIRST AID ANTIBIOTIC / PAIN RELIEVING CREAM

NET WT ½ oz (14.2 g)

Foster & Thrive™
MAXIMUM STRENGTH
Antibiotic Cream
+ Pain Relief
FIRST AID ANTIBIOTIC/
PAIN RELIEVING CREAM

T27
B51.3
ENG19.06



©2023 McKesson Corporation
Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com
Product of Canada

*All trademarks are property of their respective owners. This product is not affiliated with the owners/makers of Neosporin® + Pain Relief

NO VARNISH/NO AQ
NO COPY/NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

Drug Facts	Drug Facts (continued)
Active ingredients (each gram contains) Purpose Neomycin sulfate 3 mg.....First aid antibiotic Polymyxin B sulfate 1000 units.....First aid antibiotic Pramoxine HCl 10 mg.....External analgesic	Uses First aid to help prevent infection and for temporary relief of pain or discomfort in minor cuts • scrapes • burns
Warnings For external use only. Do not use • in the eyes • over large areas of the body • if you are allergic to any of the ingredients Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	Stop use and ask a doctor if • you need to use longer than 1 week • condition persists or gets worse • symptoms persist for more than 1 week, or clear up and occur again within a few days • rash or other allergic reaction develops
Directions • adults and children 2 years of age and older: • clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage	Other information • store at 20° to 25°C (68° to 77°F) • see carton or tube for lot number and expiration date
Caution Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	Inactive ingredients emulsifying wax, methylparaben, mineral oil, propylene glycol, purified water, white petrolatum
Questions? call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST	Questions? call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

Foster & Thrive™
MAXIMUM STRENGTH
Antibiotic Cream
+ Pain Relief
Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine HCl
FIRST AID ANTIBIOTIC / PAIN RELIEVING CREAM

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1218
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1218-1	1 in 1 CARTON	01/24/2024	03/31/2027
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/24/2024	03/31/2027

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(70677-1218)