

MUCUS RELIEF ER- guaifenesin tablet, extended release
Cardinal Health 107, LLC

Drug Facts

Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

Purpose

Expectorant

Uses

Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive.

Warnings

Do not use

for children under 12 years of age.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water

- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablet every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

•
*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

Distributed by:

MAJOR® PHARMACEUTICALS

Indianapolis, IN 46268

(800) 616-2471

www.major-rugby.com

Distributed By:

Cardinal Health

Dublin, OH 43017

L5769245-10225 / L5769245-20225

Product of India

Rev. 08/24	M-58	Re-order No. 701018
------------	------	---------------------

Principal Display Panel

NDC 55154-4153-0

MUCUS RELIEF ER

GUAIFENESIN 600 MG

EXPECTORANT

10 EXTENDED-RELEASE TABLETS



NDC 55154-4153-0

MUCUS RELIEF ER GUAIFENESIN 600 MG EXPECTORANT

10 EXTENDED-RELEASE TABLETS

Compare to the active ingredient in Mucinex®*

Drug Facts

Active Ingredient (in each extended-release tablet)	Purpose
Guaifenesin 600 mg	Expectorant

Uses: Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use for children under 12 years of age.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

- cough accompanied by too much phlegm (mucus)

WARNING: This Unit Dose package is not child resistant and is

Intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

Questions or comments?

Call 1-877-753-3935 Monday - Friday 9AM-5PM EST

*This product is not manufactured or distributed by

Reckitt Benckiser LLC, distributor of Mucinex®.

Distributed by:

MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152

Distributed by Cardinal Health

Dublin, OH 43017

L5769245-11225

X128

Distributed by Cardinal Health

Dublin, OH 43017

L5769245-21225

Drug Facts (continued)

Warnings (continued)

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away. (1-800-222-1222).

Directions

- do not crush, chew, or break tablet

- take with a full glass of water

- this product can be administered without regard for timing of meals

- adults and children 12 years of age and over;

1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours

- children under 12 years of age: do not use

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

Other information

- store between 20° to 25° C (68° to 77° F)

Inactive Ingredients carbomer, colloidal silicon dioxide,

FD&C blue #1 aluminum lake, hypromellose, lactose

monohydrate, magnesium stearate, microcrystalline

cellulose, povidone, talc

MUCUS RELIEF ER

guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-4153(NDC:0904-6718)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMOPOLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z135WT9208)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	BLUE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AN036
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-4153-0	10 in 1 BAG	09/30/2018	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207342	09/30/2018	

Labeler - Cardinal Health 107, LLC (118546603)

Revised: 12/2025

Cardinal Health 107, LLC