

**DOCTOR INK TOPICAL ANTISEPTIC WITH PAIN RELIEF- benzalkonium chloride,  
lidocaine gel**  
**Enviro Specialty Chemicals Inc**

-----  
**DOCTOR INK'S TOPICAL ANTISEPTIC PAIN RELIEF GEL**

**Drug Facts:**

**ACTIVE INGREDIENT:**

Benzalkonium Chloride 0.13%, Lidocaine 4.0%

**PURPOSE:**

First aid antiseptic, Topical skin treatment, Barrier gel with mild pain relief

**Uses:**

First aid pain relief, soothing, reduced drying of newly applied Tattoo or piercings and germ protection for: tattoos, piercings, minor cuts, scrapes, burns, skin irritations and minor abrasions

**WARNINGS:**

**DO NOT FREEZE. FOR EXTERNAL USE ONLY. DO NOT USE IN EARS, EYES OR MOUTH.**

When using this product, avoid contact with the eyes. In case of contact, flush eyes with water. Stop use and ask a doctor if redness or irritation develops and persists for more than 72 hours.

Keep out of reach of children. Children should be supervised when using this product.

**DIRECTIONS:**

Apply liberally over new Tattoo artwork or piercings, recommended for repeat application regularly.

**INACTIVE INGREDIENTS:**

Aloe barbadensis leaf extract, Aqua, Laureth-4, Citric Acid, Hydroxyethyl cellulose, Phenoxyethanol, Triethoxysilylpropyl Steardimonium chloride.

**QUESTIONS?**

+1(888) 331-8332, M-F, 9AM-5PM (EST)

***Alcohol-Free***

***Long lasting, soothing protection from germs.***

**KILLS 99.9% OF GERMS**

Formulated and enhanced with ***Zetrisil***<sup>®</sup>

***Contains Soothing Lidocaine + Aloe Vera***

***Fast-acting***

***15-second Formula***

**DISTRIBUTED BY:**

ESC Brands, LLC.

1060 Blue Prince Road

Bluefield, WV 24701

[www.doctorink.com](http://www.doctorink.com)

**Packaging**

TAT-1002-1



### Drug Facts:

**ACTIVE INGREDIENT:**

Benzalkonium Chloride 0.13%, Lidocaine 4.0%

**PURPOSE:** First aid antiseptic, Topical skin treatment, Barrier gel with mild pain relief

**Uses:** First aid pain relief, soothing, reduced drying of newly applied Tattoo or piercings and germ protection for: tattoos, piercings, minor cuts, scrapes, burns, skin irritations and minor abrasions

**WARNINGS: DO NOT FREEZE. FOR EXTERNAL USE ONLY. DO NOT USE IN EARS, EYES OR MOUTH.**

When using this product, avoid contact with the eyes. In case of contact, flush eyes with water. Stop use and ask a doctor if redness or irritation develops and persists for more than 72 hours. Keep out of reach of children. Children should be supervised when using this product.

**DIRECTIONS:** Apply liberally over new Tattoo artwork or piercings, recommended for repeat application regularly.

**INACTIVE INGREDIENTS:** Aloe barbadensis leaf extract, Aqua, Laureth-4, Citric Acid, Hydroxyethyl cellulose, Phenoxyethanol, Triethoxysilylpropyl Sterdimonium chloride.



*Alcohol-Free*  
**TOPICAL  
ANTISEPTIC  
PAIN RELIEF GEL**

*Long lasting, soothing protection from germs. For newly applied tattoos, piercings, minor cuts, burns and abrasions.*

**KILLS 99.9% OF GERMS**

**QUESTIONS?**

+1(888) 331-8332, M-F, 9AM-5PM (EST)

**DISTRIBUTED BY:**

ESC Brands, LLC,  
1060 Blue Prince Road  
Bluefield, WV 24701  
www.doctorink.com

Formulated and enhanced with

**Zetrisil<sup>®</sup>**

*Contains Soothing  
Lidocaine + Aloe Vera*

*Fast-acting  
15-second Formula*

2 FL OZ (59 ML)

## DOCTOR INK TOPICAL ANTISEPTIC WITH PAIN RELIEF

benzalkonium chloride, lidocaine gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71884-204	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)		BENZALKONIUM CHLORIDE	1.3 mg in 1 mL	
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	40 mg in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>LAURETH-4</b> (UNII: 6HQ855798J)				
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)				
<b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)				
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)				
<b>TRIETHOXYDILPROPYL STEARDIMONIUM CHLORIDE</b> (UNII: XGN40YQC7B)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:71884-204-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	09/01/2022	
2	NDC:71884-204-02	59 mL in 1 TUBE; Type 0: Not a Combination Product	09/01/2022	
3	NDC:71884-204-03	118 mL in 1 TUBE; Type 0: Not a Combination Product	09/01/2022	
4	NDC:71884-204-04	237 mL in 1 TUBE; Type 0: Not a Combination Product	09/01/2022	
5	NDC:71884-204-05	3785 mL in 1 JUG; Type 0: Not a Combination Product	09/01/2022	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC Monograph Drug	M017	09/01/2022		

**Labeler** - Enviro Specialty Chemicals Inc (202621850)