

DULCOLAX LIQUID- magnesium hydroxide liquid
Chattem, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dulcolax Liquid Laxative Cherry

Dulcolax®

Liquid Saline Laxative - Cherry

Drug Facts

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Use

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

● **shake well immediately before each use**

- for accurate dosing, use convenient pre-measured dose cup
- drink a full glass (8 oz) of liquid with each dose
- dose may be taken as a single daily dose or in divided doses
- do not exceed the maximum recommended daily dose in a 24 hour period

adults and children 12 years of age and over 30 mL to 60 mL

children 6 to under 12 years of age 15 mL to 30 mL

children 2 to under 6 years of age 5 mL to 15 mL

children under 2 years of age ask a doctor

Other information

● **each 15 mL contains:**

calcium 20 mg, magnesium 595 mg, potassium 5 mg, sodium 3 mg

- do not use if safety seal is broken or missing
- close cap tightly after each use
- store at room temperature 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, D&C red #28, flavor, glycerin, purified water, sorbitol, sucrose, xanthan gum

Questions?

Call **1-866-844-2798** or visit **www.Dulcolax.com**

PRINCIPAL DISPLAY PANEL

Stimulant-Free

Dulcolax

Magnesium Hydroxide 1200 mg per 15 mL Saline Laxative

Liquid
 Cherry Flavor
 12 Fl Oz (354 mL)



Peel here to read full Drug Facts information.

Drug Facts	
Active ingredient (in each 15 mL) Magnesium hydroxide USP 1200 mg	Purpose Saline laxative
Use ■ for relief of occasional constipation and irregularity ■ this product generally produces bowel movement in 1/2 to 6 hours	
Warnings Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet ■ stomach pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that lasts more than 2 weeks Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs. Stop use and ask a doctor if ■ you have rectal bleeding or fail to have a bowel movement after using this product. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week ▶	
Distributed by: Chatten, Inc., a Sanofi Company P.O. Box 2219, Chattanooga, TN 37409-0219 ©2020 357-079 0170231-01	
6 81421 02910 0	

Drug Facts (continued)	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ shake well immediately before each use ■ for accurate dosing, use convenient pre-measured dose cup ■ drink a full glass (8 oz) of liquid with each dose ■ dose may be taken as a single daily dose or in divided doses ■ do not exceed the maximum recommended daily dose in a 24 hour period	
adults and children 12 years of age and over	30 mL to 60 mL
children 6 to under 12 years of age	15 mL to 30 mL
children 2 to under 6 years of age	5 mL to 15 mL
children under 2 years of age	ask a doctor ▶

Drug Facts (continued)
Other information ■ each 15 mL contains calcium 20 mg, magnesium 595 mg, potassium 5 mg, sodium 3 mg ■ do not use if safety seal is broken or missing ■ close cap tightly after each use ■ store at room temperature 20°-25°C (68°-77°F)
Inactive ingredients anhydrous citric acid, D&C red #28, flavor, glycerin, purified water, sorbitol, sucrose, xanthan gum
Questions? 1-800-844-2788 or visit www.Dulcolax.com

DULCOLAX LIQUID

magnesium hydroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0291
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
CHERRY (UNII: BUC5I9595W)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	pink (LIGHT PINK (based on product specifications))	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0291-0	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/01/2019	

Labeler - Chattem, Inc. (003336013)