ANGIDOL RASPBERRY- benzocaine, menthol lozenge GRANDALL DISTRIBUTING, LLC

Grandall (as PLD) - Angidol Lozenges Raspberry Flavor (48201-015)

ACTIVE INGREDIENTS

BENZOCAINE 15MG MENTHOL 2.6MG

PURPOSE

ORAL ANESTHETIC

USES

Temporarily relieves these symptoms:

• occasional minor irritation, pain, sore mouth and sore throat

Warnings

Methemogoblinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treate promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- Pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart ache
- shortness of breath
- dizziness or light-headedness
- fatigue or lack of energy

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied, or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain or redness persist or worsens, see your dentist or doctor promptly. Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

Do not use

- for teething
- in children under 2 years of age

Stop use and ask doctor if

- sore throat is severe or irritation, pain or redness persists or worsens
- sore mouth symptoms do not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away.

Directions

adults and children 5 years and older: allow 1 lozenge to dissolve slowly in mouth. May be repeated every two hours as necessary or as directed by a doctor

children under 5 years: do not use

INACTIVE INGREDIENTS

RASPBERRY FLAVOR: Liquid Glucose, Sucrose, Acesulfame K, Tartaric acid, Citric acid, Carmoisine, Raspberry flavour and water.

Questions?

Call 1-515-276-1586, Monday through Friday, 9AM - 4PM EST



ANGIDOL RASPBERRY

benzocaine, menthol lozenge

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:48201-015
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2.6 mg	

Inactive Ingredients

Ingredient Name	Strength
CARMOISINE (UNII: DR4641L47F)	
ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	
ACESULFAME (UNII: MA3UYZ6K1H)	
TARTARIC ACID (UNII: W4888I119H)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Product Characteristics			
Color	red (ASSORTED COLORS)	Score	no score
Shape	ROUND	Size	19mm
Flavor	RASPBERRY (ASSORTED FLAVORS)	Imprint Code	В
Contains			

ı	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:48201-015- 18	18 in 1 CARTON; Type 0: Not a Combination Product	03/24/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/24/2023	

Labeler - GRANDALL DISTRIBUTING, LLC (044428324)

Revised: 1/2024 GRANDALL DISTRIBUTING, LLC