

SODIUM BICARBONATE- sodium bicarbonate tablet
Cardinal Health 107, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sodium Bicarbonate 650 mg (10 grain)

Active ingredient

Drug Facts

In each tablet: Sodium Bicarbonate 10 gr (650 mg)

- Each tablet contains: sodium 178 mg

Purpose

Antacid

Indications and Usage

Relieves -

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Keep Out of Reach of Children

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Warnings

This Unit Dose package is not child resistant and is Intended for Institutional Use Only.

Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet.

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If you are pregnant or breast-feeding, ask a health professional before use.

Directions

See product insert for prescribing information, precautions and warnings.

- Do not use the maximum dosage for more than 2 weeks
- Tablets may be swallowed whole or dissolved in water prior to use
- Adults 60 years of age or over: 1-2 every 4 hours, not more than 12 tablets in 24 hours.
- Adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours.

Inactive ingredients

Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF

Storage and Handling

Store at room temperature 15° - 30°C (59° - 86°F)

Other

Manufactured For and Distributed By:

Hospak® Unit Dose Products, Huntley, IL 60142

Questions or comments? 1-847-458-5308

Hospak®

Distributed By:

Cardinal Health

Dublin, OH 43017

L40866170518

Rev. 8/17

Principal Display Panel

SODIUM BICARBONATE, USP

650 mg (10 Grain)

ANTACID TABLETS

10 TABLETS



S69

NDC 55154-6754-0

SODIUM BICARBONATE, USP
650 mg (10 Grain)
ANTACID TABLETS

10 TABLETS

Drug Facts

Active Ingredient (in each tablet)	Purpose
Sodium Bicarbonate 10 gr (650 mg)	Antacid
- each tablet contains: sodium 178 mg	

Inactive ingredients: Hydrogenated Vegetable Oil, NF and Microcrystalline Cellulose, NF

Uses: relieves - acid indigestion - heartburn - sour stomach
- upset stomach associated with these symptoms

See product insert for prescribing information, precautions and warnings.

Directions:

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- adults 60 years of age and over: 1-2 tablets every 4 hours, not more than 12 tablets in 24 hours.
- adults under 60 years of age: 1-4 tablets every 4 hours, not more than 24 tablets in 24 hours.

STORAGE: Store at Room Temperature 15° - 30° C (59° - 86° F)

WARNINGS: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. **KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24-hour period nor use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor before use if you have a sodium restricted diet.

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.

Manufactured For and Distributed By:

Hospak® Unit Dose Products, Huntley, IL 60142

Questions or comments? 1-847-458-5308

Hospak®

Distributed by Cardinal Health

Dublin, OH 43017

L40866170424

Lot: Exp:

SODIUM BICARBONATE

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-6754
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
-----------------	----------	----------

Ingredient Name	Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	650 mg

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	CL;206
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-6754-0	10 in 1 BAG	06/06/2011	10/31/2026
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved drug other		06/06/2011	10/31/2026

Labeler - Cardinal Health 107, LLC (118546603)

Revised: 11/2024

Cardinal Health 107, LLC