
Laxative Tablets SENNOSIDES, 25 mg STIMULANT LAXATIVE

Drug Facts

Active ingredient (in each tablet) Sennosides, 25 mg

Purpose

Stimulant Laxative

Uses

- Relieves occasional constipation (irregularity)
- Generally produces a bowel movement in 6-12 hours

Warnings

Do not uselaxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you havenoticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you aretaking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product do not use for a period longer than 1 week.

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- swallow tablet (s) with a glass of water.
- swallow tablet (s) whole, do not crush, break, or chew.

Age	Dosage
adults and children 12	2 tablets once or
years of age and over	twice daily
children 6 to under 12	1 tablet once a

years	day or twice daily
children under 6 years	Ask a doctor

Other information

- Each tablet contains: Calcium 40 mg, Magnesium 5 mg
- Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- Use by expiration date on package

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, microcrystalline cellulose, pregelatinized starch, colloidal silicon dioxide, magnesium stearate, polyvinyl alcohol, titanium dioxide, polyethylene glycol (PEG) 3350, talc, yellow iron oxide, FD&C blue 1 lake

Questions or comments?

call **1-973-276-0740**

Principal Display Panel

NDC 63561-0186-9

Laxative Tablets Label

SENNOSIDES, 25 mg / STIMULANT LAXATIVE

Compare to ex.lax [®] Maximum Strength Active Ingredient

90 Film-Coated Tablets



		Drug Facts (continued) Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		
		Directions • swallow tablet(s) with a glass of water • swallow tablet(s)) whole; do not crush, break, or chew	
	STOP	Age	Dosage	
Glue		adults and children 12 years of age and over	2 tablets once or twice daily	
e Ar	PEELING	children 6 to under 12 years	1 tablet once a day or twice daily	
Area	Ë	children under 6 years	Ask a Doctor	
		Other information ■ each tablet contains: calcium 40 mg, magnesium 5 mg ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F) ■ use by expiration date on package		
		Inactive ingredients croscarmellose sodium, dibasic cellulose, pregelatinized starch, colloidal silicon dio titanium dioxide, polyethylene glycol (PEG) 3350, talc	xide, magnesium stearate, polyvinyl alcohol,	
		Questions or comments? Call 1-973-276-0740 Mond	av-Fridav 7AM-3:30PM	

LAXATIVE						
sennosides, 25 mg tablet, filr	n coated					
Product Information						
Product Type	Product Type HUMAN OTC DRUG Item Code (Source) NDC:63561-0186					
Route of Administration ORAL						
Active Ingredient/Active	Moiety					
Ingre	dient Name		Basi	s of Streng	gth Strength	
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNI	I:3FYP5M0IJX)	SENNO	SIDES	25 mg	
Inactive Ingredients						
	Ingredient	Name			Strength	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)						
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)						
CELLULOSE, MICROCRYSTALLIN		51U)				
STARCH, CORN (UNII: 08232NY35	-					
SILICON DIOXIDE (UNII: ETJ7Z6XE						
MAGNESIUM STEARATE (UNII: 70						
POLYVINYL ALCOHOL (UNII: 532E						
TITANIUM DIOXIDE (UNII: 15FIX9)	-	`				
POLYETHYLENE GLYCOL 3350 (UNII: G2M/P15E5P)				
FERRIC OXIDE YELLOW (UNII: EX43802MRT) FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)						
Dec BLOE NO. I ALOMINUM L	TRE (UNII, JECAS	/™از∠د				
Product Characteristics						
Color blue		core		no s	score	

5.	nape		ROUND	Size		10mm
Fla	avor			Imprint Code		G186
Contains						
Pa	ackaging					
#	Item Code		Package Desci	ription	Marketing Start Date	Marketing End Date
	NDC:63561- 0186-9 90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		12/17/2024			
Μ	larketing l	nform	ation			
M	larketing l Marketing Category		nation lication Number (Citation	- .	Marketing Start Date	Marketing End Date

Labeler - Granulation Technology, Inc. (847132193)

Registrant - Granulation Technology, Inc. (847132193)

Establishment					
Name	Address	ID/FEI	Business Operations		
Granulation Technology, Inc.		847132193	manufacture(63561-0186)		

Revised: 12/2024

Granulation Technology, Inc.