

**GLOWSCREEN SPF 40 -SUNSET- avobenzene, homosalate, octisalate, octocrylene lotion**  
**Supergoop, LLC**

-----  
**Glowscreen SPF 40 Sunset**

**Active Ingredients:**

Avobenzene 3%, Homosalate 4%, Octisalate 5%, Octocrylene 8%

**Uses:**

Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

For external use only • Do not use on damaged or broken skin • Stop use and ask a doctor if rash occurs • When using this product keep out of eyes • Rinse with water to remove

• Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away

• Stop use and ask a doctor if rash occurs

**Directions:**

apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Protect the product in this container from excessive heat and direct sun

Water, Butyloctyl Salicylate, Propanediol, Glycerin, C12-15 Alkyl Benzoate, Iron Oxides, Glyceryl Stearate Citrate, Mica, Isododecane, Niacinamide, Polymethylsilsesquioxane, Glyceryl Stearate, Caprylic/Capric Triglyceride, Cetyl Phosphate, Diisopropyl Sebacate, Isodecyl Neopentanoate, Lauryl Lactate, Coco-Caprylate, Arginine, Titanium Dioxide, Butylene Glycol, 1,2-Hexanediol, Caprylyl Glycol, Hydroxyacetophenone, Bismuth Oxychloride, Sodium Hyaluronate, Chlorphenesin, Ethylhexyl Hydroxystearate, Trisodium Ethylenediamine Disuccinate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Sodium Stearoyl Glutamate, Arachidyl Alcohol, Phospholipids, Behenyl Alcohol, Limonium Gerberi Extract, Arachidyl Glucoside, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Triethoxycaprylylsilane, Pantothenic Acid, Tocopherol, Ferulic Acid, Helianthus Annuus (Sunflower) Seed Oil

Supergoop!

Glow Screen SPF 40

Sunset

1.7 fl. oz./ 50 mL

Sunset

EVERY. SINGLE. DAY.

Supergoop!

**GLOW SCREEN**  
SUNSET

SPF  
**40**

Broad Spectrum Sunscreen  
SPF 40 PA+++  
1.7 fl. oz. / 50 mL.

xO *Holly*  
Holly Thaggard,  
Supergoop! Founder

**GLOWSCREEN™**  
SPF 40 is a lightweight, pearlescent formula that hydrates the skin, while acting as a luminous, makeup-gripping primer. SPF hack: This deep bronze shade also doubles as a highlighter wherever you want an extra little dose of (sun)shine.

EVERY. SINGLE. DAY.™  
*Since 2005, I've been on a mission to change the way the world thinks about sunscreen through Supergoop!'s clean, feel-good, innovative formulas. And because SPF is one of the most important things you can do for your skin, we've made it a point to create options for all skin types, tones and routines. I hope this formula becomes a new favorite and that it helps you do whatever it is you love in the sunshine.*

**For All Skin Types**

**Glowing Finish**

**Non-Comedogenic**

**Dermatologist-Tested**  
**Non-Irritating**  
**No Synthetic Fragrance**  
**Vegan**

**crueltyfree**

8 16218 02914 2

Sunset

| Drug Facts  |                |
|---|----------------|
| <b>Active Ingredients</b>   | <b>Purpose</b> |
| Avobenzone 3%.....  | Sunscreen      |
| Homosalate 4%.....  | Sunscreen      |
| Octisalate 5%.....  | Sunscreen      |
| Octocrylene 8%.....   | Sunscreen      |
| <b>Uses</b>   |                |
| • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun   |                |
| <b>Warnings</b>   |                |
| • For external use only • Do not use on damaged or broken skin, • When using this product keep out of eyes, Rinse with water to remove. • Stop use and ask a doctor if rash occurs. • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.   |                |
| <b>Directions</b>   |                |
| • apply generously and evenly 15 minutes before sun exposure  |                |
| • reapply at least every 2 hours  |                |
| • use a water resistant sunscreen if swimming or sweating   |                |
| • <b>Sun Protection Measures:</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:   |                |
| • Limit time in the sun, especially from 10 a.m. – 2 p.m.   |                |
| • Wear long-sleeved shirts, pants, hats, and sunglasses   |                |
| • Children under 6 months: Ask a doctor   |                |
| <b>Inactive Ingredients</b>   |                |
| Water, Butyloctyl Salicylate, Propanediol, Glycerin, C12-15 Alkyl Benzoate, Iron Oxides, Glyceryl Stearate Citrate, Mica, Isododecane, Niacinamide, Polymethylsilsesquioxane, Glyceryl Stearate, Caprylic/Capric Triglyceride, Cetyl Phosphate, Diisopropyl Sebacate, Isodecyl Neopentanoate, Lauryl Lactate, Coco-Caprylate, Arginine, Titanium Dioxide, Butylene Glycol, 1,2-Hexanediol, Caprylyl Glycol, Hydroxyacetophenone, Bismuth Oxochloride, Sodium Hyaluronate, Chlorophanesin, Ethylhexyl Hydroxystearate, Trisodium Ethylenediamine Disuccinate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Sodium Stearoyl Glutamate, Arachidyl Alcohol, Phospholipids, Behenyl Alcohol, Limonium Gerberi Extract, Arachidyl Glucoside, Lauconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Triethoxycaprylylsilane, Pantothenic Acid, Tocopherol, Ferulic Acid, Helianthus Annuus (Sunflower) Seed Oil |                |
| <b>Other Information</b>  |                |
| Protect the product in this container from excessive heat and direct sun  |                |
| <b>Questions or comments?</b>   |                |
| Contact our Sun Specialists 877-564-7330  |                |

**supergoop.com**  
Distributed by Supergoop, LLC  
San Antonio, TX 78215  
Glowscreen™ and Every. Single. Day.™ are trademarks of Supergoop, LLC.

## GLOWSCREEN SPF 40 -SUNSET

avobenzone, homosalate, octisalate, octocrylene lotion

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:75936-608 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE               | 5 g in 100 mL   |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE              | 8 g in 100 mL   |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE               | 4 g in 100 mL   |
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE               | 3 g in 100 mL   |

## Inactive Ingredients

| <b>Ingredient Name</b>  | <b>Strength</b> |
|---|-----------------|
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)  |                 |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)   |                 |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)   |                 |
| <b>LAURYL LACTATE</b> (UNII: G5SU0BFK7O)  |                 |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)   |                 |
| <b>CETYL PHOSPHATE</b> (UNII: VT07D6X67O)   |                 |
| <b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)   |                 |
| <b>FERULIC ACID</b> (UNII: AVM951ZWST)  |                 |
| <b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)                                       |                 |
| <b>ISODODECANE</b> (UNII: A8289P68Y2)   |                 |
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)                                    |                 |
| <b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)  |                 |
| <b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)  |                 |
| <b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)   |                 |
| <b>DOCOSANOL</b> (UNII: 9G1OE216XY)   |                 |
| <b>LIMONIUM CORIARIUM WHOLE</b> (UNII: 2J5K7YCF9F)                                      |                 |
| <b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVVW3JOOJ)   |                 |
| <b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)                      |                 |
| <b>COCOA</b> (UNII: D9108TZ9KG)   |                 |
| <b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)   |                 |
| <b>ARGININE</b> (UNII: 94ZLA3W45F)  |                 |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)                        |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)  |                 |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)   |                 |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                       |                 |
| <b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)  |                 |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)  |                 |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)   |                 |
| <b>OMEGA-3 FATTY ACIDS</b> (UNII: 71M78END5S)   |                 |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)  |                 |
| <b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)                                    |                 |
| <b>CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 71DD5V995L) |                 |
| <b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)                                     |                 |
| <b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)  |                 |

|   |  |
|---|--|
| <b>WATER O-18</b> (UNII: 7QV8F8BYNJ)                            |  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                              |  |
| <b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)             |  |
| <b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)                  |  |
| <b>MICA</b> (UNII: V8A1AW0880)                                  |  |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)                           |  |
| <b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q) |  |
| <b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)                   |  |
| <b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)                         |  |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:75936-608-01 | 1 in 1 CARTON                                      | 03/01/2023           |                    |
| 1 |                  | 50 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:75936-608-02 | 10 mL in 1 TUBE; Type 0: Not a Combination Product | 03/01/2023           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 03/01/2023           |                    |

**Labeler** - Supergoop, LLC (117061743)

Revised: 1/2026

Supergoop, LLC